

SAFETY DATA SHEET

BREAKFAST AT TIFFANY'S — fragrance compound, 100%

According to Regulation (EC) No 1907/2006 (REACH), Annex II, as amended by Regulation (EU) 2020/878

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product form	Mixture
Trade name	BREAKFAST AT TIFFANY'S
UFI	86EM-8CCD-4003-K9P3
Type of product	Perfumes, fragrances

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Fragrance compound for the manufacture of candles, wax melts, diffusers and air-care products. For professional use.
Uses advised against	Not for personal use. Not for direct application to skin. Cosmetic use only within the IFRA limits and with a cosmetic safety assessment.

1.3 Details of the supplier of the safety data sheet

Company	VEGTEAM, Lda. — Eco Candle Project
Address	R. Quinta de Santa Marta, Lojas EF, 1495-171 Algés, Portugal
E-mail	info@ecocandleproject.com
Website	www.ecocandleproject.com

1.4 Emergency telephone number

Emergency number	CIAV — Poison Information Centre (INEM): +351 800 250 250 (24 h)
-------------------------	--

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Eye irritation	Eye Irrit. 2 — H319
Skin sensitisation	Skin Sens. 1 — H317

Classification according to Regulation (EC) No 1272/2008 [CLP], as given in the manufacturer's SDS (calculation method); verified by Eco Candle Project with the same method.

2.2 Label elements



GHS07

Hazard pictograms	GHS07
Signal word	WARNING
Contains (hazard-determining)	Benzyl salicylate, Cinnamal, Linalool, Furaneol (4-hydroxy-2,5-dimethyl-3(2H)-furanone)
Hazard statements	H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.
Supplemental information	EUH208 Contains Citronellol, Coumarin, Patchouli oil. May produce an allergic reaction.



Precautionary statements	P261 Avoid breathing mist/vapours/spray. P280 Wear protective gloves/eye protection/face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P501 Dispose of contents/container in accordance with local regulations.
Finished product	Candles: also apply the safety labelling of EN 15494. When supplied to consumers add P101/P102 and the name, address and telephone of the supplier.

2.3 Other hazards

The mixture contains no Substances of Very High Concern (SVHC) $\geq 0.1\%$, no PBT/vPvB substances (REACH Annex XIII) and no substances with endocrine-disrupting properties $\geq 0.1\%$ (Delegated Regulation (EU) 2017/2100 / Regulation (EU) 2018/605).

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Mixture of fragrance substances. Hazardous components (and substances with a workplace exposure limit) as declared by the manufacturer:

Name	Identifiers	%	Classification (EC) No 1272/2008
Vanillin	CAS 121-33-5 EC 204-465-2 REACH 01-2119516040-60	3.00 – 6.00	Eye Irrit. 2, H319
Benzyl alcohol	CAS 100-51-6 EC 202-859-9 REACH 01-2119492630-38	2.50 – 5.00	Acute Tox. 4 (oral), H302; Acute Tox. 4 (inhalation), H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319
Benzyl salicylate	CAS 118-58-1 EC 204-262-9 REACH 01-2119969442-31	2.00 – 4.00	Eye Irrit. 2, H319; Skin Sens. 1B, H317; Aquatic Chronic 3, H412
γ -Octalactone	CAS 104-50-7 EC 203-208-1 REACH 01-2120793635-41	0.600 – 1.25	Skin Irrit. 2, H315
Propane-1,2-diol (propylene glycol)	CAS 57-55-6 EC 200-338-0 REACH 01-2119456809-23	0.500 – 1.08	
Cinnamal	CAS 104-55-2 EC 203-213-9 REACH 01-2119935242-45	0.500 – 1.00	Acute Tox. 4 (dermal), H312; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1A, H317; Aquatic Chronic 3, H412
Linalool	CAS 78-70-6 EC 201-134-4 REACH 01-2119474016-42	0.500 – 1.00	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317
Citronellol	CAS 106-22-9 EC 203-375-0 REACH 01-2119453995-23	0.300 – 0.600	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317
Coumarin	CAS 91-64-5 EC 202-086-7 REACH 01-2119943756-26	0.300 – 0.500	Acute Tox. 3 (oral), H301; Acute Tox. 3 (dermal), H311; Acute Tox. 3 (inhalation), H331; Skin Sens. 1, H317; Aquatic Chronic 2, H411
Benzyl benzoate	CAS 120-51-4 EC 204-402-9 REACH 01-2119976371-33	0.226 – 0.424	Acute Tox. 4 (oral), H302; Aquatic Acute 1, H400; Aquatic Chronic 2, H411
Furaneol (4-hydroxy-2,5-dimethyl-3(2H)-furanone)	CAS 3658-77-3 EC 222-908-8	0.102 – 0.273	Acute Tox. 4 (oral), H302; Skin Corr. 1B, H314; Eye Irrit. 2, H319; Skin Sens. 1A, H317
Patchouli oil (Pogostemon cablin)	CAS 8014-09-3	0.100 – 0.200	Skin Sens. 1B, H317; Asp. Tox. 1, H304; Aquatic Chronic 2, H411



Name	Identifiers	%	Classification (EC) No 1272/2008
Ethyl lactate	CAS 97-64-3 EC 202-598-0	0.100 – 0.100	Flam. Liq. 3, H226; Skin Irrit. 2, H315; Eye Dam. 1, H318; STOT SE 3, H335
Acetic acid	CAS 64-19-7 EC 200-580-7	< 0.050	Flam. Liq. 3, H226; Acute Tox. 4 (dermal), H312; Skin Corr. 1A, H314
Benzaldehyde	CAS 100-52-7 EC 202-860-4 REACH 01-2119455540-44	< 0.040	Acute Tox. 4 (oral), H302
Propionic acid	CAS 79-09-4 EC 201-176-3	< 0.020	Flam. Liq. 3, H226; Skin Corr. 1B, H314; STOT SE 3, H335
Acetyl propionyl (2,3-pentanedione)	CAS 600-14-6 EC 209-984-8	0.003 – 0.006	Flam. Liq. 2, H225; Eye Dam. 1, H318; Skin Sens. 1B, H317; STOT RE 2, H373
Ethanol	CAS 64-17-5 EC 200-578-6	0.002 – 0.005	Flam. Liq. 2, H225
Furfural	CAS 98-01-1 EC 202-627-7	0.002 – 0.004	Flam. Liq. 3, H226; Acute Tox. 3 (oral), H301; Acute Tox. 4 (dermal), H312; Acute Tox. 3 (inhalation), H331; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Carc. 2, H351; STOT SE 3, H335; Aquatic Chronic 3, H412
Pyridine	CAS 110-86-1 EC 203-809-9	0.0001 – 0.0002	Flam. Liq. 2, H225; Acute Tox. 4 (oral), H302; Acute Tox. 4 (dermal), H312; Acute Tox. 4 (inhalation), H332
2,6-Xylenol	CAS 576-26-1 EC 209-400-1	0.0001 – 0.0001	Acute Tox. 3 (oral), H301; Acute Tox. 3 (dermal), H311; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Chronic 2, H411
Isovaleraldehyde (3-methylbutanal)	CAS 590-86-3 EC 209-691-5	0.0001 – 0.0001	Flam. Liq. 2, H225; Eye Irrit. 2, H319; Skin Sens. 1B, H317; STOT SE 3, H335; Aquatic Chronic 2, H411
Acetaldehyde	CAS 75-07-0 EC 200-836-8	0.0000 – 0.0000	Flam. Liq. 1, H224; Acute Tox. 4 (oral), H302; Eye Irrit. 2, H319; Muta. 2, H341; Carc. 1B, H350; STOT SE 3, H335

Full text of H-statements: see Section 16.

SECTION 4: First aid measures

Eye contact	Rinse cautiously with water for at least 15 minutes, holding eyelids open. Remove contact lenses if easy to do. If eye irritation persists, seek medical advice.
Skin contact	Remove contaminated clothing. Wash skin with plenty of soap and water. If skin irritation or rash occurs, seek medical advice.
Inhalation	Move the person to fresh air and keep at rest. If symptoms persist, seek medical advice.
Ingestion	Rinse mouth. Do NOT induce vomiting. Contact the Poison Centre (CIAV 800 250 250) or a doctor.
Most important symptoms	Eye irritation. May cause an allergic skin reaction.
Medical attention	Treat symptomatically.

SECTION 5: Firefighting measures

Suitable extinguishing media	Foam, dry chemical powder, carbon dioxide (CO ₂).
Unsuitable extinguishing media	Water jet.
Special hazards	Combustion may release smoke, CO and CO ₂ . Prevent run-off from entering drains or watercourses.
Advice for firefighters	Self-contained breathing apparatus and full protective clothing.

**SECTION 6: Accidental release measures**

Personal precautions	Wear gloves and eye protection. Ensure ventilation. Remove ignition sources.
Environmental precautions	Prevent entry into drains, watercourses or soil.
Containment and cleaning up	Absorb with inert material (sand, diatomaceous earth, universal binder) and place in closed containers for disposal.

SECTION 7: Handling and storage

7.1 Safe handling	Avoid contact with skin and eyes; do not breathe vapours. Keep away from heat, ignition sources and naked flames. Do not eat, drink or smoke in the work area. Wash hands after handling.
7.2 Storage	Keep container tightly closed in a cool, dry, well-ventilated place (10–25 °C), protected from light, heat and ignition sources. Keep out of reach of children.
7.3 Specific end uses	See Section 1.2 and the IFRA certificate.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters	Exposure limits listed by the manufacturer: Benzyl alcohol, CAS 100-51-6 — No Portuguese limit value. Germany (TRGS 900) AGW 22 mg/m ³ / 5 ppm; Finland HTP 45 mg/m ³ / 10 ppm (8 h). DNEL/PNEC: not available for the mixture.
Engineering controls	Adequate general ventilation; local exhaust for heated or large-scale operations. Eyewash available.
Eye/face protection	Safety glasses with side shields or goggles (EN 166).
Hand protection	Chemical-resistant nitrile gloves (EN ISO 374), ≥ 0.2 mm.
Respiratory protection	Not required with adequate ventilation; otherwise filter type A (EN 14387).

SECTION 9: Physical and chemical properties

Physical state	Liquid
Colour	Light yellow to amber
Odour	Characteristic — gourmand (coffee, milk, vanilla, caramel, tonka)
Flash point	112 °C
Flammability	Not classified (flash point > 60 °C)
pH	Not applicable
Solubility in water	Practically insoluble
Other properties	Melting/boiling point, density, vapour pressure, viscosity, auto-ignition: not determined by the manufacturer.

SECTION 10: Stability and reactivity

Reactivity / stability	Stable under normal conditions of use and storage. No dangerous reactions known.
Conditions to avoid	Heat, flames, ignition sources.
Incompatible materials	Strong oxidising agents.
Hazardous decomposition	In case of combustion: CO, CO ₂ and smoke.

SECTION 11: Toxicological information

Acute toxicity (oral)	Not classified (ATE ≈ 6,054 mg/kg)
Acute toxicity (inhalation)	Not classified (ATE ≈ 23.0 mg/L)



Skin corrosion/irritation	Not classified
Eye irritation	Eye Irrit. 2 — H319
Skin sensitisation	Skin Sens. 1 — H317
Aspiration hazard	Not classified
Carcinogenicity	Not classified (Carc. 1B component 0.000% < 0.1%)
Mutagenicity, reproductive toxicity, STOT	Not classified

SECTION 12: Ecological information

12.1 Toxicity	. Main contributors: coumarin, benzyl benzoate, patchouli oil, 2,6-Xylenol and isovaleraldehyde (3-methylbutanal).
12.2-12.7	No data for the mixture. No PBT/vPvB or endocrine-disrupting substances $\geq 0.1\%$. Do not allow to enter drains or watercourses.

SECTION 13: Disposal considerations

Product	Dispose of through a licensed waste operator according to local/national regulations. Do not discharge to drains.
Hazardous properties (waste)	HP4, HP13
Contaminated packaging	Empty completely; do not reuse; dispose of as unused product.

SECTION 14: Transport information

Not classified as dangerous goods (ADR/RID/IMDG/IATA) at 100% — the preparation is not classified as hazardous to the aquatic environment.

SECTION 15: Regulatory information

EU regulations	Regulation (EC) No 1272/2008 (CLP); Regulation (EC) No 1907/2006 (REACH); Regulation (EU) 2020/878.
SVHC / Annex XIV / Annex XVII	No SVHC $\geq 0.1\%$; no Annex XIV substances.
PCN / UFI	UFI 86EM-8CCD-4003-K9P3 (manufacturer's notification).
IFRA (51st)	Candles (Cat. 12): no restriction (100%). Reed diffusers (Cat. 10A): max 23.52%. Room sprays (Cat. 10B): max 23.52%. Fine fragrance (Cat. 4): max 23.52%. See IFRA certificate.

SECTION 16: Other information

Revision	Version 1.0 — Eco Candle Project edition, 21/10/2026. Based on the manufacturer's SDS for the pure fragrance (revision of 28/02/2024, issued 28/02/2024), allergen declaration and IFRA 51st Amendment certificate (28/02/2024). The manufacturer declares component concentrations as ranges; the classification was calculated using the upper limit of each range, which coincides with the exact values given in the manufacturer's IFRA certificate and allergen declaration (e.g. benzyl alcohol 5%, benzyl salicylate 4%, cinnamal 1%). The calculation reproduces the manufacturer's classification of the pure fragrance (H317, H319). Cinnamal and furaneol are Skin Sens. 1A (generic limit 0.1%): at 10% cinnamal reaches 0.1% and the preparation is classified H317, as in the manufacturer's SDS for the 10% dilution; at 5% only EUH208 applies, as in the manufacturer's 5% SDS. Because the IFRA Category 10A limit is 23.52%, the diffuser preparation was calculated at 23% in Augeo Clean Multi instead of 25%.
Abbreviations	ATE = Acute Toxicity Estimate; UFI = Unique Formula Identifier; PCN = Poison Centre Notification; SCL = specific concentration limit; SVHC = Substance of Very High Concern.

Full text of H-statements (Sections 2 and 3):



H224 Extremely flammable liquid and vapour. **H225** Highly flammable liquid and vapour. **H226** Flammable liquid and vapour. **H301** Toxic if swallowed. **H302** Harmful if swallowed. **H304** May be fatal if swallowed and enters airways. **H311** Toxic in contact with skin. **H312** Harmful in contact with skin. **H314** Causes severe skin burns and eye damage. **H315** Causes skin irritation. **H317** May cause an allergic skin reaction. **H318** Causes serious eye damage. **H319** Causes serious eye irritation. **H331** Toxic if inhaled. **H332** Harmful if inhaled. **H335** May cause respiratory irritation. **H341** Suspected of causing genetic defects. **H350** May cause cancer. **H351** Suspected of causing cancer. **H373** May cause damage to organs through prolonged or repeated exposure. **H400** Very toxic to aquatic life. **H411** Toxic to aquatic life with long lasting effects. **H412** Harmful to aquatic life with long lasting effects.

This information is based on our current knowledge and on the manufacturer's data and describes the product for health, safety and environmental purposes only. Users must ensure suitability for their own application.