SAFETY DATA SHEET

CALABRIAN BERGAMOT & JUICY LIME — fragrance compound, 100%
According to Regulation (EC) No 1907/2006 (REACH), Annex II, as amended by Regulation (EU) 2020/878

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product form	Mixture
Trade name	CALABRIAN BERGAMOT & JUICY LIME
UFI	TRW0-W1QX-J00H-F0J7
Type of product	Perfumes, fragrances

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Fragrance compound for the manufacture of candles, wax melts, diffusers and air-care products. For professional use.
Uses advised against	Not for personal use. Not for direct application to skin. Cosmetic use only within the IFRA limits and with a cosmetic safety assessment.

1.3 Details of the supplier of the safety data sheet

Company	VEGTEAM, Lda. — Eco Candle Project
Address	R. Quinta de Santa Marta, Lojas EF, 1495-171 Algés, Portugal
E-mail	info@ecocandleproject.com
Website	www.ecocandleproject.com

1.4 Emergency telephone number

Emergency number	CIAV — Poison Information Centre (INEM): +351 800 250 250 (24 h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Aspiration hazard	Asp. Tox. 1 — H304
Skin irritation	Skin Irrit. 2 — H315
Eye irritation	Eye Irrit. 2 — H319
Skin sensitisation	Skin Sens. 1 — H317
Aquatic hazard, chronic	Aquatic Chronic 2 — H411

Classification calculated by Eco Candle Project with the CLP calculation method (Regulation (EC) No 1272/2008), using the upper limit of each concentration range declared by the manufacturer. In addition to the manufacturer's classification (H315, H317, H319, H411), Asp. Tox. 1 — H304 is applied because, with the upper limits, the aspiration-hazard components (d-limonene, β-pinene, α-pinene, myrcene) add up to 13.75% (≥ 10%).

2.2 Label elements

GHS07

GHS08

GHS09

Hazard pictograms	GHS07, GHS08, GHS09
Signal word	DANGER
Contains (hazard-determining)	Citral, d-Limonene, Hexyl cinnamal, beta-Pinene, alpha-Pinene, Linalool, Geraniol, 3,7-Dimethylocta-3,6-dienal

Hazard statements	H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects.
Supplemental information	EUH208 Contains Triplal (2,4-dimethylcyclohex-3-ene-1-carbaldehyde), Isoeugenol. May produce an allergic reaction.
Precautionary statements	P261 Avoid breathing mist/vapours/spray. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P331 Do NOT induce vomiting. P391 Collect spillage. P405 Store locked up. P501 Dispose of contents/container in accordance with local regulations.
Finished product	Candles: also apply the safety labelling of EN 15494. When supplied to consumers add P101/P102 and the name, address and telephone of the supplier.

2.3 Other hazards

The mixture contains no Substances of Very High Concern (SVHC) ≥ 0.1%, no PBT/vPvB substances (REACH Annex XIII) and no substances with endocrine-disrupting properties ≥ 0.1% (Delegated Regulation (EU) 2017/2100 / Regulation (EU) 2018/605).

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Mixture of fragrance substances. Hazardous components (and substances with a workplace exposure limit) as declared by the manufacturer:

Name	Identifiers	%	Classification (EC) No 1272/2008
Citral	CAS 5392-40-5 EC 226-394-6 REACH 01-2119462829-23	5.00 – 10.00	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317
d-Limonene	CAS 5989-27-5 EC 227-813-5 REACH 01-2119529223-47	5.00 – 10.00	Flam. Liq. 3, H226; Skin Irrit. 2, H315; Skin Sens. 1B, H317; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410
Hexyl cinnamal	CAS 101-86-0 EC 639-566-4 REACH 01-2119533092-50	2.50 – 5.00	Skin Sens. 1B, H317; Aquatic Acute 1, H400; Aquatic Chronic 2, H411
Benzyl acetate	CAS 140-11-4 EC 205-399-7 REACH 01-2119638272-42	1.00 – 2.50	Aquatic Chronic 3, H412
Tricyclodecenyl propionate	CAS 68912-13-0 EC 272-805-7 REACH 01-2119969447-21	1.00 – 2.50	Aquatic Chronic 2, H411
2,6-Dimethyloctan-2-ol (tetrahydromyrcenol)	CAS 18479-57-7 EC 242-361-9 REACH 01-2120756111-66	1.00 – 5.00	Skin Irrit. 2, H315; Eye Irrit. 2, H319
Dihydromyrcenol (2,6-dimethyloct-7-en-2-ol)	CAS 18479-58-8 EC 242-362-4 REACH 01-2119457274-37	1.00 – 5.00	Skin Irrit. 2, H315; Eye Irrit. 2, H319
beta-Pinene	CAS 127-91-3 EC 204-872-5 REACH 01-2119519230-54	1.00 – 2.50	Flam. Liq. 3, H226; Skin Irrit. 2, H315; Skin Sens. 1B, H317; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410

Name	Identifiers	%	Classification (EC) No 1272/2008
Allyl hexanoate	CAS 123-68-2 EC 204-642-4 REACH 01-2119983573-26	0.250 – 1.00	Acute Tox. 3 (oral), H301; Acute Tox. 3 (inhalation), H331; Acute Tox. 3 (dermal), H311; Aquatic Acute 1, H400; Aquatic Chronic 3, H412
alpha-Pinene	CAS 80-56-8 EC 201-291-9 REACH 01-2119519223-49	0.250 – 1.00	Flam. Liq. 3, H226; Acute Tox. 4 (oral), H302; Skin Irrit. 2, H315; Skin Sens. 1B, H317; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410
Linalool	CAS 78-70-6 EC 201-134-4 REACH 01-2119474016-42	0.100 – 1.00	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317
Triplal (2,4-dimethylcyclohex-3-ene-1-carbaldehyde)	CAS 68039-49-6 EC 943-728-2 REACH 01-2119982384-28	0.100 – 0.250	Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 2, H411
Myrcene	CAS 123-35-3 EC 204-622-5 REACH 01-2119514321-56	0.100 – 0.250	Flam. Liq. 3, H226; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 2, H411
Geraniol	CAS 106-24-1 EC 203-377-1 REACH 01-2119552430-49	0.100 – 1.00	Skin Irrit. 2, H315; Eye Dam. 1, H318; Skin Sens. 1, H317
3,7-Dimethylocta-3,6-dienal	CAS 55722-59-3 EC 259-777-1	0.100 – 1.00	Skin Sens. 1B, H317
Isoeugenol	CAS 97-54-1 EC 202-590-7 REACH 01-2120223682-61	0.010 – 0.020	Acute Tox. 4 (oral), H302; Acute Tox. 4 (inhalation), H332; Acute Tox. 4 (dermal), H312; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1A, H317; STOT SE 3, H335

Full text of H-statements: see Section 16.

SECTION 4: First aid measures

Eye contact	Rinse cautiously with water for at least 15 minutes, holding eyelids open. Remove contact lenses if easy to do. If eye irritation persists, seek medical advice.
Skin contact	Remove contaminated clothing. Wash skin with plenty of soap and water. If skin irritation or rash occurs, seek medical advice.
Inhalation	Move the person to fresh air and keep at rest. If symptoms persist, seek medical advice.
Ingestion	Rinse mouth. Do NOT induce vomiting. Contact the Poison Centre (CIAV 800 250 250) or a doctor.
Most important symptoms	Eye irritation. Skin irritation. May cause an allergic skin reaction.
Medical attention	Treat symptomatically.

SECTION 5: Firefighting measures

Suitable extinguishing media	Foam, dry chemical powder, carbon dioxide (CO_2).
Unsuitable extinguishing media	Water jet.
Special hazards	Combustion may release smoke, CO and CO_2. Prevent run-off from entering drains or watercourses.
Advice for firefighters	Self-contained breathing apparatus and full protective clothing.

SECTION 6: Accidental release measures

Personal precautions	Wear gloves and eye protection. Ensure ventilation. Remove ignition sources.
Environmental precautions	Prevent entry into drains, watercourses or soil.
Containment and cleaning up	Absorb with inert material (sand, diatomaceous earth, universal binder) and place in closed containers for disposal.

SECTION 7: Handling and storage

7.1 Safe handling	Avoid contact with skin and eyes; do not breathe vapours. Keep away from heat, ignition sources and naked flames. Do not eat, drink or smoke in the work area. Wash hands after handling.
7.2 Storage	Keep container tightly closed in a cool, dry, well-ventilated place (10–25 °C), protected from light, heat and ignition sources. Keep out of reach of children.
7.3 Specific end uses	See Section 1.2 and the IFRA certificate.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters	Exposure limits listed by the manufacturer: Citral, CAS 5392-40-5 — Poland: NDS 27 mg/m³; NDSCh 54 mg/m³; Benzyl acetate, CAS 140-11-4 — Portugal: 10 ppm (8 h TWA). DNEL/PNEC: not available for the mixture.
Engineering controls	Adequate general ventilation; local exhaust for heated or large-scale operations. Eyewash available.
Eye/face protection	Safety glasses with side shields or goggles (EN 166).
Hand protection	Chemical-resistant nitrile gloves (EN ISO 374), ≥ 0.2 mm.
Respiratory protection	Not required with adequate ventilation; otherwise filter type A (EN 14387).

SECTION 9: Physical and chemical properties

Physical state	Liquid
Colour	Colourless to very slightly yellow
Odour	Citrus-like (bergamot, lime, lemon peel, green leaves)
Flash point	84 °C (closed cup)
Flammability	Not classified (flash point > 60 °C)
pH	Not applicable
Solubility in water	Practically insoluble
Other properties	Melting/boiling point, density, vapour pressure, viscosity, auto-ignition: not determined by the manufacturer.

SECTION 10: Stability and reactivity

Reactivity / stability	Stable under normal conditions of use and storage. No dangerous reactions known.
Conditions to avoid	Heat, flames, ignition sources.
Incompatible materials	Strong oxidising agents.
Hazardous decomposition	In case of combustion: CO, CO_2 and smoke.

SECTION 11: Toxicological information

Acute toxicity (oral)	Not classified (ATE ≈ 8,306 mg/kg)
Skin corrosion/irritation	Skin Irrit. 2 — H315

Eye irritation	Eye Irrit. 2 — H319
Skin sensitisation	Skin Sens. 1 — H317
Aspiration hazard	Not classified
Mutagenicity, carcinogenicity, reproductive toxicity, STOT	Not classified

SECTION 12: Ecological information

12.1 Toxicity	Aquatic Chronic 2 — H411. Main contributors: d-Limonene, beta-Pinene, alpha-Pinene, hexyl cinnamal and tricyclodecenyl propionate.
12.2–12.7	No data for the mixture. No PBT/vPvB or endocrine-disrupting substances ≥ 0.1%. Do not allow to enter drains or watercourses.

SECTION 13: Disposal considerations

Product	Dispose of through a licensed waste operator according to local/national regulations. Do not discharge to drains.
Hazardous properties (waste)	HP4, HP5, HP13, HP14
Contaminated packaging	Empty completely; do not reuse; dispose of as unused product.

SECTION 14: Transport information

	ADR / RID	IMDG	IATA
14.1 UN number	UN 3082	UN 3082	UN 3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (D-LIMONENE)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (D-LIMONENE)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (D-LIMONENE)
14.3 Class	9	9	9
14.4 Packing group	III	III	III
14.5 Environmental hazards	Yes	Yes — marine pollutant	Yes

14.6 Special precautions: ADR tunnel code (-); limited quantity 5 L/5 kg; packages ≤ 5 L/5 kg are exempt from the environmentally hazardous substance provisions (ADR SP 375, IMDG 2.10.2.7). 14.7 Bulk (IMO): not applicable.

SECTION 15: Regulatory information

EU regulations	Regulation (EC) No 1272/2008 (CLP); Regulation (EC) No 1907/2006 (REACH); Regulation (EU) 2020/878.
SVHC / Annex XIV / Annex XVII	No SVHC ≥ 0.1%; no Annex XIV substances.
Seveso III	E2 — Hazardous to the aquatic environment, Chronic 2.
PCN / UFI	UFI TRW0-W1QX-J00H-F0J7 (manufacturer's notification).
IFRA (50th)	Candles (Cat. 12): no restriction (100%). Reed diffusers (Cat. 10A): max 12.93%. Room sprays (Cat. 10B): max 45.26%. Fine fragrance (Cat. 4): max 6.46%. See IFRA certificate.

SECTION 16: Other information

Revision	Version 1.0 — Eco Candle Project edition, 22/10/2026. Based on the manufacturer's SDS for the pure fragrance (version 2.0 of 08/11/2021, issued 08/11/2021), IFRA 50th Amendment certificate (17/04/2023). The manufacturer declares component concentrations as ranges; the classification was calculated conservatively using the upper limit of each range.
Abbreviations	ATE = Acute Toxicity Estimate; UFI = Unique Formula Identifier; PCN = Poison Centre Notification; SCL = specific concentration limit; SVHC = Substance of Very High Concern.

Full text of H-statements (Sections 2 and 3):

H226 Flammable liquid and vapour. **H301** Toxic if swallowed. **H302** Harmful if swallowed. **H304** May be fatal if swallowed and enters airways. **H311** Toxic in contact with skin. **H312** Harmful in contact with skin. **H315** Causes skin irritation. **H317** May cause an allergic skin reaction. **H318** Causes serious eye damage. **H319** Causes serious eye irritation. **H331** Toxic if inhaled. **H332** Harmful if inhaled. **H335** May cause respiratory irritation. **H400** Very toxic to aquatic life. **H410** Very toxic to aquatic life with long lasting effects. **H411** Toxic to aquatic life with long lasting effects. **H412** Harmful to aquatic life with long lasting effects.

This information is based on our current knowledge and on the manufacturer's data and describes the product for health, safety and environmental purposes only. Users must ensure suitability for their own application.