

SAFETY DATA SHEET

NOMAD'S OUD — fragrance compound, 100%
According to Regulation (EC) No 1907/2006 (REACH), Annex II, as amended by Regulation (EU) 2020/878

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product form	Mixture
Trade name	NOMAD'S OUD
UFI	03D1-E05S-N00D-46DW
Type of product	Perfumes, fragrances

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Fragrance compound for the manufacture of candles, wax melts, diffusers and air-care products. For professional use.
Uses advised against	Not for personal use. Not for direct application to skin. Cosmetic use only within the IFRA limits and with a cosmetic safety assessment.

1.3 Details of the supplier of the safety data sheet

Company	VEGTEAM, Lda. — Eco Candle Project
Address	R. Quinta de Santa Marta, Lojas EF, 1495-171 Algés, Portugal
E-mail	info@ecocandleproject.com
Website	www.ecocandleproject.com

1.4 Emergency telephone number

Emergency number	CIAV — Poison Information Centre (INEM): +351 800 250 250 (24 h)
------------------	--

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin sensitisation	Skin Sens. 1 — H317
Aquatic hazard, chronic	Aquatic Chronic 3 — H412

Classification according to Regulation (EC) No 1272/2008 [CLP], as given in the manufacturer's SDS (calculation method); verified by Eco Candle Project with the same method.

2.2 Label elements



GHS07

Hazard pictograms	GHS07
Signal word	WARNING
Contains (hazard-determining)	Oxacycloheptadec-10-en-2-one, Benzyl salicylate
Hazard statements	H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects.
Supplemental information	EUH208 Contains 3-Methylcyclopentadecenone, Sandalwood oil (Santalum austrocaledonicum), Ethyl linalool (3,7-dimethylnona-1,6-dien-3-ol), Hexyl salicylate, Citronellol, Coumarin, Geranium oil (Egypt). May produce an allergic reaction.



Precautionary statements	P261 Avoid breathing mist/vapours/spray. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local regulations.
Finished product	Candles: also apply the safety labelling of EN 15494. When supplied to consumers add P101/P102 and the name, address and telephone of the supplier.

2.3 Other hazards

The mixture contains no Substances of Very High Concern (SVHC) $\geq 0.1\%$, no PBT/vPvB substances (REACH Annex XIII) and no substances with endocrine-disrupting properties $\geq 0.1\%$ (Delegated Regulation (EU) 2017/2100 / Regulation (EU) 2018/605).

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Mixture of fragrance substances. Hazardous components (and substances with a workplace exposure limit) as declared by the manufacturer:

Name	Identifiers	%	Classification (EC) No 1272/2008
Ethylene brassylate	CAS 105-95-3 EC 203-347-8	1.00 – 5.00	Aquatic Chronic 3, H412
Oxacycloheptadec-10-en-2-one	CAS 63286-42-0 / 28645-51-4	1.00 – 5.00	Skin Sens. 1B, H317; Aquatic Acute 1, H400 (M = 1)
Benzyl salicylate	CAS 118-58-1 EC 204-262-9	1.00 – 5.00	Skin Sens. 1B, H317
3-Methylcyclopentadecenone	CAS 63314-79-4 / 82356-51-2 EC 429-900-5	0.100 – 1.00	Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1, H317
Pentadecan-15-olide	CAS 106-02-5 EC 203-354-6	0.100 – 1.00	Aquatic Chronic 2, H411
Sandalwood oil (Santalum austrocaledonicum)	CAS 91845-48-6 / 1070895-66-7 EC 295-223-5	0.100 – 1.00	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 2, H411
(1-Methyl-2-(1,2,2-trimethylbicyclo[3.1.0]hex-3-ylmethyl)cyclopropyl)methanol	CAS 198404-98-7 EC 427-900-1	0.100 – 1.00	Aquatic Acute 1, H400; Aquatic Chronic 1, H410
Ethyl linalool (3,7-dimethylnona-1,6-dien-3-ol)	CAS 10339-55-6 EC 233-732-6	0.100 – 1.00	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Eye Irrit. 2, H319
Citronellol	CAS 106-22-9 EC 203-375-0	0.100 – 1.00	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Eye Irrit. 2, H319
Dimethylbenzyl carbinyl acetate (DMBCA)	CAS 151-05-3 EC 205-781-3	0.100 – 1.00	Skin Irrit. 2, H315; Aquatic Chronic 3, H412
Benzyl acetate	CAS 140-11-4 EC 205-399-7	0.100 – 1.00	Aquatic Chronic 3, H412
Hexyl salicylate	CAS 6259-76-3 EC 228-408-6	0.100 – 1.00	Skin Sens. 1B, H317; Aquatic Chronic 1, H410 (M = 1)
4-Cyclohexyl-2-methylbutan-2-ol	CAS 83926-73-2	0.100 – 1.00	Eye Dam. 1, H318; Aquatic Chronic 2, H411
Coumarin	CAS 91-64-5 EC 202-086-7	0.100 – 1.00	Acute Tox. 4 (oral), H302; Aquatic Chronic 3, H412; Skin Sens. 1, H317
2-Phenylethyl phenylacetate	CAS 102-20-5 EC 203-013-1	0.100 – 1.00	Aquatic Chronic 2, H411
Benzyl benzoate	CAS 120-51-4 EC 204-402-9	0.100 – 1.00	Acute Tox. 4 (oral), H302; Aquatic Chronic 2, H411



Name	Identifiers	%	Classification (EC) No 1272/2008
Geranium oil (Egypt)	CAS 8000-46-2 EC 290-140-0	0.100 – 1.00	Asp. Tox. 1, H304; Skin Irrit. 2, H315; Eye Dam. 1, H318; Aquatic Chronic 2, H411; Skin Sens. 1, H317
2-tert-Butylcyclohexyl acetate	CAS 88-41-5 EC 201-828-7	0.100 – 1.00	Aquatic Chronic 2, H411
Tetramethyl acetyloctahydronaphthalenes (OTNE)	CAS 54464-57-2 EC 259-174-3	< 0.100	Skin Irrit. 2, H315; Aquatic Chronic 1, H410; Skin Sens. 1, H317
Allyl amyl glycolate	CAS 67634-00-8 EC 916-328-0	< 0.100	Acute Tox. 4 (oral), H302; Acute Tox. 2 (inhalation), H330; Aquatic Acute 1, H400 (M = 1); Aquatic Chronic 1, H410 (M = 1)
(E)-alpha-Damascone	CAS 24720-09-0 EC 246-430-4	< 0.100	Acute Tox. 4 (oral), H302; Skin Sens. 1B, H317; Aquatic Acute 1, H400 (M = 1); Aquatic Chronic 1, H410 (M = 1)
Benzyl cinnamate	CAS 103-41-3 EC 203-109-3	< 0.100	Skin Sens. 1B, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410
Nerolidol	CAS 7212-44-4 EC 230-597-5	< 0.100	Skin Sens. 1B, H317; Aquatic Acute 1, H400 (M = 1); Aquatic Chronic 1, H410 (M = 1); Eye Irrit. 2, H319
Cinnamal	CAS 104-55-2 EC 203-213-9	< 0.100	Skin Irrit. 2, H315; Aquatic Chronic 3, H412; Skin Sens. 1, H317; Eye Irrit. 2, H319

Full text of H-statements: see Section 16.

SECTION 4: First aid measures

Eye contact	Rinse cautiously with water for at least 15 minutes, holding eyelids open. Remove contact lenses if easy to do. If eye irritation persists, seek medical advice.
Skin contact	Remove contaminated clothing. Wash skin with plenty of soap and water. If skin irritation or rash occurs, seek medical advice.
Inhalation	Move the person to fresh air and keep at rest. If symptoms persist, seek medical advice.
Ingestion	Rinse mouth. Do NOT induce vomiting. Contact the Poison Centre (CIAV 800 250 250) or a doctor.
Most important symptoms	May cause an allergic skin reaction.
Medical attention	Treat symptomatically.

SECTION 5: Firefighting measures

Suitable extinguishing media	Foam, dry chemical powder, carbon dioxide (CO ₂).
Unsuitable extinguishing media	Water jet.
Special hazards	Combustion may release smoke, CO and CO ₂ . Prevent run-off from entering drains or watercourses.
Advice for firefighters	Self-contained breathing apparatus and full protective clothing.

SECTION 6: Accidental release measures

Personal precautions	Wear gloves and eye protection. Ensure ventilation. Remove ignition sources.
Environmental precautions	Prevent entry into drains, watercourses or soil.
Containment and cleaning up	Absorb with inert material (sand, diatomaceous earth, universal binder) and place in closed containers for disposal.

**SECTION 7: Handling and storage**

7.1 Safe handling	Avoid contact with skin and eyes; do not breathe vapours. Keep away from heat, ignition sources and naked flames. Do not eat, drink or smoke in the work area. Wash hands after handling.
7.2 Storage	Keep container tightly closed in a cool, dry, well-ventilated place (10–25 °C), protected from light, heat and ignition sources. Keep out of reach of children.
7.3 Specific end uses	See Section 1.2 and the IFRA certificate.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters	No occupational exposure limits for the components. DNEL/PNEC: not available for the mixture.
Engineering controls	Adequate general ventilation; local exhaust for heated or large-scale operations. Eyewash available.
Eye/face protection	Safety glasses with side shields or goggles (EN 166).
Hand protection	Chemical-resistant nitrile gloves (EN ISO 374), ≥ 0.2 mm.
Respiratory protection	Not required with adequate ventilation; otherwise filter type A (EN 14387).

SECTION 9: Physical and chemical properties

Physical state	Liquid
Colour	Colourless
Odour	Characteristic — woody oriental (oud, sandalwood, musk)
Flash point	134.5 °C (closed cup)
Flammability	Not classified (flash point > 60 °C)
pH	Not applicable
Solubility in water	Practically insoluble
Other properties	Melting/boiling point, density, vapour pressure, viscosity, auto-ignition: not determined by the manufacturer.

SECTION 10: Stability and reactivity

Reactivity / stability	Stable under normal conditions of use and storage. No dangerous reactions known.
Conditions to avoid	Heat, flames, ignition sources.
Incompatible materials	Strong oxidising agents.
Hazardous decomposition	In case of combustion: CO, CO ₂ and smoke.

SECTION 11: Toxicological information

Acute toxicity (oral)	Not classified
Skin corrosion/irritation	Not classified
Eye irritation	Not classified
Skin sensitisation	Skin Sens. 1 — H317
Aspiration hazard	Not classified
Mutagenicity, carcinogenicity, reproductive toxicity, STOT	Not classified

**SECTION 12: Ecological information**

12.1 Toxicity	Aquatic Chronic 3 — H412. Main contributors: 3-Methylcyclopentadecenone, (1-Methyl-2-(1,2,2-trimethylbicyclo[3.1.0]hex-3-ylmethyl)cyclopropyl)methanol, hexyl salicylate, oxacycloheptadec-10-en-2-one and pentadecan-15-olide.
12.2-12.7	No data for the mixture. No PBT/vPvB or endocrine-disrupting substances $\geq 0.1\%$. Do not allow to enter drains or watercourses.

SECTION 13: Disposal considerations

Product	Dispose of through a licensed waste operator according to local/national regulations. Do not discharge to drains.
Hazardous properties (waste)	HP13, HP14
Contaminated packaging	Empty completely; do not reuse; dispose of as unused product.

SECTION 14: Transport information

Not classified as dangerous goods (ADR/RID/IMDG/IATA) at 100% — Aquatic Chronic 3 is not regulated for transport.

SECTION 15: Regulatory information

EU regulations	Regulation (EC) No 1272/2008 (CLP); Regulation (EC) No 1907/2006 (REACH); Regulation (EU) 2020/878.
SVHC / Annex XIV / Annex XVII	No SVHC $\geq 0.1\%$; no Annex XIV substances.
PCN / UFI	UFI 03D1-E05S-N00D-46DW (manufacturer's notification).
IFRA (51st)	Candles (Cat. 12): no restriction (100%). Reed diffusers (Cat. 10A): no restriction (100%). Room sprays (Cat. 10B): no restriction (100%). Fine fragrance (Cat. 4): no restriction (100%). See IFRA certificate.

SECTION 16: Other information

Revision	Version 1.0 — Eco Candle Project edition, 22/10/2026. Based on the manufacturer's SDS for the pure fragrance (version 1 of 07/08/2024, issued 11/02/2025), allergen declaration and IFRA 51st Amendment certificate (11/02/2025). The manufacturer declares component concentrations as ranges. Exact values derived from the manufacturer's allergen declarations were used where available (benzyl salicylate, citronellol, dimethylbenzylcarbinyl acetate, coumarin, benzyl benzoate, geranium oil, tetramethyl acetyloctahydronaphthalenes, cinnamal, benzyl cinnamate, damascone) and the midpoint of the range otherwise; with these values the calculation reproduces the manufacturer's classification of the pure fragrance (H317, H412). The calculated classifications of the 5%, 10% and 25% preparations were checked against the manufacturer's own SDSs for those dilutions.
Abbreviations	ATE = Acute Toxicity Estimate; UFI = Unique Formula Identifier; PCN = Poison Centre Notification; SCL = specific concentration limit; SVHC = Substance of Very High Concern.

Full text of H-statements (Sections 2 and 3):

H302 Harmful if swallowed. **H304** May be fatal if swallowed and enters airways. **H315** Causes skin irritation. **H317** May cause an allergic skin reaction. **H318** Causes serious eye damage. **H319** Causes serious eye irritation. **H330** Fatal if inhaled. **H400** Very toxic to aquatic life. **H410** Very toxic to aquatic life with long lasting effects. **H411** Toxic to aquatic life with long lasting effects. **H412** Harmful to aquatic life with long lasting effects.

This information is based on our current knowledge and on the manufacturer's data and describes the product for health, safety and environmental purposes only. Users must ensure suitability for their own application.