



SAFETY DATA SHEET

SALTED CARAMEL — fragrance compound, 100%

According to Regulation (EC) No 1907/2006 (REACH), Annex II, as amended by Regulation (EU) 2020/878

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product form	Mixture
Trade name	SALTED CARAMEL
UFI	JFQW-247P-U00U-M9HN
Type of product	Perfumes, fragrances

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Fragrance compound for the manufacture of candles, wax melts, diffusers and air-care products. For professional use.
Uses advised against	Not for personal use. Not for direct application to skin. Cosmetic use only within the IFRA limits and with a cosmetic safety assessment.

1.3 Details of the supplier of the safety data sheet

Company	VEGTEAM, Lda. — Eco Candle Project
Address	R. Quinta de Santa Marta, Lojas EF, 1495-171 Algés, Portugal
E-mail	info@ecocandleproject.com
Website	www.ecocandleproject.com

1.4 Emergency telephone number

Emergency number	CIAV — Poison Information Centre (INEM): +351 800 250 250 (24 h)
------------------	--

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Acute toxicity (oral)	Acute Tox. 4 — H302
Eye irritation	Eye Irrit. 2 — H319
Skin sensitisation	Skin Sens. 1 — H317
Aquatic hazard, acute	Aquatic Acute 1 — H400
Aquatic hazard, chronic	Aquatic Chronic 2 — H411

Classification calculated by Eco Candle Project with the CLP calculation method (Regulation (EC) No 1272/2008), using the upper limit of each concentration range declared by the manufacturer, which coincides with the exact values of the manufacturer's allergen declaration and IFRA certificate (benzyl benzoate 76.2%, cinnamal 7.5%, coumarin 0.7%). In addition to the manufacturer's classification (H302, H317, H319, H411), Aquatic Acute 1 — H400 is applied because benzyl benzoate (Aquatic Acute 1) is present above 25%. The manufacturer has not issued SDSs for diluted preparations — the classifications of the 5% and 10% preparations were calculated by Eco Candle Project. IFRA limits this fragrance to 2.49% in reed diffusers (Category 10A): it is not suitable for diffusers, so no diffuser SDS is issued.

2.2 Label elements



GHS07



GHS09

Hazard pictograms	GHS07, GHS09
-------------------	--------------



Signal word	WARNING
Contains (hazard-determining)	Cinnamal, Piperonal (heliotropin), 3-Methylcyclopentane-1,2-dione, Benzyl benzoate, Benzaldehyde, Phenylacetaldehyde
Hazard statements	H302 Harmful if swallowed. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects.
Supplemental information	EUH208 Contains Coumarin, Phenylacetaldehyde. May produce an allergic reaction.
Precautionary statements	P261 Avoid breathing mist/vapours/spray. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P391 Collect spillage. P501 Dispose of contents/container in accordance with local regulations.
Finished product	Candles: also apply the safety labelling of EN 15494. When supplied to consumers add P101/P102 and the name, address and telephone of the supplier.

2.3 Other hazards

The mixture contains no Substances of Very High Concern (SVHC) $\geq 0.1\%$, no PBT/vPvB substances (REACH Annex XIII) and no substances with endocrine-disrupting properties $\geq 0.1\%$ (Delegated Regulation (EU) 2017/2100 / Regulation (EU) 2018/605).

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Mixture of fragrance substances. Hazardous components (and substances with a workplace exposure limit) as declared by the manufacturer:

Name	Identifiers	%	Classification (EC) No 1272/2008
Benzyl benzoate	CAS 120-51-4 EC 204-402-9 REACH 01-2119976371-33	38.10 – 76.20	Acute Tox. 4 (oral), H302; Aquatic Acute 1, H400; Aquatic Chronic 2, H411
Cinnamal	CAS 104-55-2 EC 203-213-9 REACH 01-2119935242-45	3.80 – 7.50	Acute Tox. 4 (dermal), H312; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; Aquatic Chronic 3, H412
Piperonal (heliotropin)	CAS 120-57-0 EC 204-409-7 REACH 01-2119983608-21	1.80 – 3.50	Skin Sens. 1B, H317
Vanillin	CAS 121-33-5 EC 204-465-2 REACH 01-2119516040-60	1.40 – 2.80	Eye Irrit. 2, H319
Ethyl vanillin	CAS 121-32-4 EC 204-464-7	1.30 – 2.50	Eye Irrit. 2, H319
3-Methylcyclopentane-1,2-dione	CAS 765-70-8 EC 212-154-8	1.00 – 1.90	Acute Tox. 4 (oral), H302; Skin Sens. 1, H317
Coumarin	CAS 91-64-5 EC 202-086-7 REACH 01-2119943756-26	0.400 – 0.700	Acute Tox. 3 (oral), H301; Acute Tox. 3 (dermal), H311; Acute Tox. 3 (inhalation), H331; Skin Sens. 1, H317; Aquatic Chronic 2, H411
Benzaldehyde	CAS 100-52-7 EC 202-860-4 REACH 01-2119455540-44	0.200 – 0.300	Acute Tox. 4 (oral), H302



Name	Identifiers	%	Classification (EC) No 1272/2008
Propane-1,2-diol (propylene glycol)	CAS 57-55-6 EC 200-338-0 REACH 01-2119456809-23	0.100 – 0.291	
Isopentyl acetate	CAS 123-92-2 EC 204-662-3 REACH 01-2119548408-32	0.100 – 0.150	Flam. Liq. 3, H226
Phenylacetaldehyde	CAS 122-78-1 EC 204-574-5 REACH 01-2120766865-37	0.100	Acute Tox. 4 (oral), H302; Skin Corr. 1B, H314; Eye Dam. 1, H318; Skin Sens. 1B, H317; Aquatic Chronic 3, H412

Full text of H-statements: see Section 16.

SECTION 4: First aid measures

Eye contact	Rinse cautiously with water for at least 15 minutes, holding eyelids open. Remove contact lenses if easy to do. If eye irritation persists, seek medical advice.
Skin contact	Remove contaminated clothing. Wash skin with plenty of soap and water. If skin irritation or rash occurs, seek medical advice.
Inhalation	Move the person to fresh air and keep at rest. If symptoms persist, seek medical advice.
Ingestion	Rinse mouth. Do NOT induce vomiting. Contact the Poison Centre (CIAV 800 250 250) or a doctor.
Most important symptoms	Eye irritation. May cause an allergic skin reaction.
Medical attention	Treat symptomatically.

SECTION 5: Firefighting measures

Suitable extinguishing media	Foam, dry chemical powder, carbon dioxide (CO ₂).
Unsuitable extinguishing media	Water jet.
Special hazards	Combustion may release smoke, CO and CO ₂ . Prevent run-off from entering drains or watercourses.
Advice for firefighters	Self-contained breathing apparatus and full protective clothing.

SECTION 6: Accidental release measures

Personal precautions	Wear gloves and eye protection. Ensure ventilation. Remove ignition sources.
Environmental precautions	Prevent entry into drains, watercourses or soil.
Containment and cleaning up	Absorb with inert material (sand, diatomaceous earth, universal binder) and place in closed containers for disposal.

SECTION 7: Handling and storage

7.1 Safe handling	Avoid contact with skin and eyes; do not breathe vapours. Keep away from heat, ignition sources and naked flames. Do not eat, drink or smoke in the work area. Wash hands after handling.
7.2 Storage	Keep container tightly closed in a cool, dry, well-ventilated place (10–25 °C), protected from light, heat and ignition sources. Keep out of reach of children.
7.3 Specific end uses	See Section 1.2 and the IFRA certificate.

**SECTION 8: Exposure controls/personal protection**

8.1 Control parameters	Exposure limits listed by the manufacturer: Isopentyl acetate, CAS 123-92-2 — EU IOELV / Portugal: 270 mg/m ³ – 50 ppm (8 h TWA); 540 mg/m ³ – 100 ppm (STEL); Benzaldehyde, CAS 100-52-7 — Finland HTP 4.4 mg/m ³ / 1 ppm (8 h), 17.4 mg/m ³ / 4 ppm (ceiling); Poland NDS 10 mg/m ³ ; Propane-1,2-diol, CAS 57-55-6 — United Kingdom WEL 474 mg/m ³ / 150 ppm (8 h, total vapour and particulates); 10 mg/m ³ (particulates). DNEL/PNEC: not available for the mixture.
Engineering controls	Adequate general ventilation; local exhaust for heated or large-scale operations. Eyewash available.
Eye/face protection	Safety glasses with side shields or goggles (EN 166).
Hand protection	Chemical-resistant nitrile gloves (EN ISO 374), ≥ 0.2 mm.
Respiratory protection	Not required with adequate ventilation; otherwise filter type A (EN 14387).

SECTION 9: Physical and chemical properties

Physical state	Liquid
Colour	Light yellow to amber
Odour	Characteristic — sweet gourmand (caramel, vanilla, tonka, cinnamon)
Flash point	> 93 °C
Flammability	Not classified (flash point > 60 °C)
pH	Not applicable
Solubility in water	Practically insoluble
Other properties	Melting/boiling point, density, vapour pressure, viscosity, auto-ignition: not determined by the manufacturer.

SECTION 10: Stability and reactivity

Reactivity / stability	Stable under normal conditions of use and storage. No dangerous reactions known.
Conditions to avoid	Heat, flames, ignition sources.
Incompatible materials	Strong oxidising agents.
Hazardous decomposition	In case of combustion: CO, CO ₂ and smoke.

SECTION 11: Toxicological information

Acute toxicity (oral)	Not classified (ATE ≈ 613 mg/kg)
Skin corrosion/irritation	Not classified
Eye irritation	Eye Irrit. 2 — H319
Skin sensitisation	Skin Sens. 1 — H317
Aspiration hazard	Not classified
Mutagenicity, carcinogenicity, reproductive toxicity, STOT	Not classified

SECTION 12: Ecological information

12.1 Toxicity	Aquatic Acute 1 — H400; Aquatic Chronic 2 — H411. Main contributors: benzyl benzoate and coumarin.
12.2-12.7	No data for the mixture. No PBT/vPvB or endocrine-disrupting substances ≥ 0.1%. Do not allow to enter drains or watercourses.

**SECTION 13: Disposal considerations**

Product	Dispose of through a licensed waste operator according to local/national regulations. Do not discharge to drains.
Hazardous properties (waste)	HP4, HP6, HP13, HP14
Contaminated packaging	Empty completely; do not reuse; dispose of as unused product.

SECTION 14: Transport information

	ADR / RID	IMDG	IATA
14.1 UN number	UN 3082	UN 3082	UN 3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL BENZOATE)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL BENZOATE)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL BENZOATE)
14.3 Class	9	9	9
14.4 Packing group	III	III	III
14.5 Environmental hazards	Yes	Yes — marine pollutant	Yes

14.6 Special precautions: ADR tunnel code (-); limited quantity 5 L/5 kg; packages ≤ 5 L/5 kg are exempt from the environmentally hazardous substance provisions (ADR SP 375, IMDG 2.10.2.7). 14.7 Bulk (IMO): not applicable.

SECTION 15: Regulatory information

EU regulations	Regulation (EC) No 1272/2008 (CLP); Regulation (EC) No 1907/2006 (REACH); Regulation (EU) 2020/878.
SVHC / Annex XIV / Annex XVII	No SVHC ≥ 0.1%; no Annex XIV substances.
Drug precursors	Contains piperonal (CAS 120-57-0, 3.50%), a Category 1 scheduled substance under Regulation (EC) No 273/2004 (Annex I). The mixture is compounded so that the substance cannot be easily used or extracted; nevertheless, keep records of transactions and report any suspicious orders or transactions to the competent authority.
Seveso III	E1 — Hazardous to the aquatic environment, Acute 1 / Chronic 1.
PCN / UFI	UFI JFQW-247P-U00U-M9HN (manufacturer's notification).
IFRA (50th)	Candles (Cat. 12): no restriction (100%). Reed diffusers (Cat. 10A): max 2.49%. Room sprays (Cat. 10B): max 15.74%. Fine fragrance (Cat. 4): max 3.33%. See IFRA certificate.

SECTION 16: Other information

Revision	Version 1.0 — Eco Candle Project edition, 21/10/2026. Based on the manufacturer's SDS for the pure fragrance (version 1.0 of 03/05/2023, issued 03/05/2023), allergen declaration and IFRA 50th Amendment certificate (05/05/2023). The manufacturer declares component concentrations as ranges; the classification was calculated conservatively using the upper limit of each range.
Abbreviations	ATE = Acute Toxicity Estimate; UFI = Unique Formula Identifier; PCN = Poison Centre Notification; SCL = specific concentration limit; SVHC = Substance of Very High Concern.

Full text of H-statements (Sections 2 and 3):

H226 Flammable liquid and vapour. **H301** Toxic if swallowed. **H302** Harmful if swallowed. **H311** Toxic in contact with skin. **H312** Harmful in contact with skin. **H314** Causes severe skin burns and eye damage. **H315** Causes skin irritation. **H317** May cause an allergic skin reaction. **H318** Causes serious eye damage. **H319** Causes serious eye irritation. **H331** Toxic if inhaled. **H400** Very toxic to aquatic life. **H411** Toxic to aquatic life with long lasting effects. **H412** Harmful to aquatic life with long lasting effects.



This information is based on our current knowledge and on the manufacturer's data and describes the product for health, safety and environmental purposes only. Users must ensure suitability for their own application.