

SAFETY DATA SHEET

BABY TALCUM POWDER — 10% preparation in non-hazardous wax base
According to Regulation (EC) No 1907/2006 (REACH), Annex II, as amended by Regulation (EU) 2020/878

⚠ **NOTE:** This document applies to the final mixture containing 10% of BABY TALCUM POWDER fragrance and 90% of non-hazardous wax base. Classification calculated by Eco Candle Project from the composition declared in the manufacturer's SDS for the pure fragrance (CLP calculation method, Regulation (EC) No 1272/2008, Annex I).

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product form	Mixture
Trade name	Preparation with BABY TALCUM POWDER at 10%
UFI (pure fragrance)	49EM-SC1S-E00K-7N85
Type of product	Perfumes, fragrances
Base	Non-hazardous, non-classified wax (e.g. soy, rapeseed, coconut or paraffin) — 90%

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Scented candles, wax melts and scented waxes.
Uses advised against	Not for personal use. Not for direct application to skin. Cosmetic use only within the IFRA limits and with a cosmetic safety assessment.

1.3 Details of the supplier of the safety data sheet

Company	VEGTEAM, Lda. — Eco Candle Project
Address	R. Quinta de Santa Marta, Lojas EF, 1495-171 Algés, Portugal
E-mail	info@ecocandleproject.com
Website	www.ecocandleproject.com

1.4 Emergency telephone number

Emergency number	CIAV — Poison Information Centre (INEM): +351 800 250 250 (24 h)
------------------	--

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Result	MIXTURE CLASSIFIED AS HAZARDOUS — H412
Aquatic hazard, chronic	Aquatic Chronic 3 — H412. $10 \times M \times \Sigma \text{Chronic 1} + \Sigma \text{Chronic 2} = 15.7\%$ ($\geq 25\% \rightarrow \text{Chronic 2}$); $100 \times M \times \Sigma \text{Chronic 1} + 10 \times \Sigma \text{Chronic 2} + \Sigma \text{Chronic 3} = 157.3\%$.
Skin sensitisation	Not classified — highest sensitiser amyl cinnamal $0.43\% < 1\%$. EUH208 applies ($\geq 1/10$ of the limit).
Eye irritation	Not classified — $\Sigma \text{Eye Irrit. 2} (\geq 1\%) = 0.00\%$ (threshold: 10%).
Skin irritation	Not classified — $\Sigma \text{Skin Irrit. 2} (\geq 1\%) = 0.00\%$ (threshold: 10%).
Aspiration hazard	Not classified — $\Sigma \text{Asp. Tox. 1} = 0.05\%$ (threshold: 10%).
Acute toxicity (oral)	Not classified — ATE mix $\approx 8,071 \text{ mg/kg}$ (threshold: 2000 mg/kg).
Notes	The pure fragrance (100%) is classified H302, H317, H319, H400 and H411 (WARNING). See Annex — Calculation record.
Manufacturer cross-check	Consistent with the manufacturer's SDS for the 10% dilution, dated 28/02/2024: H412.



2.2 Label elements

Hazard pictograms	None
Signal word	None (no pictogram required)
Hazard statements	H412 Harmful to aquatic life with long lasting effects.
Supplemental information	EUH208 Contains Amyl cinnamal, Methyl cinnamate, Citronellol, Benzyl salicylate, Hexyl cinnamal. May produce an allergic reaction.
Precautionary statements	P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P273 Avoid release to the environment. P501 Dispose of contents/container in accordance with local regulations.
Finished product	Candles: also apply the safety labelling of EN 15494. When supplied to consumers add P101/P102 and the name, address and telephone of the supplier.

2.3 Other hazards

The mixture contains no Substances of Very High Concern (SVHC) $\geq 0.1\%$, no PBT/vPvB substances (REACH Annex XIII) and no substances with endocrine-disrupting properties $\geq 0.1\%$ (Delegated Regulation (EU) 2017/2100 / Regulation (EU) 2018/605).

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Mixture of fragrance substances. Hazardous components — concentrations refer to the FINAL mixture at 10% (manufacturer's values $\times 0.10$):

Name	Identifiers	%	Classification (EC) No 1272/2008
Benzyl benzoate	CAS 120-51-4 EC 204-402-9 REACH 01-2119976371-33	2.81 – 5.61	Acute Tox. 4 (oral), H302; Aquatic Acute 1, H400; Aquatic Chronic 2, H411
Amyl salicylate	CAS 2050-08-0 EC 218-080-2 REACH 01-2119969444-27	0.260 – 0.520	Acute Tox. 4 (oral), H302; Aquatic Chronic 1, H410
Amyl cinnamal	CAS 122-40-7 EC 204-541-5	0.220 – 0.430	Skin Sens. 1B, H317; Aquatic Chronic 2, H411
Methyl cinnamate	CAS 103-26-4 EC 203-093-8 REACH 01-2119979458-16	0.180 – 0.360	Skin Sens. 1B, H317
Citronellol	CAS 106-22-9 EC 203-375-0 REACH 01-2119453995-23	0.150 – 0.290	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317
Methyl ionone	CAS 1335-46-2 EC 215-635-0	0.140 – 0.270	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Aquatic Chronic 2, H411
Hexamethylindanopyran (HHCB)	CAS 1222-05-5 EC 214-946-9 REACH 01-2119488227-29	0.130 – 0.260	Aquatic Acute 1, H400; Aquatic Chronic 1, H410
2-Phenylethanol	CAS 60-12-8 EC 200-456-2 REACH 01-2119963921-31	0.110 – 0.210	Acute Tox. 4 (oral), H302; Eye Irrit. 2, H319
Ethyl vanillin	CAS 121-32-4 EC 204-464-7	0.090 – 0.170	Eye Irrit. 2, H319
Benzyl acetate	CAS 140-11-4 EC 205-399-7 REACH 01-2119638272-42	0.080 – 0.160	Aquatic Chronic 3, H412
Benzyl salicylate	CAS 118-58-1 EC 204-262-9 REACH 01-2119969442-31	0.070 – 0.140	Eye Irrit. 2, H319; Skin Sens. 1B, H317; Aquatic Chronic 3, H412



Name	Identifiers	%	Classification (EC) No 1272/2008
2-Phenylethyl phenylacetate	CAS 102-20-5 EC 203-013-1	0.070 – 0.130	Aquatic Chronic 2, H411
Phenylethyl acetate	CAS 103-45-7 EC 203-113-5 REACH 01-2119976340-38	0.070 – 0.130	Eye Dam. 1, H318
Hexyl cinnamal	CAS 101-86-0 EC 202-983-3 REACH 01-2119533092-50	0.070 – 0.130	Skin Sens. 1, H317; Aquatic Chronic 2, H411
Terpinyl acetate	CAS 80-26-2 EC 201-265-7	0.060 – 0.120	Aquatic Chronic 2, H411
Diphenyl ether	CAS 101-84-8 EC 202-981-2 REACH 01-2119472545-33	0.060 – 0.110	Eye Irrit. 2, H319; Aquatic Acute 1, H400; Aquatic Chronic 1, H410
Terpineol	CAS 8000-41-7 EC 232-268-1	0.050 – 0.100	Skin Irrit. 2, H315; Eye Irrit. 2, H319
alpha-Ionone	CAS 127-41-3 EC 204-841-6 REACH 01-2119965149-27	0.050 – 0.100	Aquatic Chronic 3, H412
Piperonal (heliotropin)	CAS 120-57-0 EC 204-409-7 REACH 01-2119983608-21	0.050 – 0.090	Skin Sens. 1B, H317
4-tert-Butylcyclohexyl acetate	CAS 32210-23-4 EC 250-954-9 REACH 01-2119976286-24	0.040 – 0.070	Skin Sens. 1B, H317
Lemon oil (Citrus limon)	CAS 8008-56-8 EC 284-515-8	0.030 – 0.050	Flam. Liq. 3, H226; Skin Irrit. 2, H315; Skin Sens. 1, H317; Repr. 2, H361; Aquatic Chronic 2, H411
Patchouli oil (Pogostemon cablin)	CAS 8014-09-3	0.030 – 0.050	Skin Sens. 1B, H317; Asp. Tox. 1, H304; Aquatic Chronic 2, H411
Linalyl acetate	CAS 115-95-7 EC 204-116-4 REACH 01-2119454789-19	0.020 – 0.030	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317
Linalool	CAS 78-70-6 EC 201-134-4 REACH 01-2119474016-42	0.020 – 0.030	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317
Benzaldehyde	CAS 100-52-7 EC 202-860-4 REACH 01-2119455540-44	0.010 – 0.020	Acute Tox. 4 (oral), H302
p-Methylanisole	CAS 104-93-8 EC 203-253-7	0.010	Acute Tox. 4 (oral), H302; Repr. 2, H361; Skin Irrit. 2, H315
Rose oxide	CAS 16409-43-1 EC 240-457-5	0.010	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Repr. 2, H361
Inert base	—	90	Not classified

Full text of H-statements: see Section 16.

SECTION 4: First aid measures

Eye contact	Rinse cautiously with water for at least 15 minutes, holding eyelids open. Remove contact lenses if easy to do. If eye irritation persists, seek medical advice.
Skin contact	Remove contaminated clothing. Wash skin with plenty of soap and water. If skin irritation or rash occurs, seek medical advice. Molten wax: cool immediately with cold water; do not remove adhering wax; seek medical attention for burns.
Inhalation	Move the person to fresh air and keep at rest. If symptoms persist, seek medical advice.



Ingestion	Rinse mouth. Do NOT induce vomiting. Contact the Poison Centre (CIAV 800 250 250) or a doctor.
Most important symptoms	May produce an allergic reaction in sensitised persons.
Medical attention	Treat symptomatically.

SECTION 5: Firefighting measures

Suitable extinguishing media	Foam, dry chemical powder, carbon dioxide (CO ₂).
Unsuitable extinguishing media	Water jet.
Special hazards	Combustion may release smoke, CO and CO ₂ . Prevent run-off from entering drains or watercourses.
Advice for firefighters	Self-contained breathing apparatus and full protective clothing.

SECTION 6: Accidental release measures

Personal precautions	Wear gloves and eye protection. Ensure ventilation. Remove ignition sources.
Environmental precautions	Prevent entry into drains, watercourses or soil.
Containment and cleaning up	Solid wax: collect mechanically. Molten wax: allow to solidify and scrape up.

SECTION 7: Handling and storage

7.1 Safe handling	Melt the wax with controlled heating and good ventilation. Add the fragrance at a moderate temperature (typically 75–85 °C, or as per the wax data sheet) and below the fragrance flash point (118 °C). Do not leave melting wax unattended. Wash hands after use.
7.2 Storage	Keep container tightly closed in a cool, dry, well-ventilated place (10–25 °C), protected from light, heat and ignition sources. Keep out of reach of children.
7.3 Specific end uses	See Section 1.2 and the IFRA certificate.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters	Exposure limits listed by the manufacturer: Benzyl acetate, CAS 140-11-4 — Portugal: 10 ppm (8 h TWA); Diphenyl ether, CAS 101-84-8 — EU (IOELV) and Portugal: 7 mg/m ³ / 1 ppm (8 h TWA); 14 mg/m ³ / 2 ppm (STEL). DNEL/PNEC: not available for the mixture.
Engineering controls	Adequate general ventilation; local exhaust for heated or large-scale operations. Eyewash available.
Eye/face protection	Safety glasses with side shields or goggles (EN 166).
Hand protection	Chemical-resistant nitrile gloves (EN ISO 374), ≥ 0.2 mm. Molten wax: heat-resistant gloves (EN 407).
Respiratory protection	Not required with adequate ventilation; otherwise filter type A (EN 14387).

SECTION 9: Physical and chemical properties

Physical state	Solid at 20 °C (wax); liquid when molten
Odour	Characteristic — powdery talc, heliotrope, musk
Flash point	Not determined for the preparation; pure fragrance 118 °C
Density	Depends on the base
Solubility	Insoluble in water

**SECTION 10: Stability and reactivity**

Reactivity / stability	Stable under normal conditions of use and storage. No dangerous reactions known.
Conditions to avoid	Heat, flames, ignition sources.
Incompatible materials	Strong oxidising agents.
Hazardous decomposition	In case of combustion: CO, CO ₂ and smoke.

SECTION 11: Toxicological information

Acute toxicity (oral)	Not classified (ATE ≈ 8,071 mg/kg)
Skin corrosion/irritation	Not classified
Eye irritation	Not classified
Skin sensitisation	Not classified (EUH208)
Aspiration hazard	Not classified
Mutagenicity, carcinogenicity, reproductive toxicity, STOT	Not classified

SECTION 12: Ecological information

12.1 Toxicity	Aquatic Chronic 3 — H412. Main contributors: benzyl benzoate, amyl salicylate, hexamethylindanopyran (HHCB), diphenyl ether and amyl cinnamal.
12.2-12.7	No data for the mixture. No PBT/vPvB or endocrine-disrupting substances ≥ 0.1%. Do not allow to enter drains or watercourses.

SECTION 13: Disposal considerations

Product	Dispose of through a licensed waste operator according to local/national regulations. Do not discharge to drains.
Hazardous properties (waste)	HP14
Contaminated packaging	Empty completely; do not reuse; dispose of as unused product.

SECTION 14: Transport information

Not classified as dangerous goods (ADR/RID/IMDG/IATA) at 10% — Aquatic Chronic 3 is not regulated for transport. The pure fragrance (100%) is UN 3082, Class 9, PG III. Finished candles are articles and are not regulated.

SECTION 15: Regulatory information

EU regulations	Regulation (EC) No 1272/2008 (CLP); Regulation (EC) No 1907/2006 (REACH); Regulation (EU) 2020/878.
SVHC / Annex XIV / Annex XVII	No SVHC ≥ 0.1%; no Annex XIV substances.
PCN / UFI	Not required — the mixture is classified only for an environmental hazard.
IFRA (51st)	Candles (Cat. 12): no restriction — 10% complies.



SECTION 16: Other information

Revision	Version 1.0 — Eco Candle Project edition, 21/10/2026. Based on the manufacturer's SDS for the pure fragrance (revision of 28/02/2024, issued 28/02/2024), allergen declaration and IFRA 51st Amendment certificate (28/02/2024). The manufacturer declares component concentrations as ranges; the classification was calculated using the upper limit of each range, which coincides with the exact values given in the manufacturer's IFRA certificate and allergen declaration (e.g. benzyl benzoate 56.1%). The calculation reproduces the manufacturer's classification of the pure fragrance (H302, H317, H319, H400, H411); the manufacturer's label element H410 is not supported by its own classification (Aquatic Chronic 2) and is not used. The 5% and 10% preparations are consistent with the manufacturer's SDSs for those dilutions (H412). Because the IFRA Category 10A limit is only 3.38%, the diffuser preparation was calculated at 3% in Augeo Clean Multi instead of 25%. Classification of the 10% preparation calculated by Eco Candle Project.
Abbreviations	ATE = Acute Toxicity Estimate; UFI = Unique Formula Identifier; PCN = Poison Centre Notification; SCL = specific concentration limit; HHCB = hexamethylindanopyran; SVHC = Substance of Very High Concern.

Full text of H-statements (Sections 2 and 3):

H226 Flammable liquid and vapour. **H302** Harmful if swallowed. **H304** May be fatal if swallowed and enters airways. **H315** Causes skin irritation. **H317** May cause an allergic skin reaction. **H318** Causes serious eye damage. **H319** Causes serious eye irritation. **H361** Suspected of damaging fertility or the unborn child. **H400** Very toxic to aquatic life. **H410** Very toxic to aquatic life with long lasting effects. **H411** Toxic to aquatic life with long lasting effects. **H412** Harmful to aquatic life with long lasting effects.

This information is based on our current knowledge and on the manufacturer's data and describes the product for health, safety and environmental purposes only. Users must ensure suitability for their own application. If a different base is used, the classification must be recalculated.

ANNEX — Calculation record (10%)

Hazard class	Fragrance 100%	Calculation at 10% / threshold	Result at 10%
Acute toxicity (oral)	Not classified (ATE 807)	$ATE \approx 8,071 \text{ mg/kg} / \leq 2000$	Not classified
Aspiration hazard	Not classified	$\Sigma = 0.05\% / \geq 10\%$	Not classified
Skin irritation	Not classified	$\Sigma = 0.00\% / \geq 10\%$	Not classified
Eye irritation	Eye Irrit. 2	$\Sigma = 0.0\% / \geq 10\%$	Not classified
Skin sensitisation	Skin Sens. 1	amyl cinnamal 0.43% / $\geq 1\%$	Not classified (EUH208)
Aquatic acute	Aquatic Acute 1	$\Sigma M \times A1 = 6.0\% / \geq 25\%$	Not classified
Aquatic chronic	Aquatic Chronic 2	C2: 15.7%; C3: 157.3% / $\geq 25\%$	Aquatic Chronic 3 — H412
Physical hazards	Not classified (FP 118 °C)	FP > 60 °C	Not classified

Calculated from the composition declared in the manufacturer's SDS (100%). The same method reproduces the manufacturer's classification of the pure fragrance.