

## SAFETY DATA SHEET

PEACEFUL NIGHT - CALM — 10% preparation in non-hazardous wax base  
According to Regulation (EC) No 1907/2006 (REACH), Annex II, as amended by Regulation (EU) 2020/878

⚠ **NOTE:** This document applies to the final mixture containing 10% of PEACEFUL NIGHT - CALM fragrance and 90% of non-hazardous wax base. Classification calculated by Eco Candle Project from the composition declared in the manufacturer's SDS for the pure fragrance (CLP calculation method, Regulation (EC) No 1272/2008, Annex I).

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

|                      |                                                                                   |
|----------------------|-----------------------------------------------------------------------------------|
| Product form         | Mixture                                                                           |
| Trade name           | Preparation with PEACEFUL NIGHT - CALM at 10%                                     |
| UFI (pure fragrance) | 9QKA-E438-T00T-GNRH                                                               |
| Type of product      | Perfumes, fragrances                                                              |
| Base                 | Non-hazardous, non-classified wax (e.g. soy, rapeseed, coconut or paraffin) — 90% |

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

|                      |                                                                                                                                           |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| Identified uses      | Scented candles, wax melts and scented waxes.                                                                                             |
| Uses advised against | Not for personal use. Not for direct application to skin. Cosmetic use only within the IFRA limits and with a cosmetic safety assessment. |

#### 1.3 Details of the supplier of the safety data sheet

|         |                                                              |
|---------|--------------------------------------------------------------|
| Company | VEGTEAM, Lda. — Eco Candle Project                           |
| Address | R. Quinta de Santa Marta, Lojas EF, 1495-171 Algés, Portugal |
| E-mail  | info@ecocandleproject.com                                    |
| Website | www.ecocandleproject.com                                     |

#### 1.4 Emergency telephone number

|                  |                                                                  |
|------------------|------------------------------------------------------------------|
| Emergency number | CIAV — Poison Information Centre (INEM): +351 800 250 250 (24 h) |
|------------------|------------------------------------------------------------------|

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

|                             |                                                                                                                                                                                                                                                                               |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Result                      | MIXTURE CLASSIFIED AS HAZARDOUS — H412                                                                                                                                                                                                                                        |
| Aquatic hazard, chronic     | Aquatic Chronic 3 — H412. $10 \times M \times \Sigma \text{Chronic 1} + \Sigma \text{Chronic 2} = 5.2\%$ ( $\geq 25\% \rightarrow \text{Chronic 2}$ ); $100 \times M \times \Sigma \text{Chronic 1} + 10 \times \Sigma \text{Chronic 2} + \Sigma \text{Chronic 3} = 53.6\%$ . |
| Skin sensitisation          | Not classified — highest sensitiser linalool $0.86\% < 1\%$ . EUH208 applies ( $\geq 1/10$ of the limit).                                                                                                                                                                     |
| Eye irritation              | Not classified — $\Sigma \text{Eye Irrit. 2} (\geq 1\%) = 0.00\%$ (threshold: 10%).                                                                                                                                                                                           |
| Skin irritation             | Not classified — $\Sigma \text{Skin Irrit. 2} (\geq 1\%) = 0.00\%$ (threshold: 10%).                                                                                                                                                                                          |
| Aspiration hazard           | Not classified — $\Sigma \text{Asp. Tox. 1} = 0.40\%$ (threshold: 10%).                                                                                                                                                                                                       |
| Acute toxicity (oral)       | Not classified — ATE mix $\approx 91,387 \text{ mg/kg}$ (threshold: 2000 mg/kg).                                                                                                                                                                                              |
| Acute toxicity (inhalation) | Not classified — ATE mix (dust/mist) $\approx 517.2 \text{ mg/L}$ (Category 4: $\leq 5 \text{ mg/L}$ ).                                                                                                                                                                       |
| Notes                       | The pure fragrance (100%) is classified H315, H317, H319 and H411 (WARNING). See Annex — Calculation record.                                                                                                                                                                  |
| Manufacturer cross-check    | Consistent with the manufacturer's SDS for the 10% dilution, dated 02/04/2024: H412.                                                                                                                                                                                          |



## 2.2 Label elements

|                                 |                                                                                                                                                                                                                                         |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Hazard pictograms</b>        | None                                                                                                                                                                                                                                    |
| <b>Signal word</b>              | None (no pictogram required)                                                                                                                                                                                                            |
| <b>Hazard statements</b>        | H412 Harmful to aquatic life with long lasting effects.                                                                                                                                                                                 |
| <b>Supplemental information</b> | EUH208 Contains Linalool, Lavandin abrialis oil, Tetramethyl acetyloctahydronaphthalenes (OTNE), Linalyl acetate, $\alpha$ -Methylcinnamaldehyde, Trimethylbenzenepropanol (majantol). May produce an allergic reaction.                |
| <b>Precautionary statements</b> | P101 If medical advice is needed, have product container or label at hand.<br>P102 Keep out of reach of children.<br>P273 Avoid release to the environment.<br>P501 Dispose of contents/container in accordance with local regulations. |
| <b>Finished product</b>         | Candles: also apply the safety labelling of EN 15494. When supplied to consumers add P101/P102 and the name, address and telephone of the supplier.                                                                                     |

## 2.3 Other hazards

The mixture contains no Substances of Very High Concern (SVHC)  $\geq 0.1\%$ , no PBT/vPvB substances (REACH Annex XIII) and no substances with endocrine-disrupting properties  $\geq 0.1\%$  (Delegated Regulation (EU) 2017/2100 / Regulation (EU) 2018/605).

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Mixture of fragrance substances. Hazardous components — concentrations refer to the FINAL mixture at 10% (manufacturer's values  $\times 0.10$ ):

| Name                                           | Identifiers                                              | %              | Classification (EC) No 1272/2008                                                                                                     |
|------------------------------------------------|----------------------------------------------------------|----------------|--------------------------------------------------------------------------------------------------------------------------------------|
| Linalool                                       | CAS 78-70-6<br>EC 201-134-4<br>REACH 01-2119474016-42    | 0.435 – 0.862  | Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317                                                                         |
| 4-Methoxybenzaldehyde                          | CAS 123-11-5<br>EC 204-602-6<br>REACH 01-2119977101-43   | 0.230 – 0.450  | Aquatic Chronic 3, H412                                                                                                              |
| Benzyl acetate                                 | CAS 140-11-4<br>EC 205-399-7<br>REACH 01-2119638272-42   | 0.230 – 0.450  | Aquatic Chronic 3, H412                                                                                                              |
| Lavandin abrialis oil                          | CAS 8022-15-9<br>EC 617-009-6                            | 0.180 – 0.350  | Eye Irrit. 2, H319; Skin Sens. 1, H317; Asp. Tox. 1, H304; Aquatic Chronic 3, H412                                                   |
| Tetramethyl acetyloctahydronaphthalenes (OTNE) | CAS 54464-57-2<br>EC 259-174-3<br>REACH 01-2119489989-04 | 0.160 – 0.325  | Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 1, H410                                                                     |
| Linalyl acetate                                | CAS 115-95-7<br>EC 204-116-4<br>REACH 01-2119454789-19   | 0.130 – 0.250  | Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317                                                                          |
| Vanillin                                       | CAS 121-33-5<br>EC 204-465-2<br>REACH 01-2119516040-60   | 0.100 – 0.200  | Eye Irrit. 2, H319                                                                                                                   |
| $\alpha$ -Methylcinnamaldehyde                 | CAS 101-39-3<br>EC 202-938-8<br>REACH 01-2119538797-21   | 0.070 – 0.140  | Skin Sens. 1, H317; Aquatic Chronic 1, H410                                                                                          |
| Trimethylbenzenepropanol (majantol)            | CAS 103694-68-4<br>EC 403-140-4                          | 0.0005 – 0.100 | Skin Sens. 1, H317; Aquatic Chronic 3, H412                                                                                          |
| Coumarin                                       | CAS 91-64-5<br>EC 202-086-7<br>REACH 01-2119943756-26    | 0.050 – 0.090  | Acute Tox. 3 (oral), H301; Acute Tox. 3 (dermal), H311; Acute Tox. 3 (inhalation), H331; Skin Sens. 1, H317; Aquatic Chronic 2, H411 |



| Name                                        | Identifiers                                             | %               | Classification (EC) No 1272/2008                                                                                               |
|---------------------------------------------|---------------------------------------------------------|-----------------|--------------------------------------------------------------------------------------------------------------------------------|
| Diethylene glycol monoethyl ether (solvent) | CAS 111-90-0<br>EC 203-919-7<br>REACH 01-2119475105-42  | 0.036 – 0.072   |                                                                                                                                |
| Benzyl benzoate                             | CAS 120-51-4<br>EC 204-402-9<br>REACH 01-2119976371-33  | 0.025 – 0.057   | Acute Tox. 4 (oral), H302; Aquatic Acute 1, H400; Aquatic Chronic 2, H411                                                      |
| Orange oil (Citrus sinensis)                | CAS 8008-57-9<br>EC 232-433-8<br>REACH 01-2119493353-35 | 0.030 – 0.050   | Flam. Liq. 3, H226; Skin Irrit. 2, H315; Skin Sens. 1, H317; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 2, H411 |
| Piperonal (heliotropin)                     | CAS 120-57-0<br>EC 204-409-7<br>REACH 01-2119983608-21  | 0.020 – 0.040   | Skin Sens. 1B, H317                                                                                                            |
| Hexamethylindanopyran (HHCB)                | CAS 1222-05-5<br>EC 214-946-9<br>REACH 01-2119488227-29 | 0.020 – 0.038   | Aquatic Acute 1, H400; Aquatic Chronic 1, H410                                                                                 |
| Benzyl alcohol                              | CAS 100-51-6<br>EC 202-859-9<br>REACH 01-2119492630-38  | 0.010 – 0.020   | Acute Tox. 4 (oral), H302; Acute Tox. 4 (inhalation), H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319                            |
| Benzaldehyde                                | CAS 100-52-7<br>EC 202-860-4<br>REACH 01-2119455540-44  | 0.010 – 0.020   | Acute Tox. 4 (oral), H302                                                                                                      |
| Fats and glyceridic oils, vegetable         | CAS 68956-68-3<br>EC 273-313-5                          | 0.0000 – 0.0002 |                                                                                                                                |
| Inert base                                  | —                                                       | 90              | Not classified                                                                                                                 |

Full text of H-statements: see Section 16.

#### SECTION 4: First aid measures

|                                |                                                                                                                                                                                                                                            |
|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Eye contact</b>             | Rinse cautiously with water for at least 15 minutes, holding eyelids open. Remove contact lenses if easy to do. If eye irritation persists, seek medical advice.                                                                           |
| <b>Skin contact</b>            | Remove contaminated clothing. Wash skin with plenty of soap and water. If skin irritation or rash occurs, seek medical advice. Molten wax: cool immediately with cold water; do not remove adhering wax; seek medical attention for burns. |
| <b>Inhalation</b>              | Move the person to fresh air and keep at rest. If symptoms persist, seek medical advice.                                                                                                                                                   |
| <b>Ingestion</b>               | Rinse mouth. Do NOT induce vomiting. Contact the Poison Centre (CIAV 800 250 250) or a doctor.                                                                                                                                             |
| <b>Most important symptoms</b> | May produce an allergic reaction in sensitised persons.                                                                                                                                                                                    |
| <b>Medical attention</b>       | Treat symptomatically.                                                                                                                                                                                                                     |

#### SECTION 5: Firefighting measures

|                                       |                                                                                                              |
|---------------------------------------|--------------------------------------------------------------------------------------------------------------|
| <b>Suitable extinguishing media</b>   | Foam, dry chemical powder, carbon dioxide (CO <sub>2</sub> ).                                                |
| <b>Unsuitable extinguishing media</b> | Water jet.                                                                                                   |
| <b>Special hazards</b>                | Combustion may release smoke, CO and CO <sub>2</sub> . Prevent run-off from entering drains or watercourses. |
| <b>Advice for firefighters</b>        | Self-contained breathing apparatus and full protective clothing.                                             |

#### SECTION 6: Accidental release measures

|                                    |                                                                               |
|------------------------------------|-------------------------------------------------------------------------------|
| <b>Personal precautions</b>        | Wear gloves and eye protection. Ensure ventilation. Remove ignition sources.  |
| <b>Environmental precautions</b>   | Prevent entry into drains, watercourses or soil.                              |
| <b>Containment and cleaning up</b> | Solid wax: collect mechanically. Molten wax: allow to solidify and scrape up. |

**SECTION 7: Handling and storage**

|                              |                                                                                                                                                                                                                                                                         |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>7.1 Safe handling</b>     | Melt the wax with controlled heating and good ventilation. Add the fragrance at a moderate temperature (typically 75–85 °C, or as per the wax data sheet) and below the fragrance flash point (above 93 °C). Do not leave melting wax unattended. Wash hands after use. |
| <b>7.2 Storage</b>           | Keep container tightly closed in a cool, dry, well-ventilated place (10–25 °C), protected from light, heat and ignition sources. Keep out of reach of children.                                                                                                         |
| <b>7.3 Specific end uses</b> | See Section 1.2 and the IFRA certificate.                                                                                                                                                                                                                               |

**SECTION 8: Exposure controls/personal protection**

|                               |                                                                                                                                                                                                                                                                                                                                                |
|-------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>8.1 Control parameters</b> | Exposure limits listed by the manufacturer: Benzyl acetate, CAS 140-11-4 — Portugal: 10 ppm (8 h TWA); Diethylene glycol monoethyl ether, CAS 111-90-0 — Germany (TRGS 900) AGW 35 mg/m <sup>3</sup> / 6 ppm; Austria MAK 35 mg/m <sup>3</sup> / 6 ppm (8 h), 140 mg/m <sup>3</sup> / 24 ppm (STEL). DNEL/PNEC: not available for the mixture. |
| <b>Engineering controls</b>   | Adequate general ventilation; local exhaust for heated or large-scale operations. Eyewash available.                                                                                                                                                                                                                                           |
| <b>Eye/face protection</b>    | Safety glasses with side shields or goggles (EN 166).                                                                                                                                                                                                                                                                                          |
| <b>Hand protection</b>        | Chemical-resistant nitrile gloves (EN ISO 374), ≥ 0.2 mm. Molten wax: heat-resistant gloves (EN 407).                                                                                                                                                                                                                                          |
| <b>Respiratory protection</b> | Not required with adequate ventilation; otherwise filter type A (EN 14387).                                                                                                                                                                                                                                                                    |

**SECTION 9: Physical and chemical properties**

|                       |                                                            |
|-----------------------|------------------------------------------------------------|
| <b>Physical state</b> | Solid at 20 °C (wax); liquid when molten                   |
| <b>Odour</b>          | Characteristic — lavender, heliotrope, vanilla             |
| <b>Flash point</b>    | Not determined for the preparation; pure fragrance > 93 °C |
| <b>Density</b>        | Depends on the base                                        |
| <b>Solubility</b>     | Insoluble in water                                         |

**SECTION 10: Stability and reactivity**

|                                |                                                                                  |
|--------------------------------|----------------------------------------------------------------------------------|
| <b>Reactivity / stability</b>  | Stable under normal conditions of use and storage. No dangerous reactions known. |
| <b>Conditions to avoid</b>     | Heat, flames, ignition sources.                                                  |
| <b>Incompatible materials</b>  | Strong oxidising agents.                                                         |
| <b>Hazardous decomposition</b> | In case of combustion: CO, CO <sub>2</sub> and smoke.                            |

**SECTION 11: Toxicological information**

|                                                                   |                                     |
|-------------------------------------------------------------------|-------------------------------------|
| <b>Acute toxicity (oral)</b>                                      | Not classified (ATE ≈ 91,387 mg/kg) |
| <b>Acute toxicity (inhalation)</b>                                | Not classified (ATE ≈ 517.2 mg/L)   |
| <b>Skin corrosion/irritation</b>                                  | Not classified                      |
| <b>Eye irritation</b>                                             | Not classified                      |
| <b>Skin sensitisation</b>                                         | Not classified (EUH208)             |
| <b>Aspiration hazard</b>                                          | Not classified                      |
| <b>Mutagenicity, carcinogenicity, reproductive toxicity, STOT</b> | Not classified                      |

**SECTION 12: Ecological information**

|                      |                                                                                                                                                                                          |
|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>12.1 Toxicity</b> | Aquatic Chronic 3 — H412. Main contributors: tetramethyl acetyloctahydronaphthalenes (OTNE), $\alpha$ -Methylcinnamaldehyde, hexamethylindanopyran (HHCB), coumarin and benzyl benzoate. |
| <b>12.2-12.7</b>     | No data for the mixture. No PBT/vPvB or endocrine-disrupting substances $\geq 0.1\%$ . Do not allow to enter drains or watercourses.                                                     |

**SECTION 13: Disposal considerations**

|                                     |                                                                                                                   |
|-------------------------------------|-------------------------------------------------------------------------------------------------------------------|
| <b>Product</b>                      | Dispose of through a licensed waste operator according to local/national regulations. Do not discharge to drains. |
| <b>Hazardous properties (waste)</b> | HP14                                                                                                              |
| <b>Contaminated packaging</b>       | Empty completely; do not reuse; dispose of as unused product.                                                     |

**SECTION 14: Transport information**

Not classified as dangerous goods (ADR/RID/IMDG/IATA) at 10% — Aquatic Chronic 3 is not regulated for transport. The pure fragrance (100%) is UN 3082, Class 9, PG III. Finished candles are articles and are not regulated.

**SECTION 15: Regulatory information**

|                                      |                                                                                                     |
|--------------------------------------|-----------------------------------------------------------------------------------------------------|
| <b>EU regulations</b>                | Regulation (EC) No 1272/2008 (CLP); Regulation (EC) No 1907/2006 (REACH); Regulation (EU) 2020/878. |
| <b>SVHC / Annex XIV / Annex XVII</b> | No SVHC $\geq 0.1\%$ ; no Annex XIV substances.                                                     |
| <b>PCN / UFI</b>                     | Not required — the mixture is classified only for an environmental hazard.                          |
| <b>IFRA (51st)</b>                   | Candles (Cat. 12): no restriction — 10% complies.                                                   |

**SECTION 16: Other information**

|                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Revision</b>      | Version 1.0 — Eco Candle Project edition, 21/10/2026. Based on the manufacturer's SDS for the pure fragrance (version 2.0 of 02/04/2024, issued 02/04/2024), allergen declaration and IFRA 51st Amendment certificate (02/04/2024). The manufacturer declares component concentrations as ranges; the classification was calculated conservatively using the upper limit of each range (for benzyl benzoate, coumarin, $\alpha$ -methylcinnamaldehyde, anisaldehyde and OTNE this coincides with the exact values of the manufacturer's IFRA certificate), which reproduces the manufacturer's classification of the pure fragrance (H315, H317, H319, H411). The allergen declaration gives linalool at 9.81% in total (including linalool naturally present in lavandin oil and other natural materials), above the 8.62% declared for added linalool in section 3. The 10% and 25% preparations are consistent with the manufacturer's SDSs for those dilutions (H412; H317, H412). For the 5% preparation the manufacturer's SDS indicates no classification (EUH208 only); Eco Candle Project classifies it Aquatic Chronic 3 — H412, because with the exact concentrations of the manufacturer's IFRA certificate (OTNE 3.25%, $\alpha$ -methylcinnamaldehyde 1.40%, Aquatic Chronic 1) the CLP summation $100 \times \text{Chronic 1} + 10 \times \text{Chronic 2} + \text{Chronic 3}$ already reaches 25% at 5% dilution even with the lower limit of every other range ( $\approx 25.6\%$ ; $\approx 26.8\%$ with upper limits). Eco Candle Project retains the more protective classification. The IFRA Category 10A limit (4.22%) does not allow a 25% reed-diffuser preparation; the diffuser SDS is therefore issued for 4% in Augeo Clean Multi. Classification of the 10% preparation calculated by Eco Candle Project. |
| <b>Abbreviations</b> | ATE = Acute Toxicity Estimate; UFI = Unique Formula Identifier; PCN = Poison Centre Notification; SCL = specific concentration limit; OTNE = tetramethyl acetyloctahydronaphthalenes; HHCB = hexamethylindanopyran; SVHC = Substance of Very High Concern.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

**Full text of H-statements (Sections 2 and 3):**



**H226** Flammable liquid and vapour. **H301** Toxic if swallowed. **H302** Harmful if swallowed. **H304** May be fatal if swallowed and enters airways. **H311** Toxic in contact with skin. **H315** Causes skin irritation. **H317** May cause an allergic skin reaction. **H319** Causes serious eye irritation. **H331** Toxic if inhaled. **H332** Harmful if inhaled. **H400** Very toxic to aquatic life. **H410** Very toxic to aquatic life with long lasting effects. **H411** Toxic to aquatic life with long lasting effects. **H412** Harmful to aquatic life with long lasting effects.

This information is based on our current knowledge and on the manufacturer's data and describes the product for health, safety and environmental purposes only. Users must ensure suitability for their own application. If a different base is used, the classification must be recalculated.

**ANNEX — Calculation record (10%)**

| Hazard class                | Fragrance 100%                  | Calculation at 10% / threshold           | Result at 10%            |
|-----------------------------|---------------------------------|------------------------------------------|--------------------------|
| Acute toxicity (oral)       | Not classified (ATE 9,139)      | ATE $\approx 91,387$ mg/kg / $\leq 2000$ | Not classified           |
| Acute toxicity (inhalation) | Not classified (ATE 51.72 mg/L) | ATE $\approx 517.2$ mg/L / $\leq 5$      | Not classified           |
| Aspiration hazard           | Not classified                  | $\Sigma = 0.40\%$ / $\geq 10\%$          | Not classified           |
| Skin irritation             | Skin Irrit. 2                   | $\Sigma = 0.00\%$ / $\geq 10\%$          | Not classified           |
| Eye irritation              | Eye Irrit. 2                    | $\Sigma = 0.0\%$ / $\geq 10\%$           | Not classified           |
| Skin sensitisation          | Skin Sens. 1                    | linalool 0.86% / $\geq 1\%$              | Not classified (EUH208)  |
| Aquatic chronic             | Aquatic Chronic 2               | C2: 5.2%; C3: 53.6% / $\geq 25\%$        | Aquatic Chronic 3 — H412 |
| Physical hazards            | Not classified (FP > 93 °C)     | FP > 60 °C                               | Not classified           |

Calculated from the composition declared in the manufacturer's SDS (100%). The same method reproduces the manufacturer's classification of the pure fragrance.