SAFETY DATA SHEET

ESPRIT SAUVAGE — 13% preparation in Augeo Clean Multi
According to Regulation (EC) No 1907/2006 (REACH), Annex II, as amended by Regulation (EU) 2020/878

⚠ **NOTE:** This document applies to the final mixture containing 13% of ESPRIT SAUVAGE fragrance and 87% of Augeo Clean Multi. Classification calculated by Eco Candle Project from the composition declared in the manufacturer's SDS for the pure fragrance (CLP calculation method, Regulation (EC) No 1272/2008, Annex I), including Augeo Clean Multi, which is classified Eye Irrit. 2 (H319).

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product form	Mixture
Trade name	Preparation with ESPRIT SAUVAGE at 13%
UFI (pure fragrance)	J30Y-48JX-Q00V-1J51
Type of product	Perfumes, fragrances
Base	Augeo Clean Multi (2,2-dimethyl-1,3-dioxolane-4-methanol, CAS 100-79-8) — 87%

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Reed-diffuser liquid in Augeo Clean Multi (13% fragrance complies with the IFRA 10A limit of 13.00%).
Uses advised against	Not for personal use. Not for direct application to skin. Cosmetic use only within the IFRA limits and with a cosmetic safety assessment.

1.3 Details of the supplier of the safety data sheet

Company	VEGTEAM, Lda. — Eco Candle Project
Address	R. Quinta de Santa Marta, Lojas EF, 1495-171 Algés, Portugal
E-mail	info@ecocandleproject.com
Website	www.ecocandleproject.com

1.4 Emergency telephone number

Emergency number	CIAV — Poison Information Centre (INEM): +351 800 250 250 (24 h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Result	MIXTURE CLASSIFIED AS HAZARDOUS — H317, H319, H412
Aquatic hazard, chronic	Aquatic Chronic 3 — H412. 10 × M × Σ Chronic 1 + Σ Chronic 2 = 20.3% (≥ 25% → Chronic 2); 100 × M × Σ Chronic 1 + 10 × Σ Chronic 2 + Σ Chronic 3 = 203.7%.
Skin sensitisation	Skin Sens. 1 — H317. Tetramethyl acetyloctahydronaphthalenes (OTNE) 1.34% and hexyl cinnamal 1.30% are each ≥ the concentration limit (1% generic).
Eye irritation	Eye Irrit. 2 — H319, due to Augeo Clean Multi (87%, Eye Irrit. 2). Σ Eye Irrit. 2 (≥ 1%) ≈ 87.0% (threshold: 10%).
Skin irritation	Not classified — Σ Skin Irrit. 2 (≥ 1%) = 1.34% (threshold: 10%).
Aspiration hazard	Not classified — Σ Asp. Tox. 1 = 0.29% (threshold: 10%).
Notes	The pure fragrance (100%) is classified H315, H317, H319 and H411 (WARNING). See Annex — Calculation record.

2.2 Label elements



GHS07

Hazard pictograms	GHS07
Signal word	Warning
Contains (hazard-determining)	Tetramethyl acetyloctahydronaphthalenes (OTNE), Hexyl cinnamal
Hazard statements	H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects.
Supplemental information	EUH208 Contains Linalyl acetate, Linalool, Clary sage oil (Salvia sclarea), d-Limonene, Cyclamen aldehyde, Methylenedioxyphenyl methylpropanal, Hexyl salicylate, Dihydro pentamethylindanone, Vetiver oil, Acetic acid, anhydride, reaction products with 1,5,10-trimethyl-1,5,9-cyclododecatriene. May produce an allergic reaction.
Precautionary statements	P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P261 Avoid breathing mist/vapours/spray. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P501 Dispose of contents/container in accordance with local regulations.
Finished product	Candles: also apply the safety labelling of EN 15494. When supplied to consumers add P101/P102 and the name, address and telephone of the supplier.

2.3 Other hazards

The mixture contains no Substances of Very High Concern (SVHC) ≥ 0.1%, no PBT/vPvB substances (REACH Annex XIII) and no substances with endocrine-disrupting properties ≥ 0.1% (Delegated Regulation (EU) 2017/2100 / Regulation (EU) 2018/605).

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Mixture of fragrance substances. Hazardous components — concentrations refer to the FINAL mixture at 13% (manufacturer's values × 0.13):

Name	Identifiers	%	Classification (EC) No 1272/2008
Tetramethyl acetyloctahydronaphthalenes (OTNE)	CAS 54464-57-2 EC 259-174-3 REACH 01-2119489989-04	0.676 – 1.34	Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 1, H410
Ethylene brassylate	CAS 105-95-3 EC 203-347-8 REACH 01-2119976314-33	0.650 – 1.30	Aquatic Chronic 2, H411
Hexyl cinnamal	CAS 101-86-0 EC 202-983-3 REACH 01-2119533092-50	0.650 – 1.30	Skin Sens. 1, H317; Aquatic Chronic 2, H411
Linalyl acetate	CAS 115-95-7 EC 204-116-4 REACH 01-2119454789-19	0.260 – 0.531	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317
Linalool	CAS 78-70-6 EC 201-134-4 REACH 01-2119474016-42	0.247 – 0.495	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317

Name	Identifiers	%	Classification (EC) No 1272/2008
4-Cyclohexyl-2-methylbutan-2-ol	CAS 83926-73-2 EC 420-630-3	0.169 – 0.338	Eye Dam. 1, H318; Aquatic Chronic 2, H411
Clary sage oil (Salvia sclarea)	CAS 8016-63-5 EC 283-911-8;616-984-5	0.143 – 0.286	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; Aquatic Chronic 3, H412
Dihydromyrcenol (2,6-dimethyloct-7-en-2-ol)	CAS 18479-58-8 EC 242-362-4 REACH 01-2119457274-37	0.117 – 0.234	Skin Irrit. 2, H315; Eye Irrit. 2, H319
d-Limonene	CAS 5989-27-5 EC 227-813-5 REACH 01-2119493353-35	0.091 – 0.191	Flam. Liq. 3, H226; Skin Irrit. 2, H315; Skin Sens. 1B, H317; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 3, H412
2-tert-Butylcyclohexyl acetate	CAS 88-41-5 EC 201-828-7 REACH 01-2119970713-33	0.091 – 0.182	Aquatic Chronic 2, H411
Cyclamen aldehyde	CAS 103-95-7 EC 203-161-7 REACH 01-2119970582-32	0.078 – 0.148	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 2, H411
Methylenedioxyphenyl methylpropanal	CAS 1205-17-0 EC 214-881-6 REACH 01-2120740119-58	0.078 – 0.143	Skin Sens. 1B, H317; Repr. 2, H361; Aquatic Chronic 2, H411
Hexyl salicylate	CAS 6259-76-3 EC 228-408-6	0.065 – 0.142	Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410
Dihydro pentamethylindanone	CAS 33704-61-9 EC 251-649-3 REACH 01-2119977131-40	0.065 – 0.130	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317; STOT RE 2, H373; Aquatic Chronic 2, H411
Vetiver oil (Vetiveria zizanoides)	CAS 8016-96-4 EC 616-993-4 REACH 01-2120119716-55	0.065 – 0.130	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; Aquatic Chronic 2, H411
Acetic acid, anhydride, reaction products with 1,5,10-trimethyl-1,5,9-cyclododecatriene	CAS 144020-22-4 EC 482-330-9	0.065 – 0.130	Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1B, H317
Citronellol	CAS 106-22-9 EC 203-375-0 REACH 01-2119453995-23	0.052 – 0.098	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317
Coumarin	CAS 91-64-5 EC 202-086-7 REACH 01-2119943756-26	0.039 – 0.078	Acute Tox. 3 (oral), H301; Acute Tox. 3 (dermal), H311; Acute Tox. 3 (inhalation), H331; Skin Sens. 1, H317; Aquatic Chronic 2, H411
Lavandin abrialis oil	CAS 8022-15-9 EC 617-009-6	0.026 – 0.052	Eye Irrit. 2, H319; Skin Sens. 1, H317; Asp. Tox. 1, H304; Aquatic Chronic 3, H412
Benzyl alcohol	CAS 100-51-6 EC 202-859-9 REACH 01-2119492630-38	0.026 – 0.052	Acute Tox. 4 (oral), H302; Acute Tox. 4 (inhalation), H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319
Orange oil (Citrus sinensis)	CAS 8008-57-9 EC 232-433-8 REACH 01-2119493353-35	0.013 – 0.029	Flam. Liq. 3, H226; Skin Irrit. 2, H315; Skin Sens. 1, H317; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 2, H411
Lime oil, distilled (Citrus aurantifolia)	CAS 8008-26-2 EC 290-010-3 REACH 01-2120138646-51	0.013 – 0.021	Flam. Liq. 3, H226; Skin Irrit. 2, H315; Skin Sens. 1, H317; Repr. 1A, H360FD; Asp. Tox. 1, H304; Aquatic Chronic 1, H410
Dipentene	CAS 138-86-3	0.013 – 0.021	Flam. Liq. 3, H226; Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410
Isoamyl acetate	CAS 123-92-2 EC 204-662-3 REACH 01-2119548408-32	0.013 – 0.019	Flam. Liq. 3, H226
Geranyl acetate	CAS 105-87-3 EC 203-341-5 REACH 01-2119973480-35	0.013 – 0.016	Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 3, H412

Name	Identifiers	%	Classification (EC) No 1272/2008
Neryl acetate	CAS 141-12-8 EC 205-459-2	0.013 – 0.013	Skin Sens. 1B, H317
Floralozone (3-(4-ethylphenyl)-2,2-dimethylpropanal)	CAS 67634-15-5 EC 266-819-2 REACH 01-2120758796-34	0.013 – 0.013	Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1B, H317
alpha-Pinene	CAS 80-56-8 EC 201-291-9	< 0.008	Flam. Liq. 3, H226
Citral	CAS 5392-40-5 EC 226-394-6 REACH 01-2119462829-23	< 0.003	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317
1-Decanol	CAS 112-30-1 EC 203-956-9	< 0.0002	Aquatic Chronic 3, H412
Hexanal	CAS 66-25-1 EC 200-624-5	< 0.0001	Flam. Liq. 3, H226
Augeo Clean Multi	CAS 100-79-8 EC 202-888-8	87	Eye Irrit. 2, H319

Full text of H-statements: see Section 16.

SECTION 4: First aid measures

Eye contact	Rinse cautiously with water for at least 15 minutes, holding eyelids open. Remove contact lenses if easy to do. If eye irritation persists, seek medical advice.
Skin contact	Remove contaminated clothing. Wash skin with plenty of soap and water. If skin irritation or rash occurs, seek medical advice.
Inhalation	Move the person to fresh air and keep at rest. If symptoms persist, seek medical advice.
Ingestion	Rinse mouth. Do NOT induce vomiting. Contact the Poison Centre (CIAV 800 250 250) or a doctor.
Most important symptoms	Eye irritation. May cause an allergic skin reaction.
Medical attention	Treat symptomatically.

SECTION 5: Firefighting measures

Suitable extinguishing media	Foam, dry chemical powder, carbon dioxide (CO_2).
Unsuitable extinguishing media	Water jet.
Special hazards	Combustion may release smoke, CO and CO_2. Prevent run-off from entering drains or watercourses.
Advice for firefighters	Self-contained breathing apparatus and full protective clothing.

SECTION 6: Accidental release measures

Personal precautions	Wear gloves and eye protection. Ensure ventilation. Remove ignition sources.
Environmental precautions	Prevent entry into drains, watercourses or soil.
Containment and cleaning up	Absorb with inert material (sand, diatomaceous earth, universal binder) and place in closed containers for disposal.

SECTION 7: Handling and storage

7.1 Safe handling	Avoid contact with skin and eyes; do not breathe vapours. Keep away from heat, ignition sources and naked flames. Do not eat, drink or smoke in the work area. Wash hands after handling.
7.2 Storage	Keep container tightly closed in a cool, dry, well-ventilated place (10–25 °C), protected from light, heat and ignition sources. Keep out of reach of children.
7.3 Specific end uses	See Section 1.2 and the IFRA certificate.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters	Exposure limits listed by the manufacturer: d-Limonene, CAS 5989-27-5 — Germany (TRGS 900) AGW 28 mg/m³ / 5 ppm; Finland HTP 140 mg/m³ / 25 ppm (8 h); Benzyl alcohol, CAS 100-51-6 — No Portuguese limit value. Germany (TRGS 900) AGW 22 mg/m³ / 5 ppm; Finland HTP 45 mg/m³ / 10 ppm (8 h); Slovenia 22 mg/m³ / 5 ppm (8 h), 44 mg/m³ / 10 ppm (STEL); Isopentyl acetate, CAS 123-92-2 — EU IOELV / Portugal: 270 mg/m³ – 50 ppm (8 h TWA); 540 mg/m³ – 100 ppm (STEL); Citral, CAS 5392-40-5 — Portugal: 5 ppm (8 h TWA, inhalable fraction and vapour; dermal sensitiser). DNEL/PNEC: not available for the mixture.
Engineering controls	Adequate general ventilation; local exhaust for heated or large-scale operations. Eyewash available.
Eye/face protection	Safety glasses with side shields or goggles (EN 166).
Hand protection	Chemical-resistant nitrile gloves (EN ISO 374), ≥ 0.2 mm.
Respiratory protection	Not required with adequate ventilation; otherwise filter type A (EN 14387).

SECTION 9: Physical and chemical properties

Physical state	Liquid
Odour	Characteristic — citrus, lavender, ambery woods
Flash point	Not determined for the preparation; pure fragrance 95 °C (closed cup); Augeo Clean Multi 91 °C
Density	Augeo Clean Multi 1.069 g/cm³; mixture not determined
Solubility	Augeo is miscible with water and alcohols

SECTION 10: Stability and reactivity

Reactivity / stability	Stable under normal conditions of use and storage. No dangerous reactions known.
Conditions to avoid	Heat, flames, ignition sources.
Incompatible materials	Strong oxidising agents.
Hazardous decomposition	In case of combustion: CO, CO_2 and smoke.

SECTION 11: Toxicological information

Acute toxicity (oral)	Not classified
Skin corrosion/irritation	Not classified
Eye irritation	Eye Irrit. 2 — H319
Skin sensitisation	Skin Sens. 1 — H317
Aspiration hazard	Not classified
Mutagenicity, carcinogenicity, reproductive toxicity, STOT	Not classified

SECTION 12: Ecological information

12.1 Toxicity	Aquatic Chronic 3 — H412. Main contributors: tetramethyl acetyloctahydronaphthalenes (OTNE), hexyl salicylate, ethylene brassylate, hexyl cinnamal and acetic acid, anhydride, reaction products with 1,5,10-trimethyl-1,5,9-cyclododecatriene.
12.2–12.7	No data for the mixture. No PBT/vPvB or endocrine-disrupting substances ≥ 0.1%. Do not allow to enter drains or watercourses.

SECTION 13: Disposal considerations

Product	Dispose of through a licensed waste operator according to local/national regulations. Do not discharge to drains.
Hazardous properties (waste)	HP4, HP13, HP14
Contaminated packaging	Empty completely; do not reuse; dispose of as unused product.

SECTION 14: Transport information

Not classified as dangerous goods (ADR/RID/IMDG/IATA) at 13% — Aquatic Chronic 3 is not regulated for transport. The pure fragrance (100%) is UN 3082, Class 9, PG III.

SECTION 15: Regulatory information

EU regulations	Regulation (EC) No 1272/2008 (CLP); Regulation (EC) No 1907/2006 (REACH); Regulation (EU) 2020/878.
SVHC / Annex XIV / Annex XVII	No SVHC ≥ 0.1%; no Annex XIV substances.
PCN / UFI	Classified for health hazards (H317, H319): a PCN with its own UFI is required if this preparation is placed on the market; the fragrance UFI (J30Y-48JX-Q00V-1J51) can be declared as a component (MiM).
IFRA (51st)	Reed diffusers (Cat. 10A): max 13.00% fragrance — this 13% preparation complies if used neat. Room sprays (Cat. 10B): max 28.00% fragrance.

SECTION 16: Other information

Revision	Version 1.0 — Eco Candle Project edition, 28/10/2026. Based on the manufacturer's SDS for the pure fragrance (revision of 08/03/2023, issued 08/03/2023), allergen declaration and IFRA 51st Amendment certificate (06/05/2026). The manufacturer declares component concentrations as ranges; the classification was calculated conservatively using the upper limit of each range (these coincide with the exact values of the manufacturer's allergen declaration and IFRA certificate, e.g. OTNE 10.3%, hexyl cinnamal 10%, linalool 3.807%), which reproduces the manufacturer's classification of the pure fragrance (H315, H317, H319, H411). Distilled lime oil (Repr. 1A) is present at no more than 0.16%, below the 0.3% classification limit. The manufacturer has not issued SDSs for diluted preparations — the classifications of the 5%, 10% and 12% preparations were calculated by Eco Candle Project with the CLP calculation method. The IFRA Category 10A limit (12.5%) does not allow a 25% reed-diffuser preparation; the diffuser SDS is therefore issued for 12% in Augeo Clean Multi. IFRA limits this fragrance to 0.06% in room sprays (Category 10B): it is not suitable for room sprays. Classification of the 13% preparation calculated by Eco Candle Project.
Abbreviations	ATE = Acute Toxicity Estimate; UFI = Unique Formula Identifier; PCN = Poison Centre Notification; SCL = specific concentration limit; OTNE = tetramethyl acetyloctahydronaphthalenes; SVHC = Substance of Very High Concern.

Full text of H-statements (Sections 2 and 3):

H226 Flammable liquid and vapour. **H301** Toxic if swallowed. **H302** Harmful if swallowed. **H304** May be fatal if swallowed and enters airways. **H311** Toxic in contact with skin. **H315** Causes skin irritation. **H317** May cause an allergic skin reaction. **H318** Causes serious eye damage. **H319** Causes serious eye irritation. **H331** Toxic if inhaled. **H332** Harmful if inhaled. **H360FD** May damage fertility. May damage the unborn child. **H361** Suspected of

damaging fertility or the unborn child. **H373** May cause damage to organs through prolonged or repeated exposure. **H400** Very toxic to aquatic life. **H410** Very toxic to aquatic life with long lasting effects. **H411** Toxic to aquatic life with long lasting effects. **H412** Harmful to aquatic life with long lasting effects.

This information is based on our current knowledge and on the manufacturer's data and describes the product for health, safety and environmental purposes only. Users must ensure suitability for their own application. If a different base is used, the classification must be recalculated.

ANNEX — Calculation record (13%)

Hazard class	Fragrance 100%	Calculation at 13% / threshold	Result at 13%
Aspiration hazard	Not classified	Σ = 0.29% / ≥ 10%	Not classified
Skin irritation	Skin Irrit. 2	Σ = 1.34% / ≥ 10%	Not classified
Eye irritation	Eye Irrit. 2	Σ = 87.0% / ≥ 10%	Eye Irrit. 2 — H319
Skin sensitisation	Skin Sens. 1	tetramethyl acetyloctahydronaphthalenes (OTNE) 1.34% / ≥ 1%	Skin Sens. 1 — H317
Aquatic chronic	Aquatic Chronic 2	C2: 20.3%; C3: 203.7% / ≥ 25%	Aquatic Chronic 3 — H412
Physical hazards	Not classified (FP 95 °C)	FP > 60 °C	Not classified

Calculated from the composition declared in the manufacturer's SDS (100%). The same method reproduces the manufacturer's classification of the pure fragrance; Augeo Clean Multi adds H319.