SAFETY DATA SHEET

SUN KISSED LINEN — 20% preparation in Augeo Clean Multi
According to Regulation (EC) No 1907/2006 (REACH), Annex II, as amended by Regulation (EU) 2020/878

⚠ **NOTE:** This document applies to the final mixture containing 20% of SUN KISSED LINEN fragrance and 80% of Augeo Clean Multi. Classification calculated by Eco Candle Project from the composition declared in the manufacturer's SDS for the pure fragrance (CLP calculation method, Regulation (EC) No 1272/2008, Annex I), including Augeo Clean Multi, which is classified Eye Irrit. 2 (H319).

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product form	Mixture
Trade name	Preparation with SUN KISSED LINEN at 20%
UFI (pure fragrance)	CU2U-N9NS-H00A-1JT2
Type of product	Perfumes, fragrances
Base	Augeo Clean Multi (2,2-dimethyl-1,3-dioxolane-4-methanol, CAS 100-79-8) — 80%

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Reed-diffuser liquid in Augeo Clean Multi (20% fragrance complies with the IFRA 10A limit of 20.96%).
Uses advised against	Not for personal use. Not for direct application to skin. Cosmetic use only within the IFRA limits and with a cosmetic safety assessment.

1.3 Details of the supplier of the safety data sheet

Company	VEGTEAM, Lda. — Eco Candle Project
Address	R. Quinta de Santa Marta, Lojas EF, 1495-171 Algés, Portugal
E-mail	info@ecocandleproject.com
Website	www.ecocandleproject.com

1.4 Emergency telephone number

Emergency number	CIAV — Poison Information Centre (INEM): +351 800 250 250 (24 h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Result	MIXTURE CLASSIFIED AS HAZARDOUS — H319, H412
Aquatic hazard, chronic	Aquatic Chronic 3 — H412. 10 × M × Σ Chronic 1 + Σ Chronic 2 = 8.0% (≥ 25% → Chronic 2); 100 × M × Σ Chronic 1 + 10 × Σ Chronic 2 + Σ Chronic 3 = 83.9%.
Skin sensitisation	Not classified — highest sensitiser linalool 0.76% < 1%. EUH208 applies (≥ 1/10 of the limit).
Eye irritation	Eye Irrit. 2 — H319, due to Augeo Clean Multi (80%, Eye Irrit. 2). Σ Eye Irrit. 2 (≥ 1%) ≈ 81.3% (threshold: 10%).
Skin irritation	Not classified — Σ Skin Irrit. 2 (≥ 1%) = 0.00% (threshold: 10%).
Aspiration hazard	Not classified — Σ Asp. Tox. 1 = 0.45% (threshold: 10%).
Acute toxicity (oral)	Not classified — ATE mix ≈ 39,594 mg/kg (threshold: 2000 mg/kg).
Notes	The pure fragrance (100%) is classified H315, H317, H319 and H411 (WARNING). See Annex — Calculation record.

2.2 Label elements

GHS07

Hazard pictograms	GHS07
Signal word	Warning
Hazard statements	H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects.
Supplemental information	EUH208 Contains Linalool, Hexyl cinnamal, 4-tert-Butylcyclohexyl acetate, Hexyl salicylate, d-Limonene, Linalyl acetate, Lemon oil, Citral, Floralozone (3-(4-ethylphenyl)-2,2-dimethylpropanal), Dodecanal. May produce an allergic reaction.
Precautionary statements	P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention. P501 Dispose of contents/container in accordance with local regulations.
Finished product	Candles: also apply the safety labelling of EN 15494. When supplied to consumers add P101/P102 and the name, address and telephone of the supplier.

2.3 Other hazards

The mixture contains no Substances of Very High Concern (SVHC) ≥ 0.1%, no PBT/vPvB substances (REACH Annex XIII) and no substances with endocrine-disrupting properties ≥ 0.1% (Delegated Regulation (EU) 2017/2100 / Regulation (EU) 2018/605).

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Mixture of fragrance substances. Hazardous components — concentrations refer to the FINAL mixture at 20% (manufacturer's values × 0.20):

Name	Identifiers	%	Classification (EC) No 1272/2008
Dipropylene glycol monomethyl ether (solvent)	CAS 34590-94-8 EC 252-104-2	1.60 – 3.20	
Tricyclodecenyl acetate	CAS 5413-60-5 EC 226-501-6	0.860 – 1.70	Aquatic Chronic 3, H412
Benzyl acetate	CAS 140-11-4 EC 205-399-7 REACH 01-2119638272-42	0.760 – 1.52	Aquatic Chronic 3, H412
2-Phenylethanol	CAS 60-12-8 EC 200-456-2 REACH 01-2119963921-31	0.640 – 1.26	Acute Tox. 4 (oral), H302; Eye Irrit. 2, H319
Tricyclodecenyl propionate	CAS 68912-13-0 EC 272-805-7 REACH 01-2119969447-21	0.420 – 0.852	Aquatic Chronic 2, H411
Linalool	CAS 78-70-6 EC 201-134-4 REACH 01-2119474016-42	0.380 – 0.758	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317
Hexyl cinnamal	CAS 101-86-0 EC 202-983-3 REACH 01-2119533092-50	0.280 – 0.568	Skin Sens. 1, H317; Aquatic Chronic 2, H411

Name	Identifiers	%	Classification (EC) No 1272/2008
4-tert-Butylcyclohexyl acetate	CAS 32210-23-4 EC 250-954-9 REACH 01-2119976286-24	0.280 – 0.568	Skin Sens. 1B, H317
Hexyl salicylate	CAS 6259-76-3 EC 228-408-6	0.222 – 0.492	Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410
d-Limonene	CAS 5989-27-5 EC 227-813-5 REACH 01-2119493353-35	0.220 – 0.455	Flam. Liq. 3, H226; Skin Irrit. 2, H315; Skin Sens. 1B, H317; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 3, H412
Ethylene brassylate	CAS 105-95-3 EC 203-347-8 REACH 01-2119976314-33	0.200 – 0.392	Aquatic Chronic 2, H411
Tetrahydro-4-methyl-2-(2-methylpropyl)-2H-pyran-4-ol	CAS 63500-71-0 EC 405-040-6	0.090 – 0.379	Eye Irrit. 2, H319
Linalyl acetate	CAS 115-95-7 EC 204-116-4 REACH 01-2119454789-19	0.180 – 0.379	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317
Lemon oil (Citrus limon)	CAS 8008-56-8 EC 284-515-8	0.140 – 0.284	Flam. Liq. 3, H226; Skin Irrit. 2, H315; Skin Sens. 1, H317; Repr. 2, H361; Aquatic Chronic 2, H411
Dihydromyrcenol (2,6-dimethyloct-7-en-2-ol)	CAS 18479-58-8 EC 242-362-4 REACH 01-2119457274-37	0.140 – 0.284	Skin Irrit. 2, H315; Eye Irrit. 2, H319
Methyl ionone	CAS 1335-46-2 EC 215-635-0	0.140 – 0.284	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Aquatic Chronic 2, H411
Citral	CAS 5392-40-5 EC 226-394-6 REACH 01-2119462829-23	0.120 – 0.227	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317
Floralozone (3-(4-ethylphenyl)-2,2-dimethylpropanal)	CAS 67634-15-5 EC 266-819-2 REACH 01-2120758796-34	0.120 – 0.227	Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1B, H317
3-Methoxy-3-methylbutan-1-ol	CAS 56539-66-3 EC 260-252-4 REACH 01-2119976333-33	0.100 – 0.200	Eye Irrit. 2, H319
Dodecanal	CAS 112-54-9 EC 203-983-6	0.060 – 0.137	Eye Irrit. 2, H319; Skin Irrit. 2, H315; Skin Sens. 1B, H317
Cyclamen aldehyde	CAS 103-95-7 EC 203-161-7 REACH 01-2119970582-32	0.040 – 0.095	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 2, H411
Triplal (2,4-dimethylcyclohex-3-ene-1-carbaldehyde)	CAS 68039-49-6 EC 268-264-1	0.040 – 0.076	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; Aquatic Chronic 3, H412
Isopentyl acetate	CAS 123-92-2 EC 204-662-3 REACH 01-2119548408-32	0.020 – 0.038	Flam. Liq. 3, H226
Undec-10-enal	CAS 112-45-8 EC 203-973-1 REACH 01-2119990746-20	0.020 – 0.038	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317; Aquatic Chronic 3, H412
Diphenyl ether	CAS 101-84-8 EC 202-981-2 REACH 01-2119472545-33	0.020 – 0.038	Eye Irrit. 2, H319; Aquatic Acute 1, H400; Aquatic Chronic 1, H410
Ethyl acetoacetate	CAS 141-97-9 EC 205-516-1	0.020 – 0.038	
Rose oxide	CAS 16409-43-1 EC 240-457-5	0.020 – 0.038	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Repr. 2, H361
Isocyclocitral	CAS 1335-66-6 EC 215-638-7	0.020 – 0.038	Eye Irrit. 2, H319; Skin Sens. 1B, H317; Aquatic Chronic 3, H412

Name	Identifiers	%	Classification (EC) No 1272/2008
Augeo Clean Multi	CAS 100-79-8 EC 202-888-8	80	Eye Irrit. 2, H319

Full text of H-statements: see Section 16.

SECTION 4: First aid measures

Eye contact	Rinse cautiously with water for at least 15 minutes, holding eyelids open. Remove contact lenses if easy to do. If eye irritation persists, seek medical advice.
Skin contact	Remove contaminated clothing. Wash skin with plenty of soap and water. If skin irritation or rash occurs, seek medical advice.
Inhalation	Move the person to fresh air and keep at rest. If symptoms persist, seek medical advice.
Ingestion	Rinse mouth. Do NOT induce vomiting. Contact the Poison Centre (CIAV 800 250 250) or a doctor.
Most important symptoms	Eye irritation.
Medical attention	Treat symptomatically.

SECTION 5: Firefighting measures

Suitable extinguishing media	Foam, dry chemical powder, carbon dioxide (CO_2).
Unsuitable extinguishing media	Water jet.
Special hazards	Combustion may release smoke, CO and CO_2. Prevent run-off from entering drains or watercourses.
Advice for firefighters	Self-contained breathing apparatus and full protective clothing.

SECTION 6: Accidental release measures

Personal precautions	Wear gloves and eye protection. Ensure ventilation. Remove ignition sources.
Environmental precautions	Prevent entry into drains, watercourses or soil.
Containment and cleaning up	Absorb with inert material (sand, diatomaceous earth, universal binder) and place in closed containers for disposal.

SECTION 7: Handling and storage

7.1 Safe handling	Avoid contact with skin and eyes; do not breathe vapours. Keep away from heat, ignition sources and naked flames. Do not eat, drink or smoke in the work area. Wash hands after handling.
7.2 Storage	Keep container tightly closed in a cool, dry, well-ventilated place (10–25 °C), protected from light, heat and ignition sources. Keep out of reach of children.
7.3 Specific end uses	See Section 1.2 and the IFRA certificate.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters	Exposure limits listed by the manufacturer: Dipropylene glycol monomethyl ether, CAS 34590-94-8 — EU IOEL 308 mg/m³ / 50 ppm (8 h TWA), skin notation; Portugal: 50 ppm (8 h TWA), 150 ppm (STEL); Benzyl acetate, CAS 140-11-4 — Portugal: 10 ppm (8 h TWA); Citral, CAS 5392-40-5 — Portugal: 5 ppm (8 h TWA, inhalable fraction and vapour; dermal sensitiser). DNEL/PNEC: not available for the mixture.
Engineering controls	Adequate general ventilation; local exhaust for heated or large-scale operations. Eyewash available.
Eye/face protection	Safety glasses with side shields or goggles (EN 166).
Hand protection	Chemical-resistant nitrile gloves (EN ISO 374), ≥ 0.2 mm.

Respiratory protection	Not required with adequate ventilation; otherwise filter type A (EN 14387).

SECTION 9: Physical and chemical properties

Physical state	Liquid
Odour	Characteristic — clean linen, citrus, musk
Flash point	Not determined for the preparation; pure fragrance 87 °C; Augeo Clean Multi 91 °C
Density	Augeo Clean Multi 1.069 g/cm³; mixture not determined
Solubility	Augeo is miscible with water and alcohols

SECTION 10: Stability and reactivity

Reactivity / stability	Stable under normal conditions of use and storage. No dangerous reactions known.
Conditions to avoid	Heat, flames, ignition sources.
Incompatible materials	Strong oxidising agents.
Hazardous decomposition	In case of combustion: CO, CO_2 and smoke.

SECTION 11: Toxicological information

Acute toxicity (oral)	Not classified (ATE ≈ 39,594 mg/kg)
Skin corrosion/irritation	Not classified
Eye irritation	Eye Irrit. 2 — H319
Skin sensitisation	Not classified (EUH208)
Aspiration hazard	Not classified
Mutagenicity, carcinogenicity, reproductive toxicity, STOT	Not classified

SECTION 12: Ecological information

12.1 Toxicity	Aquatic Chronic 3 — H412. Main contributors: hexyl salicylate, tricyclodecenyl propionate, hexyl cinnamal, d-Limonene and ethylene brassylate.
12.2–12.7	No data for the mixture. No PBT/vPvB or endocrine-disrupting substances ≥ 0.1%. Do not allow to enter drains or watercourses.

SECTION 13: Disposal considerations

Product	Dispose of through a licensed waste operator according to local/national regulations. Do not discharge to drains.
Hazardous properties (waste)	HP4, HP14
Contaminated packaging	Empty completely; do not reuse; dispose of as unused product.

SECTION 14: Transport information

Not classified as dangerous goods (ADR/RID/IMDG/IATA) at 20% — Aquatic Chronic 3 is not regulated for transport. The pure fragrance (100%) is UN 3082, Class 9, PG III.

SECTION 15: Regulatory information

EU regulations	Regulation (EC) No 1272/2008 (CLP); Regulation (EC) No 1907/2006 (REACH); Regulation (EU) 2020/878.
SVHC / Annex XIV / Annex XVII	No SVHC ≥ 0.1%; no Annex XIV substances.

PCN / UFI	Classified for health hazards (H319): a PCN with its own UFI is required if this preparation is placed on the market; the fragrance UFI (CU2U-N9NS-H00A-1JT2) can be declared as a component (MiM).
IFRA (50th)	Reed diffusers (Cat. 10A): max 20.96% fragrance — this 20% preparation complies if used neat. Room sprays (Cat. 10B): max 66.66% fragrance.

SECTION 16: Other information

Revision	Version 1.0 — Eco Candle Project edition, 22/10/2026. Based on the manufacturer's SDS for the pure fragrance (version 1.0 of 21/07/2023, issued 21/07/2023), allergen declaration and IFRA 50th Amendment certificate (18/07/2023). The manufacturer declares component concentrations as ranges; the classification was calculated conservatively with the upper limit of each range (which coincides with the exact values of the manufacturer's allergen declaration for linalool and hexyl cinnamal) and reproduces the manufacturer's classification of the pure fragrance (H315, H317, H319, H411). The 5% preparation is consistent with the manufacturer's SDS for that dilution (not classified, EUH208). For the 10% preparation this calculation gives Aquatic Chronic 3 — H412 (sum 100×Chronic 1 + 10×Chronic 2 + Chronic 3 above 25% at the upper limits), whereas the manufacturer's 10% SDS, based on lower concentrations within the declared ranges, is not classified; Eco Candle Project keeps the more protective result. The manufacturer's 25% SDS (H412, in dipropylene glycol) differs from the Eco Candle Project 25% and 20% preparations because these are made in Augeo Clean Multi, which is itself classified Eye Irrit. 2 (H319). Because the IFRA Category 10A limit is 20.96%, the diffuser preparation is also issued at 20% in Augeo Clean Multi. Classification of the 20% preparation calculated by Eco Candle Project.
Abbreviations	ATE = Acute Toxicity Estimate; UFI = Unique Formula Identifier; PCN = Poison Centre Notification; SCL = specific concentration limit; SVHC = Substance of Very High Concern.

Full text of H-statements (Sections 2 and 3):

H226 Flammable liquid and vapour. **H302** Harmful if swallowed. **H304** May be fatal if swallowed and enters airways. **H315** Causes skin irritation. **H317** May cause an allergic skin reaction. **H319** Causes serious eye irritation. **H361** Suspected of damaging fertility or the unborn child. **H400** Very toxic to aquatic life. **H410** Very toxic to aquatic life with long lasting effects. **H411** Toxic to aquatic life with long lasting effects. **H412** Harmful to aquatic life with long lasting effects.

This information is based on our current knowledge and on the manufacturer's data and describes the product for health, safety and environmental purposes only. Users must ensure suitability for their own application. If a different base is used, the classification must be recalculated.

ANNEX — Calculation record (20%)

Hazard class	Fragrance 100%	Calculation at 20% / threshold	Result at 20%
Acute toxicity (oral)	Not classified (ATE 7,919)	ATE ≈ 39,594 mg/kg / ≤ 2000	Not classified
Aspiration hazard	Not classified	Σ = 0.45% / ≥ 10%	Not classified
Skin irritation	Skin Irrit. 2	Σ = 0.00% / ≥ 10%	Not classified
Eye irritation	Eye Irrit. 2	Σ = 81.3% / ≥ 10%	Eye Irrit. 2 — H319
Skin sensitisation	Skin Sens. 1	linalool 0.76% / ≥ 1%	Not classified (EUH208)
Aquatic chronic	Aquatic Chronic 2	C2: 8.0%; C3: 83.9% / ≥ 25%	Aquatic Chronic 3 — H412
Physical hazards	Not classified (FP 87 °C)	FP > 60 °C	Not classified

Calculated from the composition declared in the manufacturer's SDS (100%). The same method reproduces the manufacturer's classification of the pure fragrance; Augeo Clean Multi adds H319.