



SAFETY DATA SHEET

DAZZLING HOME (CONC.) — 25% preparation in Augeo Clean Multi

According to Regulation (EC) No 1907/2006 (REACH), Annex II, as amended by Regulation (EU) 2020/878

⚠ **NOTE:** This document applies to the final mixture containing 25% of DAZZLING HOME (CONC.) fragrance and 75% of Augeo Clean Multi. Classification calculated by Eco Candle Project from the composition declared in the manufacturer's SDS for the pure fragrance (CLP calculation method, Regulation (EC) No 1272/2008, Annex I), including Augeo Clean Multi, which is classified Eye Irrit. 2 (H319).

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product form	Mixture
Trade name	Preparation with DAZZLING HOME (CONC.) at 25%
UFI (pure fragrance)	X170-U092-0001-9QYX
Type of product	Perfumes, fragrances
Base	Augeo Clean Multi (2,2-dimethyl-1,3-dioxolane-4-methanol, CAS 100-79-8) — 75%

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Reed-diffuser liquid in Augeo Clean Multi (25% fragrance complies with the IFRA 10A limit of 25.33%).
Uses advised against	Not for personal use. Not for direct application to skin. Cosmetic use only within the IFRA limits and with a cosmetic safety assessment.

1.3 Details of the supplier of the safety data sheet

Company	VEGTEAM, Lda. — Eco Candle Project
Address	R. Quinta de Santa Marta, Lojas EF, 1495-171 Algés, Portugal
E-mail	info@ecocandleproject.com
Website	www.ecocandleproject.com

1.4 Emergency telephone number

Emergency number	CIAV — Poison Information Centre (INEM): +351 800 250 250 (24 h)
------------------	--

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Result	MIXTURE CLASSIFIED AS HAZARDOUS — H317, H319, H411
Aquatic hazard, chronic	Aquatic Chronic 2 — H411. $10 \times M \times \Sigma \text{Chronic 1} + \Sigma \text{Chronic 2} = 36.4\%$ ($\geq 25\% \rightarrow \text{Chronic 2}$); $100 \times M \times \Sigma \text{Chronic 1} + 10 \times \Sigma \text{Chronic 2} + \Sigma \text{Chronic 3} = 365.2\%$.
Skin sensitisation	Skin Sens. 1 — H317. d-Limonene 1.96%, tetrahydrolinalool 1.49% and 4-tert-Butylcyclohexyl acetate 1.10% are each $\geq$ the concentration limit (1% generic).
Eye irritation	Eye Irrit. 2 — H319, due to Augeo Clean Multi (75%, Eye Irrit. 2). $\Sigma \text{Eye Irrit. 2} (\geq 1\%) \approx 77.9\%$ (threshold: 10%).
Skin irritation	Not classified — $\Sigma \text{Skin Irrit. 2} (\geq 1\%) = 4.88\%$ (threshold: 10%).
Aspiration hazard	Not classified — $\Sigma \text{Asp. Tox. 1} = 2.48\%$ (threshold: 10%).
Acute toxicity (oral)	Not classified — ATE mix $\approx 28,051 \text{ mg/kg}$ (threshold: 2000 mg/kg).
Notes	The pure fragrance (100%) is classified H315, H317, H319 and H411 (WARNING). See Annex — Calculation record.

2.2 Label elements



GHS07



GHS09

Hazard pictograms	GHS07, GHS09
Signal word	Warning
Contains (hazard-determining)	d-Limonene, Tetrahydrolinalool, 4-tert-Butylcyclohexyl acetate
Hazard statements	H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects.
Supplemental information	EUH208 Contains Triplal (2,4-dimethylcyclohex-3-ene-1-carbaldehyde), Eucalyptol (1,8-cineole), Tetramethyl acetyloctahydronaphthalenes (OTNE), Linalool, alpha-Isomethyl ionone, Citronellol, Coumarin, 2-Methylundecanal, Allyl cyclohexylpropionate, Hexyl cinnamal, Geraniol, Dodecanal, delta-Damascone (rose ketone), Isoeugenol, beta-Damascenone (rose ketone). May produce an allergic reaction.
Precautionary statements	P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P261 Avoid breathing mist/vapours/spray. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P391 Collect spillage. P501 Dispose of contents/container in accordance with local regulations.
Finished product	Candles: also apply the safety labelling of EN 15494. When supplied to consumers add P101/P102 and the name, address and telephone of the supplier.

2.3 Other hazards

The mixture contains no Substances of Very High Concern (SVHC) $\geq 0.1\%$, no PBT/vPvB substances (REACH Annex XIII) and no substances with endocrine-disrupting properties $\geq 0.1\%$ (Delegated Regulation (EU) 2017/2100 / Regulation (EU) 2018/605).

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Mixture of fragrance substances. Hazardous components — concentrations refer to the FINAL mixture at 25% (manufacturer's values $\times 0.25$):

Name	Identifiers	%	Classification (EC) No 1272/2008
d-Limonene	CAS 5989-27-5 EC 227-813-5	1.96	Flam. Liq. 3, H226; Skin Irrit. 2, H315; Skin Sens. 1B, H317; Asp. Tox. 1, H304; Aquatic Acute 1, H400 (M = 1); Aquatic Chronic 1, H410 (M = 1)
Tetrahydrolinalool	CAS 78-69-3 EC 201-133-9 REACH 01-2119454788-21	1.49	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317
Dihydromyrcenol (2,6-dimethyloct-7-en-2-ol)	CAS 18479-58-8 EC 242-362-4 REACH 01-2119457274-37	1.44	Skin Irrit. 2, H315; Eye Irrit. 2, H319
4-tert-Butylcyclohexyl acetate	CAS 32210-23-4 EC 250-954-9 REACH 01-2119976286-24	1.10	Skin Sens. 1B, H317



Name	Identifiers	%	Classification (EC) No 1272/2008
2-tert-Butylcyclohexyl acetate	CAS 88-41-5 EC 201-828-7 REACH 01-2119970713-33	0.988	Aquatic Chronic 2, H411
Triplal (2,4-dimethylcyclohex-3-ene-1-carbaldehyde)	CAS 68039-49-6 EC 268-264-1 REACH 01-2119982384-28	0.850	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317; Aquatic Chronic 2, H411
Eucalyptol (1,8-cineole)	CAS 470-82-6 EC 207-431-5	0.620	Flam. Liq. 3, H226; Skin Sens. 1B, H317
Tetramethyl acetyloctahydronaphthalenes (OTNE)	CAS 54464-57-2 EC 259-174-3 REACH 01-2119489989-04	0.575	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 1, H410
Linalool	CAS 78-70-6 EC 201-134-4	0.537	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317
alpha-Isomethyl ionone	CAS 127-51-5 EC 204-846-3 REACH 01-2119471851-35	0.500	Skin Sens. 1B, H317; Aquatic Chronic 2, H411
Patchouli oil (Pogostemon cablin)	CAS 8014-09-3 EC 282-493-4 REACH 01-2119967775-18	0.500	Asp. Tox. 1, H304; Aquatic Chronic 2, H411
Benzyl acetate	CAS 140-11-4 EC 205-399-7 REACH 01-2119638272-42	0.487	Aquatic Chronic 3, H412
Citronellol	CAS 106-22-9 EC 203-375-0 REACH 01-2119453995-23	0.400	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317
2-Methoxynaphthalene	CAS 93-04-9 EC 202-213-6 REACH 01-2119937828-21	0.362	Aquatic Chronic 2, H411
Amyl salicylate	CAS 2050-08-0 EC 911-280-7 REACH 01-2119969444-27	0.237	Acute Tox. 4 (oral), H302; Aquatic Acute 1, H400 (M = 1); Aquatic Chronic 1, H410 (M = 1)
Rose oxide	CAS 16409-43-1 EC 240-457-5	0.225	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Repr. 2, H361
Coumarin	CAS 91-64-5 EC 202-086-7 REACH 01-2119949300-45	0.188	Acute Tox. 4 (oral), H302; Skin Sens. 1B, H317
2-Methylundecanal	CAS 110-41-8 EC 203-765-0 REACH 01-2119969443-29	0.188	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Acute 1, H400 (M = 1); Aquatic Chronic 1, H410 (M = 1)
Allyl cyclohexylpropionate	CAS 2705-87-5 EC 220-292-5 REACH 01-2119976355-27	0.150	Acute Tox. 4 (oral), H302; Acute Tox. 4 (dermal), H312; Acute Tox. 4 (inhalation), H332; Skin Sens. 1, H317; Aquatic Acute 1, H400 (M = 1); Aquatic Chronic 1, H410 (M = 1)
Hexyl cinnamal	CAS 101-86-0 EC 202-983-3 REACH 01-2119533092-50	0.125	Skin Sens. 1B, H317; Aquatic Acute 1, H400 (M = 1); Aquatic Chronic 2, H411
Geraniol	CAS 106-24-1 EC 203-377-1 REACH 01-2119560621-44	0.113	Skin Irrit. 2, H315; Eye Dam. 1, H318; Skin Sens. 1B, H317
Dodecanal	CAS 112-54-9 EC 203-983-6 REACH 01-2119969441-33	0.113	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317
Allyl hexanoate	CAS 123-68-2 EC 204-642-4 REACH 01-2119983573-26	0.113	Acute Tox. 3 (), H301; Acute Tox. 3 (), H311; Acute Tox. 3 (), H331; Aquatic Acute 1, H400 (M = 1); Aquatic Chronic 3, H412



Name	Identifiers	%	Classification (EC) No 1272/2008
Diphenyl ether	CAS 101-84-8 EC 202-981-2 REACH 01-2119472545-33	0.113	Eye Irrit. 2, H319; Aquatic Acute 1, H400 (M = 1); Aquatic Chronic 3, H412
p-Methylanisole	CAS 104-93-8 EC 203-253-7	0.113	Flam. Liq. 3, H226; Acute Tox. 4 (oral), H302; Skin Irrit. 2, H315; Repr. 2, H361
Cyclamen aldehyde	CAS 103-95-7 EC 203-161-7	0.087	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 3, H412
Piperonal (heliotropin)	CAS 120-57-0 EC 204-409-7 REACH 01-2119983608-21	0.087	Skin Sens. 1B, H317
Eugenol	CAS 97-53-0 EC 202-589-1 REACH 01-2119971802-33	0.075	Eye Irrit. 2, H319; Skin Sens. 1B, H317
Nerol	CAS 106-25-2 EC 203-378-7 REACH 01-2120051251-69	0.075	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317
delta-Damascone (rose ketone)	CAS 57378-68-4 / 71048-82-3 EC 260-709-8 REACH 01-2119535122-53	0.062	Acute Tox. 4 (oral), H302; Skin Irrit. 2, H315; Skin Sens. 1A, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410
trans-Anethole	CAS 4180-23-8 EC 224-052-0	0.050	Skin Sens. 1B, H317
cis-3-Hexenyl salicylate	CAS 65405-77-8 EC 265-745-8 REACH 01-2119987320-37	0.050	Aquatic Acute 1, H400 (M = 1); Aquatic Chronic 1, H410 (M = 1)
Oxacyclohexadec-12-en-2-one	CAS 111879-80-2 / 34902-57-3 EC 422-320-3 REACH 01-0000016883-62	0.050	Aquatic Acute 1, H400 (M = 1); Aquatic Chronic 2, H411
Trimethylcyclopentenyl methylisopentenol	CAS 107898-54-4 EC 411-580-3	0.050	Skin Irrit. 2, H315; Aquatic Acute 1, H400; Aquatic Chronic 1, H410
4-Methyl-3-decen-5-ol	CAS 81782-77-6 EC 279-815-0 REACH 01-2119983528-21	0.050	Aquatic Acute 1, H400 (M = 1); Aquatic Chronic 2, H411
Ethyl safranate	CAS 35044-57-6 EC 252-333-8	0.037	Skin Sens. 1B, H317; Aquatic Chronic 3, H412
alpha-Pinene	CAS 80-56-8 EC 201-291-9	0.028	Flam. Liq. 3, H226; Acute Tox. 4 (oral), H302; Skin Irrit. 2, H315; Skin Sens. 1B, H317; Asp. Tox. 1, H304; Aquatic Acute 1, H400 (M = 1); Aquatic Chronic 1, H410 (M = 1)
Benzyl salicylate	CAS 118-58-1 EC 204-262-9 REACH 01-2119969442-31	0.025	Skin Sens. 1B, H317; Aquatic Chronic 3, H412
Cinnamyl alcohol	CAS 104-54-1 EC 203-212-3 REACH 01-2119934496-29	0.025	Skin Sens. 1B, H317
Floralozone (3-(4-ethylphenyl)-2,2-dimethylpropanal)	CAS 67634-15-5 / 67634-14-4 EC 266-819-2 REACH 01-2120758796-34	0.025	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Acute 1, H400 (M = 1); Aquatic Chronic 2, H411
Isoeugenol	CAS 97-54-1 EC 202-590-7 REACH 01-2120223682-61	0.013	Acute Tox. 4 (oral), H302; Acute Tox. 4 (dermal), H312; Acute Tox. 4 (inhalation), H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1A, H317; STOT SE 3, H335



Name	Identifiers	%	Classification (EC) No 1272/2008
beta-Damascenone (rose ketone)	CAS 23696-85-7 EC 245-833-2 REACH 01-2120105798-49	0.013	Skin Irrit. 2, H315; Skin Sens. 1A, H317; Aquatic Chronic 2, H411
Augeo Clean Multi	CAS 100-79-8 EC 202-888-8	75	Eye Irrit. 2, H319

Full text of H-statements: see Section 16.

SECTION 4: First aid measures

Eye contact	Rinse cautiously with water for at least 15 minutes, holding eyelids open. Remove contact lenses if easy to do. If eye irritation persists, seek medical advice.
Skin contact	Remove contaminated clothing. Wash skin with plenty of soap and water. If skin irritation or rash occurs, seek medical advice.
Inhalation	Move the person to fresh air and keep at rest. If symptoms persist, seek medical advice.
Ingestion	Rinse mouth. Do NOT induce vomiting. Contact the Poison Centre (CIAV 800 250 250) or a doctor.
Most important symptoms	Eye irritation. May cause an allergic skin reaction.
Medical attention	Treat symptomatically.

SECTION 5: Firefighting measures

Suitable extinguishing media	Foam, dry chemical powder, carbon dioxide (CO ₂).
Unsuitable extinguishing media	Water jet.
Special hazards	Combustion may release smoke, CO and CO ₂ . Prevent run-off from entering drains or watercourses.
Advice for firefighters	Self-contained breathing apparatus and full protective clothing.

SECTION 6: Accidental release measures

Personal precautions	Wear gloves and eye protection. Ensure ventilation. Remove ignition sources.
Environmental precautions	Prevent entry into drains, watercourses or soil.
Containment and cleaning up	Absorb with inert material (sand, diatomaceous earth, universal binder) and place in closed containers for disposal.

SECTION 7: Handling and storage

7.1 Safe handling	Avoid contact with skin and eyes; do not breathe vapours. Keep away from heat, ignition sources and naked flames. Do not eat, drink or smoke in the work area. Wash hands after handling.
7.2 Storage	Keep container tightly closed in a cool, dry, well-ventilated place (10–25 °C), protected from light, heat and ignition sources. Keep out of reach of children.
7.3 Specific end uses	See Section 1.2 and the IFRA certificate.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters	Exposure limits listed by the manufacturer: Benzyl acetate, CAS 140-11-4 — Portugal: 10 ppm (8 h TWA). DNEL/PNEC: not available for the mixture.
Engineering controls	Adequate general ventilation; local exhaust for heated or large-scale operations. Eyewash available.
Eye/face protection	Safety glasses with side shields or goggles (EN 166).
Hand protection	Chemical-resistant nitrile gloves (EN ISO 374), ≥ 0.2 mm.



Respiratory protection	Not required with adequate ventilation; otherwise filter type A (EN 14387).
------------------------	---

SECTION 9: Physical and chemical properties

Physical state	Liquid
Odour	Characteristic — citrus, florals, spices
Flash point	Not determined for the preparation; pure fragrance > 60 °C; Augeo Clean Multi 91 °C
Density	Augeo Clean Multi 1.069 g/cm ³ ; mixture not determined
Solubility	Augeo is miscible with water and alcohols

SECTION 10: Stability and reactivity

Reactivity / stability	Stable under normal conditions of use and storage. No dangerous reactions known.
Conditions to avoid	Heat, flames, ignition sources.
Incompatible materials	Strong oxidising agents.
Hazardous decomposition	In case of combustion: CO, CO ₂ and smoke.

SECTION 11: Toxicological information

Acute toxicity (oral)	Not classified (ATE ≈ 28,051 mg/kg)
Skin corrosion/irritation	Not classified
Eye irritation	Eye Irrit. 2 — H319
Skin sensitisation	Skin Sens. 1 — H317
Aspiration hazard	Not classified
Mutagenicity, carcinogenicity, reproductive toxicity, STOT	Not classified

SECTION 12: Ecological information

12.1 Toxicity	Aquatic Chronic 2 — H411. Main contributors: d-Limonene, tetramethyl acetyloctahydronaphthalenes (OTNE), amyl salicylate, 2-Methylundecanal and allyl cyclohexylpropionate.
12.2-12.7	No data for the mixture. No PBT/vPvB or endocrine-disrupting substances ≥ 0.1%. Do not allow to enter drains or watercourses.

SECTION 13: Disposal considerations

Product	Dispose of through a licensed waste operator according to local/national regulations. Do not discharge to drains.
Hazardous properties (waste)	HP4, HP13, HP14
Contaminated packaging	Empty completely; do not reuse; dispose of as unused product.



SECTION 14: Transport information

	ADR / RID	IMDG	IATA
14.1 UN number	UN 3082	UN 3082	UN 3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (D'LIMONENE, 1-(1,2,3,4,5,6,7,8- octahydro-2 ,3,5,5-tetramethyl-2- naphthalenyl))	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (D'LIMONENE, 1-(1,2,3,4,5,6,7,8- octahydro-2 ,3,5,5-tetramethyl-2- naphthalenyl))	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (D'LIMONENE, 1-(1,2,3,4,5,6,7,8- octahydro-2 ,3,5,5-tetramethyl-2- naphthalenyl))
14.3 Class	9	9	9
14.4 Packing group	III	III	III
14.5 Environmental hazards	Yes	Yes — marine pollutant	Yes

14.6 Special precautions: ADR tunnel code (-); limited quantity 5 L/5 kg; packages ≤ 5 L/5 kg are exempt from the environmentally hazardous substance provisions (ADR SP 375, IMDG 2.10.2.7). 14.7 Bulk (IMO): not applicable.

SECTION 15: Regulatory information

EU regulations	Regulation (EC) No 1272/2008 (CLP); Regulation (EC) No 1907/2006 (REACH); Regulation (EU) 2020/878.
SVHC / Annex XIV / Annex XVII	No SVHC ≥ 0.1%; no Annex XIV substances.
PCN / UFI	Classified for health hazards (H317, H319): a PCN with its own UFI is required if this preparation is placed on the market; the fragrance UFI (X170-U092-0001-9QYX) can be declared as a component (MiM).
IFRA (51st)	Reed diffusers (Cat. 10A): max 25.33% fragrance — this 25% preparation complies if used neat. Room sprays (Cat. 10B): max 66.66% fragrance.

SECTION 16: Other information

Revision	Version 1.0 — Eco Candle Project edition, 21/10/2026. Based on the manufacturer's SDS for the pure fragrance (version 22 of 18/01/2024, issued 19/01/2024), allergen declaration and IFRA 51st Amendment certificate (19/01/2024). Classification of the 25% preparation calculated by Eco Candle Project.
Abbreviations	ATE = Acute Toxicity Estimate; UFI = Unique Formula Identifier; PCN = Poison Centre Notification; SCL = specific concentration limit; OTNE = tetramethyl acetyloctahydronaphthalenes; SVHC = Substance of Very High Concern.

Full text of H-statements (Sections 2 and 3):

H226 Flammable liquid and vapour. **H301** Toxic if swallowed. **H302** Harmful if swallowed. **H304** May be fatal if swallowed and enters airways. **H311** Toxic in contact with skin. **H312** Harmful in contact with skin. **H315** Causes skin irritation. **H317** May cause an allergic skin reaction. **H318** Causes serious eye damage. **H319** Causes serious eye irritation. **H331** Toxic if inhaled. **H332** Harmful if inhaled. **H335** May cause respiratory irritation. **H361** Suspected of damaging fertility or the unborn child. **H400** Very toxic to aquatic life. **H410** Very toxic to aquatic life with long lasting effects. **H411** Toxic to aquatic life with long lasting effects. **H412** Harmful to aquatic life with long lasting effects.

This information is based on our current knowledge and on the manufacturer's data and describes the product for health, safety and environmental purposes only. Users must ensure suitability for their own application. If a different base is used, the classification must be recalculated.



ANNEX — Calculation record (25%)

Hazard class	Fragrance 100%	Calculation at 25% / threshold	Result at 25%
Acute toxicity (oral)	Not classified (ATE 7,013)	ATE $\approx$ 28,051 mg/kg / $\leq$ 2000	Not classified
Aspiration hazard	Not classified	$\Sigma = 2.48\%$ / $\geq 10\%$	Not classified
Skin irritation	Skin Irrit. 2	$\Sigma = 4.88\%$ / $\geq 10\%$	Not classified
Eye irritation	Eye Irrit. 2	$\Sigma = 77.9\%$ / $\geq 10\%$	Eye Irrit. 2 — H319
Skin sensitisation	Skin Sens. 1	d-Limonene 1.96% / $\geq 1\%$	Skin Sens. 1 — H317
Aquatic chronic	Aquatic Chronic 2	C2: 36.4%; C3: 365.2% / $\geq 25\%$	Aquatic Chronic 2 — H411
Physical hazards	Not classified (FP > 60 °C)	FP > 60 °C	Not classified

Calculated from the composition declared in the manufacturer's SDS (100%). The same method reproduces the manufacturer's classification of the pure fragrance; Augeo Clean Multi adds H319.