# SAFETY DATA SHEET

UBE ICE CREAM — 4% preparation in Augeo Clean Multi
According to Regulation (EC) No 1907/2006 (REACH), Annex II, as amended by Regulation (EU) 2020/878

⚠ **NOTE:** This document applies to the final mixture containing 4% of UBE ICE CREAM fragrance and 96% of Augeo Clean Multi. Classification calculated by Eco Candle Project from the composition declared in the manufacturer's SDS for the pure fragrance (CLP calculation method, Regulation (EC) No 1272/2008, Annex I), including Augeo Clean Multi, which is classified Eye Irrit. 2 (H319).

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

| | |
|---|---|
| **Product form** | Mixture |
| **Trade name** | Preparation with UBE ICE CREAM at 4% |
| **UFI (pure fragrance)** | YFEM-SCEK-100K-JAE9 |
| **Type of product** | Perfumes, fragrances |
| **Base** | Augeo Clean Multi (2,2-dimethyl-1,3-dioxolane-4-methanol, CAS 100-79-8) — 96% |

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

| | |
|---|---|
| **Identified uses** | Reed-diffuser liquid in Augeo Clean Multi (4% fragrance complies with the IFRA 10A limit of 4.77%). |
| **Uses advised against** | Not for personal use. Not for direct application to skin. Cosmetic use only within the IFRA limits and with a cosmetic safety assessment. |

### 1.3 Details of the supplier of the safety data sheet

| | |
|---|---|
| **Company** | VEGTEAM, Lda. — Eco Candle Project |
| **Address** | R. Quinta de Santa Marta, Lojas EF, 1495-171 Algés, Portugal |
| **E-mail** | info@ecocandleproject.com |
| **Website** | www.ecocandleproject.com |

### 1.4 Emergency telephone number

| | |
|---|---|
| **Emergency number** | CIAV — Poison Information Centre (INEM): +351 800 250 250 (24 h) |

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

| | |
|---|---|
| **Result** | MIXTURE CLASSIFIED AS HAZARDOUS — H319, H412 |
| **Aquatic hazard, chronic** | Aquatic Chronic 3 — H412. 10 × M × Σ Chronic 1 + Σ Chronic 2 = 4.7% (≥ 25% → Chronic 2); 100 × M × Σ Chronic 1 + 10 × Σ Chronic 2 + Σ Chronic 3 = 46.8%. |
| **Skin sensitisation** | Not classified — highest sensitiser linalyl acetate 0.03% < 1/10 of the limit; EUH208 not required. |
| **Eye irritation** | Eye Irrit. 2 — H319, due to Augeo Clean Multi (96%, Eye Irrit. 2). Σ Eye Irrit. 2 (≥ 1%) ≈ 96.0% (threshold: 10%). |
| **Skin irritation** | Not classified — Σ Skin Irrit. 2 (≥ 1%) = 0.00% (threshold: 10%). |
| **Aspiration hazard** | Not classified — Σ Asp. Tox. 1 = 0.04% (threshold: 10%). |
| **Acute toxicity (oral)** | Not classified — ATE mix ≈ 28,285 mg/kg (threshold: 2000 mg/kg). |
| **Notes** | The pure fragrance (100%) is classified H302, H400 and H411 (WARNING). See Annex — Calculation record. |

### 2.2 Label elements

GHS07

| | |
|---|---|
| **Hazard pictograms** | GHS07 |
| **Signal word** | Warning |
| **Hazard statements** | H319 Causes serious eye irritation.<br>H412 Harmful to aquatic life with long lasting effects. |
| **Precautionary statements** | P101 If medical advice is needed, have product container or label at hand.<br>P102 Keep out of reach of children.<br>P273 Avoid release to the environment.<br>P280 Wear protective gloves/eye protection/face protection.<br>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.<br>P337+P313 If eye irritation persists: Get medical advice/attention.<br>P501 Dispose of contents/container in accordance with local regulations. |
| **Finished product** | Candles: also apply the safety labelling of EN 15494. When supplied to consumers add P101/P102 and the name, address and telephone of the supplier. |

### 2.3 Other hazards

The mixture contains no Substances of Very High Concern (SVHC) ≥ 0.1%, no PBT/vPvB substances (REACH Annex XIII) and no substances with endocrine-disrupting properties ≥ 0.1% (Delegated Regulation (EU) 2017/2100 / Regulation (EU) 2018/605).

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Mixture of fragrance substances. Hazardous components — concentrations refer to the FINAL mixture at 4% (manufacturer's values × 0.04):

| Name | Identifiers | % | Classification (EC) No 1272/2008 |
|---|---|---|---|
| Benzyl benzoate | CAS 120-51-4<br>EC 204-402-9<br>REACH 01-2119976371-33 | 0.796 – 1.59 | Acute Tox. 4 (oral), H302; Aquatic Acute 1, H400; Aquatic Chronic 2, H411 |
| Hexamethylindanopyran (HHCB) | CAS 1222-05-5<br>EC 214-946-9<br>REACH 01-2119488227-29 | 0.152 – 0.300 | Aquatic Acute 1, H400; Aquatic Chronic 1, H410 |
| Vanillin | CAS 121-33-5<br>EC 204-465-2<br>REACH 01-2119516040-60 | 0.080 – 0.156 | Eye Irrit. 2, H319 |
| Ethyl vanillin | CAS 121-32-4<br>EC 204-464-7 | 0.076 – 0.150 | Eye Irrit. 2, H319 |
| Benzyl alcohol | CAS 100-51-6<br>EC 202-859-9<br>REACH 01-2119492630-38 | 0.036 – 0.072 | Acute Tox. 4 (oral), H302; Acute Tox. 4 (inhalation), H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319 |
| 4-(4-Hydroxyphenyl)butan-2-one (raspberry ketone) | CAS 5471-51-2<br>EC 226-806-4 | 0.032 – 0.066 | Acute Tox. 4 (oral), H302 |
| Ethyl maltol | CAS 4940-11-8<br>EC 225-582-5 | 0.028 – 0.054 | Acute Tox. 4 (oral), H302 |
| Linalyl acetate | CAS 115-95-7<br>EC 204-116-4<br>REACH 01-2119454789-19 | 0.016 – 0.032 | Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 |

| Name | Identifiers | % | Classification (EC) No 1272/2008 |
|---|---|---|---|
| Orange oil (Citrus sinensis) | CAS 8008-57-9<br>EC 232-433-8<br>REACH 01-2119493353-35 | 0.016 – 0.032 | Flam. Liq. 3, H226; Skin Irrit. 2, H315; Skin Sens. 1, H317; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 2, H411 |
| Linalool | CAS 78-70-6<br>EC 201-134-4<br>REACH 01-2119474016-42 | 0.016 – 0.030 | Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317 |
| Coumarin | CAS 91-64-5<br>EC 202-086-7<br>REACH 01-2119943756-26 | 0.012 – 0.020 | Acute Tox. 3 (oral), H301; Acute Tox. 3 (dermal), H311; Acute Tox. 3 (inhalation), H331; Skin Sens. 1, H317; Aquatic Chronic 2, H411 |
| Acetyl propionyl (2,3-pentanedione) | CAS 600-14-6<br>EC 209-984-8 | 0.012 – 0.020 | Flam. Liq. 2, H225; Eye Dam. 1, H318; Skin Sens. 1B, H317; STOT RE 2, H373 |
| Ethyl methylphenylglycidate (strawberry aldehyde) | CAS 77-83-8<br>EC 201-061-8<br>REACH 01-2119967770-28 | 0.008 – 0.014 | Skin Sens. 1B, H317; Aquatic Chronic 2, H411 |
| Hexyl cinnamal | CAS 101-86-0<br>EC 202-983-3<br>REACH 01-2119533092-50 | 0.004 – 0.008 | Skin Sens. 1, H317; Aquatic Chronic 2, H411 |
| Hydroxycitronellal | CAS 107-75-5<br>EC 203-518-7<br>REACH 01-2119973482-31 | 0.004 – 0.006 | Eye Irrit. 2, H319; Skin Sens. 1B, H317 |
| (E)-alpha-Damascone | CAS 24720-09-0<br>EC 246-430-4 | 0.004 – 0.006 | Acute Tox. 4 (oral), H302; Skin Sens. 1B, H317; Aquatic Chronic 2, H411 |
| beta-Damascone (rose ketone) | CAS 23726-92-3<br>EC 245-843-7 | 0.004 | Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 2, H411 |
| Citral | CAS 5392-40-5<br>EC 226-394-6<br>REACH 01-2119462829-23 | 0.004 | Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 |
| Turpentine oil | CAS 8006-64-2<br>EC 232-350-7 | 0.004 | Flam. Liq. 3, H226; Acute Tox. 4 (oral), H302; Acute Tox. 4 (dermal), H312; Acute Tox. 4 (inhalation), H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; Asp. Tox. 1, H304; Aquatic Chronic 2, H411 |
| Geranium oil (Egypt) | CAS 8000-46-2<br>EC 290-140-0<br>REACH 01-2120769423-50 | 0.004 | Skin Irrit. 2, H315; Eye Dam. 1, H318; Skin Sens. 1, H317; Aquatic Chronic 3, H412 |
| Isobutyl acetate | CAS 110-19-0<br>EC 203-745-1 | 0.004 | Flam. Liq. 2, H225; STOT SE 3, H336 |
| Citronellol | CAS 106-22-9<br>EC 203-375-0<br>REACH 01-2119453995-23 | 0.004 | Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317 |
| Acetophenone | CAS 98-86-2<br>EC 202-708-7<br>REACH 01-2119533169-37 | < 0.002 | Acute Tox. 4 (oral), H302; Eye Irrit. 2, H319 |
| Augeo Clean Multi | CAS 100-79-8<br>EC 202-888-8 | 96 | Eye Irrit. 2, H319 |

Full text of H-statements: see Section 16.

## SECTION 4: First aid measures

| | |
|---|---|
| **Eye contact** | Rinse cautiously with water for at least 15 minutes, holding eyelids open. Remove contact lenses if easy to do. If eye irritation persists, seek medical advice. |
| **Skin contact** | Remove contaminated clothing. Wash skin with plenty of soap and water. If skin irritation or rash occurs, seek medical advice. |
| **Inhalation** | Move the person to fresh air and keep at rest. If symptoms persist, seek medical advice. |

| | |
|---|---|
| **Ingestion** | Rinse mouth. Do NOT induce vomiting. Contact the Poison Centre (CIAV 800 250 250) or a doctor. |
| **Most important symptoms** | Eye irritation. |
| **Medical attention** | Treat symptomatically. |

## SECTION 5: Firefighting measures

| | |
|---|---|
| **Suitable extinguishing media** | Foam, dry chemical powder, carbon dioxide ($CO_2$). |
| **Unsuitable extinguishing media** | Water jet. |
| **Special hazards** | Combustion may release smoke, CO and $CO_2$. Prevent run-off from entering drains or watercourses. |
| **Advice for firefighters** | Self-contained breathing apparatus and full protective clothing. |

## SECTION 6: Accidental release measures

| | |
|---|---|
| **Personal precautions** | Wear gloves and eye protection. Ensure ventilation. Remove ignition sources. |
| **Environmental precautions** | Prevent entry into drains, watercourses or soil. |
| **Containment and cleaning up** | Absorb with inert material (sand, diatomaceous earth, universal binder) and place in closed containers for disposal. |

## SECTION 7: Handling and storage

| | |
|---|---|
| **7.1 Safe handling** | Avoid contact with skin and eyes; do not breathe vapours. Keep away from heat, ignition sources and naked flames. Do not eat, drink or smoke in the work area. Wash hands after handling. |
| **7.2 Storage** | Keep container tightly closed in a cool, dry, well-ventilated place (10–25 °C), protected from light, heat and ignition sources. Keep out of reach of children. |
| **7.3 Specific end uses** | See Section 1.2 and the IFRA certificate. |

## SECTION 8: Exposure controls/personal protection

| | |
|---|---|
| **8.1 Control parameters** | Exposure limits listed by the manufacturer: Benzyl alcohol, CAS 100-51-6 — Germany (TRGS 900) AGW 22 mg/m³ / 5 ppm; Finland HTP 45 mg/m³ / 10 ppm (8 h); Isobutyl acetate, CAS 110-19-0 — EU IOELV: 241 mg/m³ – 50 ppm (8 h TWA); 723 mg/m³ – 150 ppm (STEL). DNEL/PNEC: not available for the mixture. |
| **Engineering controls** | Adequate general ventilation; local exhaust for heated or large-scale operations. Eyewash available. |
| **Eye/face protection** | Safety glasses with side shields or goggles (EN 166). |
| **Hand protection** | Chemical-resistant nitrile gloves (EN ISO 374), ≥ 0.2 mm. |
| **Respiratory protection** | Not required with adequate ventilation; otherwise filter type A (EN 14387). |

## SECTION 9: Physical and chemical properties

| | |
|---|---|
| **Physical state** | Liquid |
| **Odour** | Characteristic — ube, vanilla, sweet cream |
| **Flash point** | Not determined for the preparation; pure fragrance > 93 °C; Augeo Clean Multi 91 °C |
| **Density** | Augeo Clean Multi 1.069 g/cm³; mixture not determined |
| **Solubility** | Augeo is miscible with water and alcohols |

## SECTION 10: Stability and reactivity

| | |
|---|---|
| **Reactivity / stability** | Stable under normal conditions of use and storage. No dangerous reactions known. |
| **Conditions to avoid** | Heat, flames, ignition sources. |
| **Incompatible materials** | Strong oxidising agents. |
| **Hazardous decomposition** | In case of combustion: CO, $CO_2$ and smoke. |

## SECTION 11: Toxicological information

| | |
|---|---|
| **Acute toxicity (oral)** | Not classified (ATE ≈ 28,285 mg/kg) |
| **Skin corrosion/irritation** | Not classified |
| **Eye irritation** | Eye Irrit. 2 — H319 |
| **Skin sensitisation** | Not classified |
| **Aspiration hazard** | Not classified |
| **Mutagenicity, carcinogenicity, reproductive toxicity, STOT** | Not classified |

## SECTION 12: Ecological information

| | |
|---|---|
| **12.1 Toxicity** | Aquatic Chronic 3 — H412. Main contributors: hexamethylindanopyran (HHCB), benzyl benzoate, orange oil, coumarin and ethyl methylphenylglycidate (strawberry aldehyde). |
| **12.2–12.7** | No data for the mixture. No PBT/vPvB or endocrine-disrupting substances ≥ 0.1%. Do not allow to enter drains or watercourses. |

## SECTION 13: Disposal considerations

| | |
|---|---|
| **Product** | Dispose of through a licensed waste operator according to local/national regulations. Do not discharge to drains. |
| **Hazardous properties (waste)** | HP4, HP14 |
| **Contaminated packaging** | Empty completely; do not reuse; dispose of as unused product. |

## SECTION 14: Transport information

Not classified as dangerous goods (ADR/RID/IMDG/IATA) at 4% — Aquatic Chronic 3 is not regulated for transport. The pure fragrance (100%) is UN 3082, Class 9, PG III.

## SECTION 15: Regulatory information

| | |
|---|---|
| **EU regulations** | Regulation (EC) No 1272/2008 (CLP); Regulation (EC) No 1907/2006 (REACH); Regulation (EU) 2020/878. |
| **SVHC / Annex XIV / Annex XVII** | No SVHC ≥ 0.1%; no Annex XIV substances. |
| **PCN / UFI** | Classified for health hazards (H319): a PCN with its own UFI is required if this preparation is placed on the market; the fragrance UFI (YFEM-SCEK-100K-JAE9) can be declared as a component (MiM). |
| **IFRA (51st)** | Reed diffusers (Cat. 10A): max 4.77% fragrance — this 4% preparation complies if used neat. Room sprays (Cat. 10B): max 30.18% fragrance. |

## SECTION 16: Other information

| | |
|---|---|
| **Revision** | Version 1.0 — Eco Candle Project edition, 22/10/2026. Based on the manufacturer's SDS for the pure fragrance (revision of 29/02/2024, issued 29/02/2024), allergen declaration and IFRA 51st Amendment certificate (29/02/2024). The manufacturer declares component concentrations as ranges; the classification was calculated conservatively using the upper limit of each range. Classification of the 4% preparation calculated by Eco Candle Project. |
| **Abbreviations** | ATE = Acute Toxicity Estimate; UFI = Unique Formula Identifier; PCN = Poison Centre Notification; SCL = specific concentration limit; HHCB = hexamethylindanopyran; SVHC = Substance of Very High Concern. |

### Full text of H-statements (Sections 2 and 3):

**H225** Highly flammable liquid and vapour. **H226** Flammable liquid and vapour. **H301** Toxic if swallowed. **H302** Harmful if swallowed. **H304** May be fatal if swallowed and enters airways. **H311** Toxic in contact with skin. **H312** Harmful in contact with skin. **H315** Causes skin irritation. **H317** May cause an allergic skin reaction. **H318** Causes serious eye damage. **H319** Causes serious eye irritation. **H331** Toxic if inhaled. **H332** Harmful if inhaled. **H336** May cause drowsiness or dizziness. **H373** May cause damage to organs through prolonged or repeated exposure. **H400** Very toxic to aquatic life. **H410** Very toxic to aquatic life with long lasting effects. **H411** Toxic to aquatic life with long lasting effects. **H412** Harmful to aquatic life with long lasting effects.

This information is based on our current knowledge and on the manufacturer's data and describes the product for health, safety and environmental purposes only. Users must ensure suitability for their own application. If a different base is used, the classification must be recalculated.

## ANNEX — Calculation record (4%)

| Hazard class | Fragrance 100% | Calculation at 4% / threshold | Result at 4% |
|---|---|---|---|
| Acute toxicity (oral) | Not classified (ATE 1,131) | ATE ≈ 28,285 mg/kg / ≤ 2000 | Not classified |
| Aspiration hazard | Not classified | Σ = 0.04% / ≥ 10% | Not classified |
| Skin irritation | Not classified | Σ = 0.00% / ≥ 10% | Not classified |
| Eye irritation | Not classified | Σ = 96.0% / ≥ 10% | Eye Irrit. 2 — H319 |
| Skin sensitisation | Not classified | linalyl acetate 0.03% / ≥ 1% | Not classified |
| Aquatic acute | Aquatic Acute 1 | Σ M × A1 = 1.9% / ≥ 25% | Not classified |
| Aquatic chronic | Aquatic Chronic 2 | C2: 4.7%; C3: 46.8% / ≥ 25% | Aquatic Chronic 3 — H412 |
| Physical hazards | Not classified (FP > 93 °C) | FP > 60 °C | Not classified |

Calculated from the composition declared in the manufacturer's SDS (100%). The same method reproduces the manufacturer's classification of the pure fragrance; Augeo Clean Multi adds H319.