



SAFETY DATA SHEET

ENCHANTED FOREST — 5% preparation in non-hazardous base

According to Regulation (EC) No 1907/2006 (REACH), Annex II, as amended by Regulation (EU) 2020/878

⚠ **NOTE:** This document applies to the final mixture containing 5% of ENCHANTED FOREST fragrance and 95% of non-hazardous base. Classification calculated by Eco Candle Project from the composition declared in the manufacturer's SDS for the pure fragrance (CLP calculation method, Regulation (EC) No 1272/2008, Annex I).

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product form	Mixture
Trade name	Preparation with ENCHANTED FOREST at 5%
UFI (pure fragrance)	550Y-N88C-100C-PVR3
Type of product	Perfumes, fragrances
Base	Non-hazardous, non-classified base — 95%

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Air-care products in a non-hazardous base: reed diffusers (within the IFRA 10A limit of 9.50%), room sprays and other non-cosmetic applications.
Uses advised against	Not for personal use. Not for direct application to skin. Cosmetic use only within the IFRA limits and with a cosmetic safety assessment.

1.3 Details of the supplier of the safety data sheet

Company	VEGTEAM, Lda. — Eco Candle Project
Address	R. Quinta de Santa Marta, Lojas EF, 1495-171 Algés, Portugal
E-mail	info@ecocandleproject.com
Website	www.ecocandleproject.com

1.4 Emergency telephone number

Emergency number	CIAV — Poison Information Centre (INEM): +351 800 250 250 (24 h)
------------------	--

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Result	MIXTURE CLASSIFIED AS HAZARDOUS — H412
Aquatic hazard, chronic	Aquatic Chronic 3 — H412. $10 \times M \times \Sigma \text{Chronic 1} + \Sigma \text{Chronic 2} = 3.5\%$ ($\geq 25\% \rightarrow \text{Chronic 2}$); $100 \times M \times \Sigma \text{Chronic 1} + 10 \times \Sigma \text{Chronic 2} + \Sigma \text{Chronic 3} = 35.9\%$.
Skin sensitisation	Not classified — highest sensitiser chinese cedarwood oil $0.51\% < 1\%$. EUH208 applies ($\geq 1/10$ of the limit).
Eye irritation	Not classified — $\Sigma \text{Eye Irrit. 2} (\geq 1\%) = 0.00\%$ (threshold: 10%).
Skin irritation	Not classified — $\Sigma \text{Skin Irrit. 2} (\geq 1\%) = 0.00\%$ (threshold: 10%).
Aspiration hazard	Not classified — $\Sigma \text{Asp. Tox. 1} = 0.89\%$ (threshold: 10%).
Acute toxicity (oral)	Not classified — ATE mix $\approx 41,841 \text{ mg/kg}$ (threshold: 2000 mg/kg).
Skin corrosion	Not classified — $\Sigma \text{Skin Corr. 1} (\geq 1\%) = 0.00\%$ (threshold: 5%).
Notes	The pure fragrance (100%) is classified H304, H314, H317, H400 and H411 (DANGER). See Annex — Calculation record.



2.2 Label elements

Hazard pictograms	None
Signal word	None (no pictogram required)
Hazard statements	H412 Harmful to aquatic life with long lasting effects.
Supplemental information	EUH208 Contains Chinese cedarwood oil, d-Limonene, Siberian fir needle oil (<i>Abies sibirica</i>), Triplal (2,4-dimethylcyclohex-3-ene-1-carbaldehyde). May produce an allergic reaction.
Precautionary statements	P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P273 Avoid release to the environment. P501 Dispose of contents/container in accordance with local regulations.
Finished product	Candles: also apply the safety labelling of EN 15494. When supplied to consumers add P101/P102 and the name, address and telephone of the supplier.

2.3 Other hazards

The mixture contains no Substances of Very High Concern (SVHC) $\geq 0.1\%$, no PBT/vPvB substances (REACH Annex XIII) and no substances with endocrine-disrupting properties $\geq 0.1\%$ (Delegated Regulation (EU) 2017/2100 / Regulation (EU) 2018/605).

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Mixture of fragrance substances. Hazardous components — concentrations refer to the FINAL mixture at 5% (manufacturer's values $\times 0.05$):

Name	Identifiers	%	Classification (EC) No 1272/2008
Benzyl benzoate	CAS 120-51-4 EC 204-402-9 REACH 01-2119976371-33	0.500 – 1.00	Acute Tox. 4 (oral), H302; Aquatic Acute 1, H400; Aquatic Chronic 2, H411
Chinese cedarwood oil (<i>Cupressus funebris</i>)	CAS 85085-29-6 EC 285-360-9	0.255 – 0.510	Skin Corr. 1, H314; Skin Sens. 1, H317; Asp. Tox. 1, H304; Aquatic Chronic 2, H411
Diethyl malonate	CAS 105-53-3 EC 203-305-9 REACH 01-2119886972-18	0.185 – 0.367	Eye Irrit. 2, H319
d-Limonene	CAS 5989-27-5 EC 227-813-5 REACH 01-2119493353-35	0.120 – 0.235	Flam. Liq. 3, H226; Skin Irrit. 2, H315; Skin Sens. 1B, H317; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 3, H412
Siberian fir needle oil (<i>Abies sibirica</i>)	CAS 8021-29-2 EC 290-163-6;617-005-4	0.065 – 0.133	Flam. Liq. 3, H226; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410
Triplal (2,4-dimethylcyclohex-3-ene-1-carbaldehyde)	CAS 68039-49-6 EC 268-264-1	0.065 – 0.125	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; Aquatic Chronic 3, H412
2-tert-Pentylcyclohexyl acetate	CAS 67874-72-0 EC 267-500-0	0.065 – 0.125	Eye Irrit. 2, H319; Aquatic Chronic 2, H411
4-(4-Hydroxyphenyl)butan-2-one (raspberry ketone)	CAS 5471-51-2 EC 226-806-4	0.055 – 0.110	Acute Tox. 4 (oral), H302
2-Methyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	CAS 28219-60-5 EC 248-907-2	0.055 – 0.110	Eye Irrit. 2, H319; Aquatic Acute 1, H400; Skin Irrit. 2, H315
Borneol	CAS 507-70-0 EC 208-080-0 REACH 01-2120759187-44	0.040 – 0.080	Skin Irrit. 2, H315; Flam. Sol. 1, H228; Aquatic Chronic 2, H411
Isoborneol	CAS 124-76-5 EC 204-712-4	0.020 – 0.080	Flam. Sol. 1, H228; Skin Irrit. 2, H315
Ethyl maltol	CAS 4940-11-8 EC 225-582-5	0.040 – 0.075	Acute Tox. 4 (oral), H302



Name	Identifiers	%	Classification (EC) No 1272/2008
Cedrol methyl ether (cedramber)	CAS 19870-74-7 EC 243-384-7	0.025 – 0.050	Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1B, H317
beta-Caryophyllene	CAS 87-44-5 EC 201-746-1 REACH 01-2120745237-53	0.005 – 0.010	Skin Sens. 1B, H317; Asp. Tox. 1, H304
4-tert-Butylcyclohexyl acetate	CAS 32210-23-4 EC 250-954-9 REACH 01-2119976286-24	0.005 – 0.010	Skin Sens. 1B, H317
Camphor	CAS 76-22-2 EC 200-945-0	0.005 – 0.010	Flam. Sol. 2, H228; Acute Tox. 4 (oral), H302; Acute Tox. 4 (inhalation), H332; Skin Irrit. 2, H315; Eye Dam. 1, H318; STOT SE 2, H371; Aquatic Chronic 2, H411
Inert base	—	95	Not classified

Full text of H-statements: see Section 16.

SECTION 4: First aid measures

Eye contact	Rinse cautiously with water for at least 15 minutes, holding eyelids open. Remove contact lenses if easy to do. If eye irritation persists, seek medical advice.
Skin contact	Remove contaminated clothing. Wash skin with plenty of soap and water. If skin irritation or rash occurs, seek medical advice.
Inhalation	Move the person to fresh air and keep at rest. If symptoms persist, seek medical advice.
Ingestion	Rinse mouth. Do NOT induce vomiting. Contact the Poison Centre (CIAV 800 250 250) or a doctor.
Most important symptoms	May produce an allergic reaction in sensitised persons.
Medical attention	Treat symptomatically.

SECTION 5: Firefighting measures

Suitable extinguishing media	Foam, dry chemical powder, carbon dioxide (CO ₂).
Unsuitable extinguishing media	Water jet.
Special hazards	Combustion may release smoke, CO and CO ₂ . Prevent run-off from entering drains or watercourses.
Advice for firefighters	Self-contained breathing apparatus and full protective clothing.

SECTION 6: Accidental release measures

Personal precautions	Wear gloves and eye protection. Ensure ventilation. Remove ignition sources.
Environmental precautions	Prevent entry into drains, watercourses or soil.
Containment and cleaning up	Absorb with inert material (sand, diatomaceous earth, universal binder) and place in closed containers for disposal.

SECTION 7: Handling and storage

7.1 Safe handling	Avoid contact with skin and eyes; do not breathe vapours. Keep away from heat, ignition sources and naked flames. Do not eat, drink or smoke in the work area. Wash hands after handling.
7.2 Storage	Keep container tightly closed in a cool, dry, well-ventilated place (10–25 °C), protected from light, heat and ignition sources. Keep out of reach of children.
7.3 Specific end uses	See Section 1.2 and the IFRA certificate.

**SECTION 8: Exposure controls/personal protection**

8.1 Control parameters	Exposure limits listed by the manufacturer: d-Limonene, CAS 5989-27-5 — Germany (TRGS 900) AGW 28 mg/m ³ / 5 ppm; Finland HTP 140 mg/m ³ / 25 ppm (8 h); Camphor, CAS 76-22-2 — Portugal: 2 ppm (8 h TWA); 3 ppm (STEL). DNEL/PNEC: not available for the mixture.
Engineering controls	Adequate general ventilation; local exhaust for heated or large-scale operations. Eyewash available.
Eye/face protection	Safety glasses with side shields or goggles (EN 166).
Hand protection	Chemical-resistant nitrile gloves (EN ISO 374), ≥ 0.2 mm.
Respiratory protection	Not required with adequate ventilation; otherwise filter type A (EN 14387).

SECTION 9: Physical and chemical properties

Physical state	Liquid
Odour	Characteristic — cedarwood, fir needle, citrus
Flash point	Not determined for the preparation; pure fragrance 82 °C (closed cup)
Density	Depends on the base
Solubility	Insoluble in water

SECTION 10: Stability and reactivity

Reactivity / stability	Stable under normal conditions of use and storage. No dangerous reactions known.
Conditions to avoid	Heat, flames, ignition sources.
Incompatible materials	Strong oxidising agents.
Hazardous decomposition	In case of combustion: CO, CO ₂ and smoke.

SECTION 11: Toxicological information

Acute toxicity (oral)	Not classified (ATE ≈ 41,841 mg/kg)
Skin corrosion/irritation	Not classified
Eye irritation	Not classified
Skin sensitisation	Not classified (EUH208)
Aspiration hazard	Not classified
Mutagenicity, carcinogenicity, reproductive toxicity, STOT	Not classified

SECTION 12: Ecological information

12.1 Toxicity	Aquatic Chronic 3 — H412. Main contributors: siberian fir needle oil (<i>Abies sibirica</i>), benzyl benzoate, chinese cedarwood oil, cedrol methyl ether (cedramber) and d-Limonene.
12.2-12.7	No data for the mixture. No PBT/vPvB or endocrine-disrupting substances ≥ 0.1%. Do not allow to enter drains or watercourses.

SECTION 13: Disposal considerations

Product	Dispose of through a licensed waste operator according to local/national regulations. Do not discharge to drains.
Hazardous properties (waste)	HP14
Contaminated packaging	Empty completely; do not reuse; dispose of as unused product.

**SECTION 14: Transport information**

Not classified as dangerous goods (ADR/RID/IMDG/IATA) at 5% — Aquatic Chronic 3 is not regulated for transport. The pure fragrance (100%) is UN 3082, Class 9, PG III.

SECTION 15: Regulatory information

EU regulations	Regulation (EC) No 1272/2008 (CLP); Regulation (EC) No 1907/2006 (REACH); Regulation (EU) 2020/878.
SVHC / Annex XIV / Annex XVII	No SVHC $\geq 0.1\%$; no Annex XIV substances.
PCN / UFI	Not required — the mixture is classified only for an environmental hazard.
IFRA (50th)	Reed diffusers (Cat. 10A): max 9.50% — 5% complies. Room sprays (Cat. 10B): max 45.45% — complies.

SECTION 16: Other information

Revision	Version 1.0 — Eco Candle Project edition, 21/10/2026. Based on the manufacturer's SDS for the pure fragrance (revision of 08/03/2023, issued 08/03/2023), allergen declaration and IFRA 50th Amendment certificate (08/03/2023). The manufacturer declares component concentrations as ranges; the classification was calculated conservatively using the upper limit of each range. Classification of the 5% preparation calculated by Eco Candle Project.
Abbreviations	ATE = Acute Toxicity Estimate; UFI = Unique Formula Identifier; PCN = Poison Centre Notification; SCL = specific concentration limit; SVHC = Substance of Very High Concern.

Full text of H-statements (Sections 2 and 3):

H226 Flammable liquid and vapour. **H228** Flammable solid. **H302** Harmful if swallowed. **H304** May be fatal if swallowed and enters airways. **H314** Causes severe skin burns and eye damage. **H315** Causes skin irritation. **H317** May cause an allergic skin reaction. **H318** Causes serious eye damage. **H319** Causes serious eye irritation. **H332** Harmful if inhaled. **H371** May cause damage to organs. **H400** Very toxic to aquatic life. **H410** Very toxic to aquatic life with long lasting effects. **H411** Toxic to aquatic life with long lasting effects. **H412** Harmful to aquatic life with long lasting effects.

This information is based on our current knowledge and on the manufacturer's data and describes the product for health, safety and environmental purposes only. Users must ensure suitability for their own application. If a different base is used, the classification must be recalculated.

ANNEX — Calculation record (5%)

Hazard class	Fragrance 100%	Calculation at 5% / threshold	Result at 5%
Acute toxicity (oral)	Not classified (ATE 2,092)	$ATE \approx 41,841 \text{ mg/kg} / \leq 2000$	Not classified
Aspiration hazard	Asp. Tox. 1	$\Sigma = 0.89\% / \geq 10\%$	Not classified
Skin irritation	Not classified	$\Sigma = 0.00\% / \geq 10\%$	Not classified
Eye irritation	Eye Dam. 1	$\Sigma = 0.0\% / \geq 10\%$	Not classified
Skin sensitisation	Skin Sens. 1	chinese cedarwood oil 0.51% / $\geq 1\%$	Not classified (EUH208)
Skin corrosion	Skin Corr. 1	$\Sigma = 0.00\% / \geq 5\%$	Not classified
Aquatic acute	Aquatic Acute 1	$\Sigma M \times A1 = 1.5\% / \geq 25\%$	Not classified
Aquatic chronic	Aquatic Chronic 2	C2: 3.5%; C3: 35.9% / $\geq 25\%$	Aquatic Chronic 3 — H412
Physical hazards	Not classified (FP 82 °C)	$FP > 60 \text{ °C}$	Not classified

Calculated from the composition declared in the manufacturer's SDS (100%). The same method reproduces the manufacturer's classification of the pure fragrance.