

SAFETY DATA SHEET

ORANGE VERTE & NEROLI — 5% preparation in non-hazardous base

According to Regulation (EC) No 1907/2006 (REACH), Annex II, as amended by Regulation (EU) 2020/878

⚠ **NOTE:** This document applies to the final mixture containing 5% of ORANGE VERTE & NEROLI fragrance and 95% of non-hazardous base. Classification calculated by Eco Candle Project from the composition declared in the manufacturer's SDS for the pure fragrance (CLP calculation method, Regulation (EC) No 1272/2008, Annex I).

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product form	Mixture
Trade name	Preparation with ORANGE VERTE & NEROLI at 5%
UFI (pure fragrance)	VT8D-U79C-P00X-30N1
Type of product	Perfumes, fragrances
Base	Non-hazardous, non-classified base — 95%

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Air-care products in a non-hazardous base: reed diffusers (within the IFRA 10A limit of 37.40%), room sprays and other non-cosmetic applications.
Uses advised against	Not for personal use. Not for direct application to skin. Cosmetic use only within the IFRA limits and with a cosmetic safety assessment.

1.3 Details of the supplier of the safety data sheet

Company	VEGTEAM, Lda. — Eco Candle Project
Address	R. Quinta de Santa Marta, Lojas EF, 1495-171 Algés, Portugal
E-mail	info@ecocandleproject.com
Website	www.ecocandleproject.com

1.4 Emergency telephone number

Emergency number	CIAV — Poison Information Centre (INEM): +351 800 250 250 (24 h)
------------------	--

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Result	MIXTURE NOT CLASSIFIED AS HAZARDOUS (EUH208 applies)
Aquatic hazard, chronic	Not classified — $10 \times M \times \Sigma \text{Chronic 1} + \Sigma \text{Chronic 2} = 1.0\%$ ($\geq 25\% \rightarrow \text{Chronic 2}$); $100 \times M \times \Sigma \text{Chronic 1} + 10 \times \Sigma \text{Chronic 2} + \Sigma \text{Chronic 3} = 10.6\%$.
Skin sensitisation	Not classified — highest sensitiser linalyl acetate $0.77\% < 1\%$. EUH208 applies ($\geq 1/10$ of the limit).
Eye irritation	Not classified — $\Sigma \text{Eye Irrit. 2} (\geq 1\%) = 0.00\%$ (threshold: 10%).
Skin irritation	Not classified — $\Sigma \text{Skin Irrit. 2} (\geq 1\%) = 0.00\%$ (threshold: 10%).
Aspiration hazard	Not classified — $\Sigma \text{Asp. Tox. 1} = 1.22\%$ (threshold: 10%).
Acute toxicity (oral)	Not classified — ATE mix $\approx 2,000,000 \text{ mg/kg}$ (threshold: 2000 mg/kg).
Acute toxicity (inhalation)	Not classified — ATE mix (dust/mist) $\approx 12,000.0 \text{ mg/L}$ (Category 4: $\leq 5 \text{ mg/L}$).
Notes	The pure fragrance (100%) is classified H226, H304, H315, H317, H319 and H412 (DANGER). See Annex — Calculation record.



2.2 Label elements

Hazard pictograms	None
Signal word	None (no pictogram required)
Hazard statements	None
Supplemental information	EUH208 Contains Linalyl acetate, Linalool, 2,2,6-Trimethyl-alpha-propylcyclohexanepropanol. May produce an allergic reaction.
Precautionary statements	P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P501 Dispose of contents/container in accordance with local regulations.
Finished product	Candles: also apply the safety labelling of EN 15494. When supplied to consumers add P101/P102 and the name, address and telephone of the supplier.

2.3 Other hazards

The mixture contains no Substances of Very High Concern (SVHC) $\geq 0.1\%$, no PBT/vPvB substances (REACH Annex XIII) and no substances with endocrine-disrupting properties $\geq 0.1\%$ (Delegated Regulation (EU) 2017/2100 / Regulation (EU) 2018/605).

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Mixture of fragrance substances. Hazardous components — concentrations refer to the FINAL mixture at 5% (manufacturer's values $\times 0.05$):

Name	Identifiers	%	Classification (EC) No 1272/2008
d-Limonene	CAS 5989-27-5 EC 227-813-5	0.750 – 1.00	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Skin Irrit. 2, H315; Aquatic Acute 1, H400; Aquatic Chronic 3, H412
Linalyl acetate	CAS 115-95-7 EC 204-116-4 REACH 01-2119454789-19	0.750 – 1.00	Skin Sens. 1B, H317; Eye Irrit. 2, H319
Linalool	CAS 78-70-6 EC 201-134-4 REACH 01-2119474016-42	0.125 – 0.250	Skin Sens. 1B, H317; Eye Irrit. 2, H319
2,2,6-Trimethyl-alpha-propylcyclohexanepropanol	CAS 70788-30-6 EC 274-892-7 REACH 01-2120085416-52	0.050 – 0.125	Skin Sens. 1B, H317
Citral	CAS 5392-40-5 EC 226-394-6 REACH 01-2119462829-23	0.050 – 0.125	Skin Sens. 1, H317; Eye Irrit. 2, H319
Patchouli-type ferment extract (Saccharomyces/sucrose ferment extract)	CAS 1450625-49-6 REACH 01-2119967775-18	0.050 – 0.125	Asp. Tox. 1, H304
beta-Pinene	CAS 18172-67-3 EC 242-060-2	0.025 – 0.050	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Skin Irrit. 2, H315; Aquatic Acute 1, H400; Aquatic Chronic 1, H410
alpha-Isomethyl ionone	CAS 127-51-5 EC 204-846-3	0.025 – 0.050	Skin Sens. 1B, H317
gamma-Terpinene	CAS 99-85-4 EC 202-794-6 REACH 01-2120780478-40	0.005 – 0.025	Flam. Liq. 3, H226; Repr. 2, H361; Aquatic Chronic 2, H411
p-Cymene	CAS 99-87-6 EC 202-796-7 REACH 01-2120807345-59	0.005 – 0.025	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Repr. 2, H361; Aquatic Chronic 2, H411



Name	Identifiers	%	Classification (EC) No 1272/2008
Carvone	CAS 99-49-0 EC 202-759-5 REACH 01-2119962458-25	0.005 – 0.025	Skin Sens. 1B, H317
Myrcene	CAS 123-35-3 EC 204-622-5	0.005 – 0.025	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Eye Irrit. 2, H319; Aquatic Acute 1, H400; Aquatic Chronic 2, H411
Geranyl acetate	CAS 105-87-3 EC 203-341-5 REACH 01-2119973480-35	0.005 – 0.025	Skin Sens. 1B, H317; Aquatic Chronic 3, H412
Ocimene	CAS 13877-91-3 EC 237-641-2 REACH 01-2120739475-47	0.005 – 0.025	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 2, H411
Nerolidol	CAS 7212-44-4 EC 230-597-5 REACH 01-2119457636-29	0.005 – 0.025	Skin Sens. 1B, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410
alpha-Pinene	CAS 7785-26-4 EC 232-077-3	0.005 – 0.025	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Acute Tox. 4 (oral), H302; Skin Irrit. 2, H315; Aquatic Acute 1, H400; Aquatic Chronic 1, H410
Geraniol	CAS 106-24-1 EC 203-377-1 REACH 01-2119552430-49	0.005 – 0.025	Eye Dam. 1, H318; Skin Irrit. 2, H315
Neryl acetate	CAS 141-12-8 EC 205-459-2 REACH 01-2120748334-54	0.005 – 0.025	Skin Sens. 1B, H317
beta-Caryophyllene	CAS 87-44-5 EC 201-746-1 REACH 01-2120745237-53	0.005 – 0.025	Asp. Tox. 1, H304
Terpinolene	CAS 586-62-9 EC 209-578-0 REACH 01-2119982325-32	0.005 – 0.025	Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410
(E)-2-Dodecenal	CAS 20407-84-5 EC 243-797-2 REACH 01-2120111676-59	0.005 – 0.025	Skin Sens. 1B, H317; Eye Irrit. 2, H319; Aquatic Acute 1, H400
beta-n-Methylionone	CAS 63429-28-7 EC 264-140-6	0.005 – 0.025	Skin Sens. 1B, H317; Aquatic Chronic 2, H411
Inert base	—	95	Not classified

Full text of H-statements: see Section 16.

SECTION 4: First aid measures

Eye contact	Rinse cautiously with water for at least 15 minutes, holding eyelids open. Remove contact lenses if easy to do. If eye irritation persists, seek medical advice.
Skin contact	Remove contaminated clothing. Wash skin with plenty of soap and water. If skin irritation or rash occurs, seek medical advice.
Inhalation	Move the person to fresh air and keep at rest. If symptoms persist, seek medical advice.
Ingestion	Rinse mouth. Do NOT induce vomiting. Contact the Poison Centre (CIAV 800 250 250) or a doctor.
Most important symptoms	May produce an allergic reaction in sensitised persons.
Medical attention	Treat symptomatically.

**SECTION 5: Firefighting measures**

Suitable extinguishing media	Foam, dry chemical powder, carbon dioxide (CO ₂).
Unsuitable extinguishing media	Water jet.
Special hazards	Combustion may release smoke, CO and CO ₂ . Prevent run-off from entering drains or watercourses.
Advice for firefighters	Self-contained breathing apparatus and full protective clothing.

SECTION 6: Accidental release measures

Personal precautions	Wear gloves and eye protection. Ensure ventilation. Remove ignition sources.
Environmental precautions	Prevent entry into drains, watercourses or soil.
Containment and cleaning up	Absorb with inert material (sand, diatomaceous earth, universal binder) and place in closed containers for disposal.

SECTION 7: Handling and storage

7.1 Safe handling	Avoid contact with skin and eyes; do not breathe vapours. Keep away from heat, ignition sources and naked flames. Do not eat, drink or smoke in the work area. Wash hands after handling.
7.2 Storage	Keep container tightly closed in a cool, dry, well-ventilated place (10–25 °C), protected from light, heat and ignition sources. Keep out of reach of children.
7.3 Specific end uses	See Section 1.2 and the IFRA certificate.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters	Exposure limits listed by the manufacturer: Citral, CAS 5392-40-5 — 5 ppm (8 h TWA). DNEL/PNEC: not available for the mixture.
Engineering controls	Adequate general ventilation; local exhaust for heated or large-scale operations. Eyewash available.
Eye/face protection	Safety glasses with side shields or goggles (EN 166).
Hand protection	Chemical-resistant nitrile gloves (EN ISO 374), ≥ 0.2 mm.
Respiratory protection	Not required with adequate ventilation; otherwise filter type A (EN 14387).

SECTION 9: Physical and chemical properties

Physical state	Liquid
Odour	Characteristic — green orange, neroli
Flash point	Not determined for the preparation; pure fragrance 60 °C (closed cup). The pure fragrance is Flam. Liq. 3 (H226). The preparation contains at least 75% of a solvent with a flash point above 90 °C and is not expected to meet the Flam. Liq. 3 criterion (flash point ≤ 60 °C); this has not been verified by a flash-point test, so keep away from ignition sources.
Density	Depends on the base
Solubility	Insoluble in water

SECTION 10: Stability and reactivity

Reactivity / stability	Stable under normal conditions of use and storage. No dangerous reactions known.
Conditions to avoid	Heat, flames, ignition sources.
Incompatible materials	Strong oxidising agents.



Hazardous decomposition	In case of combustion: CO, CO ₂ and smoke.
--------------------------------	---

SECTION 11: Toxicological information

Acute toxicity (oral)	Not classified (ATE ≈ 2,000,000 mg/kg)
Acute toxicity (inhalation)	Not classified (ATE ≈ 12,000.0 mg/L)
Skin corrosion/irritation	Not classified
Eye irritation	Not classified
Skin sensitisation	Not classified (EUH208)
Aspiration hazard	Not classified
Mutagenicity, carcinogenicity, reproductive toxicity, STOT	Not classified

SECTION 12: Ecological information

12.1 Toxicity	Not classified as hazardous to the aquatic environment (Σ aquatic-hazard components: d-Limonene, beta-Pinene, nerolidol, alpha-Pinene and terpinolene, below the classification limits).
12.2-12.7	No data for the mixture. No PBT/vPvB or endocrine-disrupting substances ≥ 0.1%. Do not allow to enter drains or watercourses.

SECTION 13: Disposal considerations

Product	Dispose of through a licensed waste operator according to local/national regulations. Do not discharge to drains.
Hazardous properties (waste)	None — not a hazardous waste on the basis of its classification (Annex III, Directive 2008/98/EC).
Contaminated packaging	Empty completely; do not reuse; dispose of as unused product.

SECTION 14: Transport information

Not classified as dangerous goods (ADR/RID/IMDG/IATA) at 5% — the preparation is not classified as hazardous to the aquatic environment. The pure fragrance (100%) is UN 1197, Class 3, PG III (flammable liquid).

SECTION 15: Regulatory information

EU regulations	Regulation (EC) No 1272/2008 (CLP); Regulation (EC) No 1907/2006 (REACH); Regulation (EU) 2020/878.
SVHC / Annex XIV / Annex XVII	No SVHC ≥ 0.1%; no Annex XIV substances.
PCN / UFI	Not required — the mixture is not classified as hazardous.
IFRA (51st)	Reed diffusers (Cat. 10A): max 37.40% — 5% complies. Room sprays (Cat. 10B): max 20.67% — complies.



SECTION 16: Other information

Revision	Version 1.0 — Eco Candle Project edition, 23/10/2026. Based on the manufacturer's SDS for the pure fragrance (version 13.0 of 11/03/2024, issued 11/03/2024), allergen declaration and IFRA 51st Amendment certificate (10/11/2023). The manufacturer declares component concentrations as ranges. Exact values from the manufacturer's allergen declaration (Reg. (EU) 2023/1545) were used for limonene, linalyl acetate, linalool, citral, alpha-isomethyl ionone, carvone, geranyl acetate, geraniol, beta-caryophyllene and terpinolene; the declared total for pinene (1.05%) was split between beta-pinene (0.55%) and alpha-pinene (0.50%); the upper limit of the declared range was used for all other components. Section 3 shows the manufacturer's ranges. Classification of the 5% preparation calculated by Eco Candle Project.
Abbreviations	ATE = Acute Toxicity Estimate; UFI = Unique Formula Identifier; PCN = Poison Centre Notification; SCL = specific concentration limit; SVHC = Substance of Very High Concern.

Full text of H-statements (Sections 2 and 3):

H226 Flammable liquid and vapour. **H302** Harmful if swallowed. **H304** May be fatal if swallowed and enters airways. **H315** Causes skin irritation. **H317** May cause an allergic skin reaction. **H318** Causes serious eye damage. **H319** Causes serious eye irritation. **H361** Suspected of damaging fertility or the unborn child. **H400** Very toxic to aquatic life. **H410** Very toxic to aquatic life with long lasting effects. **H411** Toxic to aquatic life with long lasting effects. **H412** Harmful to aquatic life with long lasting effects.

This information is based on our current knowledge and on the manufacturer's data and describes the product for health, safety and environmental purposes only. Users must ensure suitability for their own application. If a different base is used, the classification must be recalculated.

ANNEX — Calculation record (5%)

Hazard class	Fragrance 100%	Calculation at 5% / threshold	Result at 5%
Acute toxicity (oral)	Not classified (ATE 100,000)	$ATE \approx 2,000,000 \text{ mg/kg} / \leq 2000$	Not classified
Acute toxicity (inhalation)	Not classified (ATE 600.00 mg/L)	$ATE \approx 12,000.0 \text{ mg/L} / \leq 5$	Not classified
Aspiration hazard	Asp. Tox. 1	$\Sigma = 1.22\% / \geq 10\%$	Not classified
Skin irritation	Skin Irrit. 2	$\Sigma = 0.00\% / \geq 10\%$	Not classified
Eye irritation	Eye Irrit. 2	$\Sigma = 0.0\% / \geq 10\%$	Not classified
Skin sensitisation	Skin Sens. 1	linalyl acetate 0.77% / $\geq 1\%$	Not classified (EUH208)
Aquatic chronic	Aquatic Chronic 3	C2: 1.0%; C3: 10.6% / $\geq 25\%$	Not classified
Flammable liquids	Flam. Liq. 3 (FP 60 °C)	FP of the preparation not tested; $\geq 75\%$ solvent with FP > 90 °C (see 9.1)	Not classified (not tested)

Calculated from the composition declared in the manufacturer's SDS (100%). The same method reproduces the manufacturer's classification of the pure fragrance.