SAFETY DATA SHEET

ROCKSALT & DRIFTWOOD — 5% preparation in non-hazardous base
According to Regulation (EC) No 1907/2006 (REACH), Annex II, as amended by Regulation (EU) 2020/878

⚠ **NOTE:** This document applies to the final mixture containing 5% of ROCKSALT & DRIFTWOOD fragrance and 95% of non-hazardous base. Classification calculated by Eco Candle Project from the composition declared in the manufacturer's SDS for the pure fragrance (CLP calculation method, Regulation (EC) No 1272/2008, Annex I).

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product form	Mixture
Trade name	Preparation with ROCKSALT & DRIFTWOOD at 5%
UFI (pure fragrance)	3MMR-3379-A00H-3FEV
Type of product	Perfumes, fragrances
Base	Non-hazardous, non-classified base — 95%

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Air-care products in a non-hazardous base: reed diffusers (within the IFRA 10A limit of 46.00%), room sprays and other non-cosmetic applications.
Uses advised against	Not for personal use. Not for direct application to skin. Cosmetic use only within the IFRA limits and with a cosmetic safety assessment.

1.3 Details of the supplier of the safety data sheet

Company	VEGTEAM, Lda. — Eco Candle Project
Address	R. Quinta de Santa Marta, Lojas EF, 1495-171 Algés, Portugal
E-mail	info@ecocandleproject.com
Website	www.ecocandleproject.com

1.4 Emergency telephone number

Emergency number	CIAV — Poison Information Centre (INEM): +351 800 250 250 (24 h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Result	MIXTURE CLASSIFIED AS HAZARDOUS — H412
Aquatic hazard, chronic	Aquatic Chronic 3 — H412. 10 × M × Σ Chronic 1 + Σ Chronic 2 = 3.6% (≥ 25% → Chronic 2); 100 × M × Σ Chronic 1 + 10 × Σ Chronic 2 + Σ Chronic 3 = 36.3%.
Skin sensitisation	Not classified — highest sensitiser tetramethyl acetyloctahydronaphthalenes (OTNE) 0.15% < 1%. EUH208 applies (≥ 1/10 of the limit).
Eye irritation	Not classified — Σ Eye Irrit. 2 (≥ 1%) = 0.00% (threshold: 10%).
Skin irritation	Not classified — Σ Skin Irrit. 2 (≥ 1%) = 0.00% (threshold: 10%).
Aspiration hazard	Not classified — Σ Asp. Tox. 1 = 0.07% (threshold: 10%).
Acute toxicity (oral)	Not classified — ATE mix ≈ 666,667 mg/kg (threshold: 2000 mg/kg).
Notes	The pure fragrance (100%) is classified H317 and H411 (WARNING). See Annex — Calculation record.

2.2 Label elements

Hazard pictograms	None
Signal word	None (no pictogram required)

Hazard statements	H412 Harmful to aquatic life with long lasting effects.
Supplemental information	EUH208 Contains Tetramethyl acetyloctahydronaphthalenes (OTNE). May produce an allergic reaction.
Precautionary statements	P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P273 Avoid release to the environment. P501 Dispose of contents/container in accordance with local regulations.
Finished product	Candles: also apply the safety labelling of EN 15494. When supplied to consumers add P101/P102 and the name, address and telephone of the supplier.

2.3 Other hazards

The mixture contains no Substances of Very High Concern (SVHC) ≥ 0.1%, no PBT/vPvB substances (REACH Annex XIII) and no substances with endocrine-disrupting properties ≥ 0.1% (Delegated Regulation (EU) 2017/2100 / Regulation (EU) 2018/605).

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Mixture of fragrance substances. Hazardous components — concentrations refer to the FINAL mixture at 5% (manufacturer's values × 0.05):

Name	Identifiers	%	Classification (EC) No 1272/2008
Tetrahydro-4-methyl-2-(2-methylpropyl)-2H-pyran-4-ol	CAS 63500-71-0 EC 405-040-6	0.049 – 0.198	Eye Irrit. 2, H319
Tetramethyl acetyloctahydronaphthalenes (OTNE)	CAS 54464-57-2 EC 259-174-3 REACH 01-2119489989-04	0.074 – 0.148	Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 1, H410
Dihydromyrcenol (2,6-dimethyloct-7-en-2-ol)	CAS 18479-58-8 EC 242-362-4 REACH 01-2119457274-37	0.061 – 0.123	Skin Irrit. 2, H315; Eye Irrit. 2, H319
Amyl salicylate	CAS 2050-08-0 EC 218-080-2 REACH 01-2119969444-27	0.038 – 0.075	Acute Tox. 4 (oral), H302; Aquatic Chronic 1, H410
Ethylene brassylate	CAS 105-95-3 EC 203-347-8 REACH 01-2119976314-33	0.038 – 0.075	Aquatic Chronic 2, H411
Juniperus mexicana (cedarwood Texas) oil	CAS 68990-83-0 EC 294-461-7	0.025 – 0.050	Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410
Cedrol methyl ether (cedramber)	CAS 19870-74-7 EC 243-384-7	0.020 – 0.040	Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1B, H317
Linalool	CAS 78-70-6 EC 201-134-4 REACH 01-2119474016-42	0.020 – 0.040	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317
Cyclamen aldehyde	CAS 103-95-7 EC 203-161-7 REACH 01-2119970582-32	0.013 – 0.025	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 2, H411
Hexyl salicylate	CAS 6259-76-3 EC 228-408-6	0.0010 – 0.020	Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410
cis-3-Hexenyl salicylate	CAS 65405-77-8 EC 265-745-8	0.009 – 0.017	Aquatic Acute 1, H400; Aquatic Chronic 2, H411
Linalyl acetate	CAS 115-95-7 EC 204-116-4 REACH 01-2119454789-19	0.009 – 0.017	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317
Elemi oil	CAS 8023-89-0	0.009 – 0.017	Flam. Liq. 3, H226; Skin Irrit. 2, H315; Skin Sens. 1, H317; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410

Name	Identifiers	%	Classification (EC) No 1272/2008
Piperonal (heliotropin)	CAS 120-57-0 EC 204-409-7 REACH 01-2119983608-21	0.006 – 0.013	Skin Sens. 1B, H317
Floralozone (3-(4-ethylphenyl)-2 ,2-dimethylpropanal)	CAS 67634-15-5 EC 266-819-2 REACH 01-2120758796-34	0.005 – 0.010	Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1B, H317
d-Limonene	CAS 5989-27-5 EC 227-813-5 REACH 01-2119493353-35	0.003 – 0.005	Flam. Liq. 3, H226; Skin Irrit. 2, H315; Skin Sens. 1B, H317; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 3, H412
Triplal (2,4-dimethylcyclohex-3-ene-1-carbaldehyde)	CAS 68039-49-6 EC 268-264-1	0.003 – 0.005	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; Aquatic Chronic 3, H412
4-Methyl-3-decen-5-ol	CAS 81782-77-6 EC 279-815-0	0.003 – 0.005	Aquatic Acute 1, H400; Aquatic Chronic 2, H411
Inert base	—	95	Not classified

Full text of H-statements: see Section 16.

SECTION 4: First aid measures

Eye contact	Rinse cautiously with water for at least 15 minutes, holding eyelids open. Remove contact lenses if easy to do. If eye irritation persists, seek medical advice.
Skin contact	Remove contaminated clothing. Wash skin with plenty of soap and water. If skin irritation or rash occurs, seek medical advice.
Inhalation	Move the person to fresh air and keep at rest. If symptoms persist, seek medical advice.
Ingestion	Rinse mouth. Do NOT induce vomiting. Contact the Poison Centre (CIAV 800 250 250) or a doctor.
Most important symptoms	May produce an allergic reaction in sensitised persons.
Medical attention	Treat symptomatically.

SECTION 5: Firefighting measures

Suitable extinguishing media	Foam, dry chemical powder, carbon dioxide (CO_2).
Unsuitable extinguishing media	Water jet.
Special hazards	Combustion may release smoke, CO and CO_2. Prevent run-off from entering drains or watercourses.
Advice for firefighters	Self-contained breathing apparatus and full protective clothing.

SECTION 6: Accidental release measures

Personal precautions	Wear gloves and eye protection. Ensure ventilation. Remove ignition sources.
Environmental precautions	Prevent entry into drains, watercourses or soil.
Containment and cleaning up	Absorb with inert material (sand, diatomaceous earth, universal binder) and place in closed containers for disposal.

SECTION 7: Handling and storage

7.1 Safe handling	Avoid contact with skin and eyes; do not breathe vapours. Keep away from heat, ignition sources and naked flames. Do not eat, drink or smoke in the work area. Wash hands after handling.
7.2 Storage	Keep container tightly closed in a cool, dry, well-ventilated place (10–25 °C), protected from light, heat and ignition sources. Keep out of reach of children.
7.3 Specific end uses	See Section 1.2 and the IFRA certificate.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters	Exposure limits listed by the manufacturer: d-Limonene, CAS 5989-27-5 — Germany (TRGS 900) AGW 28 mg/m³ / 5 ppm; Finland HTP 140 mg/m³ / 25 ppm (8 h). DNEL/PNEC: not available for the mixture.
Engineering controls	Adequate general ventilation; local exhaust for heated or large-scale operations. Eyewash available.
Eye/face protection	Safety glasses with side shields or goggles (EN 166).
Hand protection	Chemical-resistant nitrile gloves (EN ISO 374), ≥ 0.2 mm.
Respiratory protection	Not required with adequate ventilation; otherwise filter type A (EN 14387).

SECTION 9: Physical and chemical properties

Physical state	Liquid
Odour	Characteristic — sea salt, driftwood, cedarwood
Flash point	Not determined for the preparation; pure fragrance 108 °C (closed cup)
Density	Depends on the base
Solubility	Insoluble in water

SECTION 10: Stability and reactivity

Reactivity / stability	Stable under normal conditions of use and storage. No dangerous reactions known.
Conditions to avoid	Heat, flames, ignition sources.
Incompatible materials	Strong oxidising agents.
Hazardous decomposition	In case of combustion: CO, CO_2 and smoke.

SECTION 11: Toxicological information

Acute toxicity (oral)	Not classified (ATE ≈ 666,667 mg/kg)
Skin corrosion/irritation	Not classified
Eye irritation	Not classified
Skin sensitisation	Not classified (EUH208)
Aspiration hazard	Not classified
Mutagenicity, carcinogenicity, reproductive toxicity, STOT	Not classified

SECTION 12: Ecological information

12.1 Toxicity	Aquatic Chronic 3 — H412. Main contributors: tetramethyl acetyloctahydronaphthalenes (OTNE), amyl salicylate, juniperus mexicana (cedarwood Texas) oil, cedrol methyl ether (cedramber) and hexyl salicylate.
12.2–12.7	No data for the mixture. No PBT/vPvB or endocrine-disrupting substances ≥ 0.1%. Do not allow to enter drains or watercourses.

SECTION 13: Disposal considerations

Product	Dispose of through a licensed waste operator according to local/national regulations. Do not discharge to drains.
Hazardous properties (waste)	HP14
Contaminated packaging	Empty completely; do not reuse; dispose of as unused product.

SECTION 14: Transport information

Not classified as dangerous goods (ADR/RID/IMDG/IATA) at 5% — Aquatic Chronic 3 is not regulated for transport. The pure fragrance (100%) is UN 3082, Class 9, PG III.

SECTION 15: Regulatory information

EU regulations	Regulation (EC) No 1272/2008 (CLP); Regulation (EC) No 1907/2006 (REACH); Regulation (EU) 2020/878.
SVHC / Annex XIV / Annex XVII	No SVHC ≥ 0.1%; no Annex XIV substances.
Drug precursors	Contains piperonal (CAS 120-57-0, 0.01%), a Category 1 scheduled substance under Regulation (EC) No 273/2004 (Annex I). The mixture is compounded so that the substance cannot be easily used or extracted; nevertheless, keep records of transactions and report any suspicious orders or transactions to the competent authority.
PCN / UFI	Not required — the mixture is classified only for an environmental hazard.
IFRA (49th)	Reed diffusers (Cat. 10A): max 46.00% — 5% complies. Room sprays (Cat. 10B): no restriction (100%) — complies.

SECTION 16: Other information

Revision	Version 1.0 — Eco Candle Project edition, 21/10/2026. Based on the manufacturer's SDS for the pure fragrance (revision of 13/02/2023, issued 13/02/2023), allergen declaration and IFRA 49th Amendment certificate (08/07/2021). The manufacturer declares component concentrations as ranges; the classification was calculated conservatively using the upper limit of each range (these upper limits coincide with the exact values in the manufacturer's IFRA certificate and allergen declaration, e.g. OTNE 2.95%, linalool 0.8%), which reproduces the manufacturer's classification of the pure fragrance (H317, H411). The manufacturer has not issued SDSs for diluted preparations — the classifications of the 5%, 10% and 25% preparations were calculated by Eco Candle Project with the CLP calculation method. Classification of the 5% preparation calculated by Eco Candle Project.
Abbreviations	ATE = Acute Toxicity Estimate; UFI = Unique Formula Identifier; PCN = Poison Centre Notification; SCL = specific concentration limit; OTNE = tetramethyl acetyloctahydronaphthalenes; SVHC = Substance of Very High Concern.

Full text of H-statements (Sections 2 and 3):

H226 Flammable liquid and vapour. **H302** Harmful if swallowed. **H304** May be fatal if swallowed and enters airways. **H315** Causes skin irritation. **H317** May cause an allergic skin reaction. **H319** Causes serious eye irritation. **H400** Very toxic to aquatic life. **H410** Very toxic to aquatic life with long lasting effects. **H411** Toxic to aquatic life with long lasting effects. **H412** Harmful to aquatic life with long lasting effects.

This information is based on our current knowledge and on the manufacturer's data and describes the product for health, safety and environmental purposes only. Users must ensure suitability for their own application. If a different base is used, the classification must be recalculated.

ANNEX — Calculation record (5%)

Hazard class	Fragrance 100%	Calculation at 5% / threshold	Result at 5%
Acute toxicity (oral)	Not classified (ATE 33,333)	ATE ≈ 666,667 mg/kg / ≤ 2000	Not classified
Aspiration hazard	Not classified	Σ = 0.07% / ≥ 10%	Not classified
Skin irritation	Not classified	Σ = 0.00% / ≥ 10%	Not classified
Eye irritation	Not classified	Σ = 0.0% / ≥ 10%	Not classified
Skin sensitisation	Skin Sens. 1	tetramethyl acetyloctahydronaphthalenes (OTNE) 0.15% / ≥ 1%	Not classified (EUH208)
Aquatic chronic	Aquatic Chronic 2	C2: 3.6%; C3: 36.3% / ≥ 25%	Aquatic Chronic 3 — H412
Physical hazards	Not classified (FP 108 °C)	FP > 60 °C	Not classified

Calculated from the composition declared in the manufacturer's SDS (100%). The same method reproduces the manufacturer's classification of the pure fragrance.